



Over the decades, Amerimax Windows & Doors has developed a reputation for innovation and excellence. Our unparalleled product quality and customer service are supported by a large network of trained,

Amerimax redesigned its entire product line in recent years, taking advantage of our best-in-class manufacturing processes to incorporate the lastest architectural design trends, as well as the most energy-efficient features



Americoat Exterior **Color Options**

In addition to its traditional line of windows and doors, Amerimax now offers unique Multi-Slide, Folding, and Swing Doors. All Amerimax products are fully warrantied, and are rated among the most popular and

As of 2020, Amerimax Windows & Doors is a wholly owned subsidiary of Cascade Windows.

Amerimax Windows offers a variety of window designs and frame styles



Master Grande Series Frame being shown



Visit amerimaxwindows.com for a dealer near you.



Every detail of the Amerimax Craftsman Portrait Window is carefully designed to add beauty and value to any home. The multi-chambered, beveled frame glides smoothly on its brass roller system in a low-friction, monorail track, and the tight seal and dual-action locks protect the home from inclement weather and

- Argon gas and Premium Super Spacer support energy efficiency
- 5/8" standard flat and 5/8" Euro grids or 1" Sculptured Internal Grid options

Cam Lock

White

Auto-Lock

White

270

- White, Desert Sand, or Americoat exterior painted colors - Color-matched hardware available in White and Desert Sand

2-7/8" frame width • Energy-efficient design • Low-E 366 Neat*

Craftsman Portrait Series: Interior view



ENERGY **STAR[®] rated** We have products that meet and exceed ENERGY STAR* ratings.

Product Styles Single Hung - Horizontal Sliders - Picture Window Optional Special Shapes





A clean, low-profile design maximizes the viewing area in the Masters Grande Series, to complement any décor and satisfy even the most discerning homeowner. Heavy-duty, multi-chambered, dual-wall extrusions are fusion-welded to produce a window frame of superior rigidity, insulation, durability and protection against



- Multiple high-performance glazing options to meet any specific requirements - Argon gas and Premium Super Spacer options increased energy efficiency - 5/8" standard flat and 5/8" Euro grids or 1" Sculptured Internal Grid options

- White, Desert Sand, or Americoat exterior painted Colors - Color-matched hardware available in White and Desert Sand

3-1/4" frame width • Energy-efficient design • Low-E 366 Neat

Master Grande Series: Interior view



ENERGY STAR[®] rated We have products that meet and exceed ENERGY STAR^{*} ratings.

Product Styles Double Hung - Horizontal Sliders - Picture Window 30' & 45' Custom Bay Windows - Optional Special Shapes





Transform your home with the versatile and elegant designs of the New Horizon Patio Door. Choose from a variety of configurations including 2-panel, 3-panel, and 4-panel doors, with optional overhead transoms,

- Customizable, with multiple, high-performance glazing options
- Argon gas and Premium Super Spacer options add to energy efficiency

White

Standard Patio Locks

Desert Sand

- 5/8" standard flat grid and Sculptured Internal Grid options

- White, Desert Sand, or Americoat exterior painted colors - Hardware options: Brass, Black, White, Satin Nickel, Antique Nickel,

2 Panel Patio Door



Left side opening

3 Panel Patio Door



Left side opening

4 Panel Patio Door



Center opening

4 Panel Patio Door Operation



Center opening



Homeowners and building professionals alike appreciate the sleek look, reliable performance, and exceptional value of our WinPro Series. This Amerimax product combines intelligent design with energy efficiency, to create an extremely smart and affordable window. The WinPro Series features a traditional compression cam-lock and a streamlined profile, to deliver a contemporary look and expanded viewing area.

- Multiple high-performance glazing options to meet your specific requirements

Auto-Lock

Cam-Lock

8

WOCD - Vent

- Argon gas and super spacer options for increased energy efficiency
- 5/8" standard flat grid and Sculptured Internal Grid options
- Choose between White, Almond, Clay - Black or Bronze cap stock over White vinyl

3-1/4" Frame Width • Greater glass viewing area • Low-E 366 Neat*

WinPro Series: Interior view




ENERGY **STAR[®] rated** Many Amerimax products meet or exceed ENERGY STAR[®] ratings.

Lifetime Limited Warranty on parts & labor Single Hung - Horizontal Sliders - Picture Window - Awning Casement - Special Shapes



Black Capstock



smoothly on a track system, to expand the home's living space and enjoy the weather This contemporary design can

3 Panel Multi-Slide Door



Right side opening

3 Panel Multi-Slide Door




Right side opening

4 Panel Multi-Slide Door



Right side opening

4 Panel Multi-Slide Door Operation



Right side opening



Our innovative, durable, low-maintenance Folding Door System welcomes natural light into the home, merging or separating inside and outside spaces with a sleek, modern look. This Folding Door System stacks to the home's exterior, adding a touch of glamor without affecting the spaciousness of any interior rooms.



- Standard dual glazed triple coat LowE technology
- Argon gas filled with warm edge spacer system for increased energy efficiency
- 5/8" standard flat grid and Sculptured Internal Grid options

- Choose between White, Beige or Black door color options
- Note: Black door color is not available in 2750 series
- Two hardware styles: standard or flair style

Custom sizes available • KD frame • Energy-efficient glass options





Single Door - Outswing

4 Panel Folding Door



Double Door - Outswing

5 Panel Folding Door




Double Door - Outswing

7 Panel Folding Door Operation







Amerimax Classic French Doors are available with Single Entry, Center Hinged, or True French styles, that swing in or out. Sidelights may be added as an option, with a matching, wide French rail. Choose operable venting in



- Multiple high-performance glazing options available
- Argon gas and super spacer options add to energy efficiency
- 5/8" standard flat grid and Sculptured Internal Grid options

- Choose between White, Almond, Clay or Black and Bronze vinyl cap stock - Hardware options: Brass, Black, White, Satin Nickel, Antique Nickel,



Single Swing Door





Single Swing Door





Single sidelight - Outswing

Double Swing Door





Outswing


Single sidelights - Outswing



With dual sidelights - Outswing



Amerimax offers a wide selection of window and door combinations, adding design flexibility, functionality and creativity to any window project.



ease of operation

ease of operation

Additional window options available.

Aristocrat Series Windows Casement - Picture with Awing - Awning

Strength

3-1/4" multi-chambered, heavy-duty, dual-wall extrusion design provides rigidity, insulation and durability


Design Simplistic design that has excellent strength and protection against the elements

Security

Smooth operation, featuring premium Roto brand hardware




Master Series Bays & Bows 30 & 45 Degree Bay Windows



Bay Windows

Three side-by-side window panels that project outward - Center window panel is stationary Flanking side windows optional as fixed panels, double hungs, or casements Comes standard with insulated seat board package - 1 1/4" oak-stock head



Bow Windows 4 or more side-by-side window panels that bow outward All window panels available as fixed panels or casements Available with insulated seatboard package - 1 1/4" oak-stock head

Amerimax Pet Doors

You and your pet will relish the freedom a pet door brings

to your lives.



Security Impact resistant security cover with positive action pin lock increases product integrity

Warrantv

Patio door is backed by the limited lifetime warranty while the pet door is a 5-vear warrantv

Model	Size	Opening	Pet Weight	Shoulder Height	Sample Breeds
C	Medium	8.5" x 12.5"	Dogs 10 - 35 lbs	12″ x 15″	Terriers, Pugs
D	Tall Medium	8.5″ x 16″	Tall dogs 30 - 45 lbs	45 lbs 15" - 20"	Cocker Spaniel, Sheltie


E	Large	11″ x 16″	Dogs 40 - 55 lbs	15″ - 20″	Basset, Chow Chow
F	Tall Large	11" x 19.5"	Tall dogs 50 - 95 lbs	21" - 24"	Shepherd, Labrador
G	Tall Large	11" x 23.5"	Tall dogs - 110 lbs	25" - 27"	Standard Poodle, Irish Setter
Н	Tall Large	11″ x 27.5″	Tall dogs - 120 lbs	24" - 31"	Afghan, Irish Wolfhound


Ι	Extra Large	14" x 19.5"	Large dogs - 120 lbs	22" - 24"	Rottweiler, Akita, Bulldog
J	Extra Large	14" x 23.5"	Large dogs - 150 lbs	25" - 27"	St. Bernard, Newfoundland
К	Giant	15.5″ x 27.5″	Any breed or size	25" - 31"	Great Dane, Mastiff

Door Operation

- The pet door will be on the handle side of the operating sash.
- 4-panel doors, the pet door will be on the handle side of the primary sash.
- Available on New Horizon doors only.
- Available in White or Dark Bronze.
- Glass options: Low E 270, AG3, or clear glass. (Not available with other glass options.)
- The installed pet door will void all NFRC and AAMA ratings.
- All grid types (except diamond grids) are available with the pet door.


Transform your home with the versatile and elegant designs of the New Horizon Patio Door. Pet Door available for New Horizons Patio Doors only.





Ameriglass™ AG3 Insulated Glass System

- Maximum UV protection
- Superior condensation resistance
- Extremely low thermal transmittance
- Reduced sound transmission
- Long-term durability



Ameriglass™ E2 Insulated Glass System - Low-emissivity glass coated with dual microscopic layers

- TrueWARM® Structural Foam Spacer

- Argon gas fill, to create a dual-sealed glass unit

LoE3 366 - AG3

Ideal balance of solar control, to protect the house from heat. Excellent U-Value.



- Most advanced Low-E in the market - Spectrally smart glass saves on utility costs - Very bright and clear, with superior efficiency - Blocks 95% of harmful UV and infrared energy


LoE2 270 - LowE2 Exceptional solar control and visual clarity.

Best year-round performance.



- High-performance, exceptional value - Super bright and clear
- Good in shaded areas & porches
- Blocks 80% of harmful UV and infrared energy

Glass Options



Narrow Reed



Neat + Glass - Naturally Clean Glass Neat + is a durable, permanent coating comprised of titanium dioxide.



- Improved performance - Reduces dust/dirt on the window by 40%


information on increased thermal and structural performance.


Note: Please contact your sales rep for more

Satin Etched

The Ameriglass[™] AG3 Insulated Glass System

Amerimax sets the standard for energy savings, year-round comfort, and ease of maintenance. Ameriglass[™] AG3 Low Emissivity glass is coated with a patented, microscopic, 12-layer formula with three layers of silver, a dual-seal Premium Structural Foam Spacer, Argon gas fill, and innovative Neat coating that keeps windows clean. AG3 glass offers the ultimate balance of energy savings, solar control, low maintenance, and high visibility.





Approximately 1/100,000 of an inch thick

New Horizon Patio Door Performance Chart

New Horizon Patio Door	Ameriglass	Structural Rating				
	AG3 No Grid SuperSpacer	s, Argon fill Premium	LoE2 No Grid SuperSpacer	ls, Argon fill Premium		
	U-Value	SHGC	U-Value	SHGC	R-PG35 72"x 80"	
Horizon 5500	.2728	.2728 .2230		.2027	R-PG15 120"x 96"	

All stated values above are subject to change without notice. Select glass types, window and door sizes, and model configurations may result in a value outside of the charts listed above.








Flemish

Rain

Masters Grande Series Window (30-& 45-Degree Bay Windows) – Additional Sizes and Configurations Available – 3-1/4" Window Frame



Craftsman Series Window - Additional Sizes and Configurations Available - SH/PW Twin - 2-lite PW over XO - 3-lite PW over XO - Optional Special Shapes - 2-7/8" Window Frame









~ ^



Single Hung

Triple Single Hung Window

End Vent Slider

Single Hung / Picture / Single Hung

Picture over Single Slider

Picture with Awning


Casement

Awning

Aristocrat Series Window - Additional Sizes and Configurations Available - 1-lite, 2-lite, and 3-lite styles - 3-1/4" Window Frame

WinPro Series Window - Additional Sizes and Configurations Available - 2-3/4" or 3-1/4" Window Frame












Single Hung

Slider

End Vent Slider

Single Hung / Picture / Single Hung

Shapes



Cascade WinPro Series Vinyl Colors




Exterior Cap Stock Colors











Optional Grids Styles Available Optional Grid Patterns

1″

Sculptured











Valance





Double Perimeter



Lattice

Masters Grande Series Window Performance Chart

Master Series Windows		Ameriglass AG3 or LowE2 Thermal Performance								
	No Grids, Argon filled SuperSpace	, r Premium	With Grids, Argon filled, SuperSpacer Premium		Foam filled frame, Argon filled, SuperSpacer Premium					
	U-Value	SHGC	U-Value	SHGC	U-Value	SHGC				
Horizontal Slider DS2	.2728	.2229	.2728	.2027	.27	.2029	R-PG25 72" x 48"			
Double Hung	.28	.2229	.28	.2027	.27	.2029	R-PG20 44" x 84"			
Picture	.2829	.2331	.2829	.2128	.27	.2131	CW-PG35 35 Sqft			

All stated values above are subject to change without notice. Select glass types, window and door sizes, and model configurations may result in a value outside of the charts listed above.

Craftsman Portrait Series Window Performance Chart

Craftsman Series Windows		Structural Ratings					
	No Grids, Argon filled, SuperSpace	r Premium	With Grids, Argon filled, SuperSpacer Premium		Foam filled frame, Argon filled, SuperSpacer Premium		
	U-Value	SHGC	U-Value	SHGC	U-Value	SHGC	
Horizontal Slider SL2	.29	.2229	.29	.2026	.2729	.2029	R-PG20 96" x 72"
Single Hung	.29	.2229	.29	.2026	.2728	.2029	LC-PG25 44" x 84"
Picture	.28	.2331	.28	.2128	.27	.2131	CW-PG35 50 Sqft

All stated values above are subject to change without notice. Select glass types, window and door sizes, and model configurations may result in a value outside of the charts listed above.

Aristocrat Series Window Performance Chart

Aristocrat Series Windows	Ameriglass AG3 or LowE2 Thermal Performance							
	No Grids, Argon filled SuperSpace	, r Premium	With Grids, Argon filled, SuperSpacer Premium					
	U-Value	SHGC	U-Value	SHGC				
Casement	.26	.1825	.26	.1723			CW-PG30 32" x 72"	
Awning	.26	.1825	.26	.1723			CW-PG30 48" x 39"	
Picture	.25	.2129	.25	.1926			CW-PG50 36 Sqft	

All stated values above are subject to change without notice. Select glass types, window and door sizes, and model configurations may result in a value outside of the charts listed above.

WinPro Series Window Performance Chart

WinPro Series Windows		EC & EC + LowE Thermal Performance							
	No Grids, Argon filled SuperSpace		With Grids Argon fille SuperSpac						
	U-Value	SHGC	U-Value	SHGC					
Horizontal Slider SL2	.2829	.2033	.2831	.1930			LC-PG35 72" x 60"		
Single Hung	.2829	.2133	.2831	.1930			LC-PG35 48" x 96"		
Picture	.2526	.2436	.2529	.2033			CW-PG40 40 Sqft		

All stated values above are subject to change without notice. Select glass types, window and door sizes, and model configurations may result in a value outside of the charts listed above.

<u>Amerimax</u>

WINDOWS & DOORS

visit amerimaxwindows.com 800.442.8544

Washington 10507 East Montgomery Drive Spokane Valley, WA 99206 Oregon 10255 SW Spokane Ct, Tualatin, OR 97062 **Utah** 5323 Harold Gatty Drive Salt Lake City, UT 84116 Arizona 2225 S 75th Avenue, Suite 140. Phoenix, AZ 85043 **Colorado** 3950 Medford Drive, Loveland, CO 80538

ENERGY STAR® is a registered trademark of the U.S. Environmental Protection Agency. Cascade Windows is proud to be an ENERGY STAR®qualified partner. © 2021 Cascade Windows Inc. 03/21