



Millwork that creates distinction.

Craftsman Collection Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8" with 3/4" FP, sidelights 1'2" x 6'8½", unless otherwise noted Doors come with UltraBlock® technology – 5-year warranty



6811 3/4" Clear IG



6951 | Four Square° 3/4" Black IG



3/4" Silver IG



3/4" Black IG



3/4" Clear IG



3/4" Black IG



6821 | Holbrook™ II





3/4" Clear IG







3/4" Black IG



3/4" Clear IG



3/4" Silver IG



3/4" Black IG



3/4" Clear IG



3/4" Silver IG



3/4" Black IG



- In stock at the Northern California Galt Facility
- In stock at the Southern California Chino Facility
- O Special Order

Craftsman Collection (continued)



3/4" Clear IG



36872 | Cortez™ III 3/4" Silver IG



3/4" Black IG



3/4" Clear IG



3/4" Silver IG



3/4" Black IG



3/4" Clear IG



36823 | Torrance° II 3/4" Silver IG



3/4" Black IG



3/4" Clear IG



3/4" Silver IG



3/4" Black IG



6801 | w/ Angled Mutt 1 5 3/4" Clear IG



6961 | Four Square® II N 8 w/ Angled Mutt

3/4" Black IG



N S w/ Angled Mutt

3/4" Silver IG



6841 | Solano° II N S w/ Angled Mutt

3/4" Black IG



36802 | w/ Angled Mutt 💹 🍮 3/4" Clear IG



36822 | Cortez™ II w/ Angled Mutt

3/4" Silver IG

SG = Single Glazing

RP = Double Hip-Raised Panel

FP = Flat Panel



N S

Craftsman Collection (continued)



36842 | Avondale° II w/ Angled Mutt

3/4" Black IG

N S



36803 | w/ Angled Mutt 🔝 🍯 3/4" Clear IG



36823 | Torrance° II w/ Angled Mutt N S



w/ Angled Mutt



3/4" Clear IG



w/ Arched Rail



6821 | Holbrook™ II w/ Arched Rail

3/4" Silver IG







w/ Arched Rail 3/4" Clear IG



w/ Arched Rail





36842 | Avondale° II w/ Arched Rail 3/4" Black IG



3/4" Clear IG

N 8 9510 | Sidelight Dentil Shelf 9541 | Dentil Shelf



36823 | Torrance° II w/ Arched Rail 3/4" Silver IG



w/ Arched Rail 3/4" Black IG



6175 7701 3/4" Clear IG 3/4" Clear IG



N S Available widths 1'0", 1'2", 1'6"



3/4" Black IG 3/4" Black IG



6173 3/4" Silver IG



3/4" Black IG

6172 3/4" Silver IG



3/4" Black IG

In stock at the Northern California Galt Facility







Mastermark® Collection Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8" with 1-7/16" Innerbond® RP, sidelights 1'2" x 6'8½", unless otherwise noted Doors come with UltraBlock® technology – 5-year warranty



Bungalow Series® Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8", sidelights 1'2" x 6'8½" with 1-7/16" Innerbond® RP, unless otherwise noted Doors come with UltraBlock® technology – 5-year warranty

















3/4" Black IG







Exterior French & Sash Doors Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8", sidelights 1'2" x 6'8½", unless otherwise noted





Innerbond[®]



3/4" FP,



In stock at the Northern California Galt Facility

Innerbond®

8 444

3/4" RP, 1/8" SG, Available widths: 2'6", 2'8", 3'0"

- In stock at the Southern California Chino Facility
- O Special Order

Exterior French & Sash Doors (continued)



1/8" SG

Available

8

1/8" SG

widths: 1'0", 1'2", 1'6"

1/8" SG and Open, Available widths: 2'0"-3'0"



3/4" IG with UltraBlock® Technology, Available widths: 2'6", 2'8", 3'0"




3/4" IG with Low-E and UltraBlock® Technology, Available widths: 2'0" - 3'0"



3/4" IG Available heights: 6'8", 7'0"



1/8" SG and Open, Available widths: 2'0"-3'0"



3/4" IG, Available widths: 2'6" 3'0"



N S 3/4" IG



3/4" IG with Low-E, Available widths: 2'6", 2'8", 3'0" 8



widths: 1'0",

1'2", 1'6"

3/4" IG with Low-E 3/4" IG



1/8" SG, Available widths:

1/8" SG, Available widths: 1'0", 1'2", 1'6"

3/4" IG, Available widths:

N 8



3/4" IG with UltraBlock® Technology, Available widths: 2'0", 2'6", 2'8", 3'0"



3/4" IG with UltraBlock® Technology, Available widths: 2'6", 2'8", 3'0"

8 7705 N 8 3/4" IG, widths: 1'2", 1'6"

Commercial French

1-3/4" thick, 6'8", 7'0", 8'0" available.

5-1/2" Stiles 5-7/16" Top Rail 11-3/16" Bottom Rail



1/8" SG, Available widths: 3'0"

IG = Insulated Glazing

SG = Single Glazing

RP = Double Hip-Raised Panel

FP = Flat Panel




Exterior French & Sash Doors With WaterBarrier® and UltraBlock® Technologies – 5-year warranty, no building overhang required.



WaterBarrier® Technology 3/4" IG with Low-E, Available widths: 2'0"-3'0"



WaterBarrier Technology, 3/4" IG with Low-E, Available widths: 2'6", 2'8", 3'0"



Traditional Collection Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8", unless otherwise noted



1-7/16" Innerbond® RP 2130 3/4" RP Available widths:

2'6", 2'8", 3'0"





1-7/16" Innerbond® RP, 3/4" IG



decrease the possibility of water infiltration

3/4" RP and 1-1/4" Innerbond® RP available, 1/8" SG



1-7/16" Innerbond® RP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"



into the bottom of the stiles

1-7/16" Innerbond® RP, 3/4" IG



3/4" RP and 1-1/4" Innerbond®



1-1/4" Innerbond® RP

3/4" RP



3/4" FP, 3/4" IG Available widths: 2'6", 2'8", 3'0"



- In stock at the Northern California Galt Facility
- In stock at the Southern California Chino Facility
- Special Order

Exterior Contemporary Collection Fir Select, Sapele Mahogany, Walnut, Quarter Sawn White Oak, doors 3'0" x 6'8", sidelights 1'2" x 6'8½", unless otherwise noted



6'8" & 8'0" Available widths: 2'6", 3'0", 3'6" 3/4" IG Available widths 1'0", 1'2"



1-3/4", 3/4" IG Available widths: 2'6", 3'0", 3'6"



1-3/4", 3/4" IG Available widths: 2'6", 3'0", 3'6"



Available widths 1'0", 1'2"



7403 | 6'8" & 8'0' Shaker 1-3/4", 3/4" IG Available widths: 2'6", 3'0", 3'6"

7813 6'8" & 8'0"

Available widths 1'0", 1'2"

Shaker





Shaker 1-3/4", 3/4" IG





Interior Contemporary Collection Fir Select, Mahogany, Walnut, White Oak, doors 3'0" x 6'8", unless otherwise noted



1-3/8" Clear Available widths: 2'0", 2'4", 2'6",



1-3/8" White Lami Available widths: 2'0", 2'4", 2'6", 2'8", 3'0"



1-3/8" Clear Available widths: 2'0", 2'4", 2'6",



1-3/8" White Lami Available widths: 2'0", 2'4", 2'6",

IG = Insulated Glazing

SG = Single Glazing

RP = Double Hip-Raised Panel

FP = Flat Panel



Fir 20-Minute Fire-Rated Doors Douglas Fir, 1-3/4" thick, 6'8" height unless otherwise noted



1-7/16" RP, Available widths: 2'8", 3'0"



1-7/16" RP, Available widths: 2'8", 3'0"



1-7/16" RP, Available widths: 2'6", 2'8", 3'0"



1-7/16" RP, Available widths: 2'8", 3'0"



1-7/16" RP, Available widths: 2'8", 3'0"

Fir Interior Raised Panel Doors Douglas Fir, 1-3/8" thick, 6'8" height unless otherwise noted



3/4" RP, Available widths: 1'6", 1'8", 1'10", 2'0", 2'2" 2'4", 2'6", 2'8" 3'0"



3/4" RP, Available widths: 1'6", 2'0" - 3'0"



3/4" RP, Available widths: 1'6", 1'8", 1'10", 2'0", 2'2" 2'4", 2'6", 2'8", 3'0"



3/4" RP, Available widths: 2'0" - 3'0"



3/4" RP, Available widths: 1'6", 1'8", 1'10", 2'0", 2'4", 2'6", 2'8", 3'0"



3/4" RP, Available widths: 2'0", 2'6", 3'0"



3/4" RP, Available widths: 2'0", 2'6", 3'0"

Fir Interior Flat Panel Doors Douglas Fir, 1-3/8" thick, 6'8" height unless otherwise noted



3/8" FP, Available widths: 1'6", 1'8", 2'0", 2'2", 2'4", 2'6", 2'8",



3/8" FP, Available widths: 1'6", 1'8", 2'0", 2'2", 2'4", 2'6", 2'8",



3/8" FP, Available widths: 1'6", 1'8", 2'0", 2'2", 2'4", 2'6", 2'8", 2'10" x 6'8"



3/8" FP, Available widths: 2'0", 2'6", 3'0"



3/8" FP, Available widths: 2'0", 2'6", 3'0"



3/8" FP, Available widths: 2'0", 2'6", 3'0"




- N In stock at the Northern California Galt Facility
- S In stock at the Southern California Chino Facility
- O Special Order





1501 (Open) | Ovolo Available widths: 2'0" - 3'0"

1501 | Ovolo 1/8" Satin Etch SG, Available widths: 2'0" - 3'0"



1/4" white laminate glass Available widths: 2'0" - 3'0"



1/8" SG Available widths:



1/4" white laminate glass Available widths: 2'0" - 3'0"



1/8" SG, Available widths:

Redi-Prime® Interior Primed, 1-3/8" thick, 6'8" height unless otherwise noted



1509 ~ 1309 1/8" SG, Available widths: 2'0" - 3'0"



1/8" SG, Available widths: 2'0" - 3'0"



1/8" SG, Available widths: 2'0", 2'4", 2'6"



1592 | Wheat 1/8" SG, Available widths: 2'0", 2'4", 2'6"



1/8" SG, Available widths: 2'0" - 3'0"



1/8" SG, Available widths: 2'0" - 3'0"



1/8" SG, Available widths: 2'0" - 3'0"



1/8" SG, Available widths: 2'0" - 3'0"



1/8" SG, Available widths: 2'0", 2'4", 2'6"



1/8" SG, Available widths: 2'0", 2'4", 2'6"



1/8" SG, Available widths: 2'0", 2'4", 2'6"



8492 | 8'0" Wheat 1/8" SG, Available widths: 2'0", 2'4", 2'6"

IG = Insulated Glazing

SG = Single Glazing

RP = Double Hip-Raised Panel

FP = Flat Panel



Moulding & More

Ultralight MDF Mouldings & Boards

Domestic MDF Mouldings & T&G

Solid & Primed FJ Pine Mouldings

Redwood & VG Fir Mouldings

White River, Embossed & High Relief Mouldings

Hardwood Mouldings

(Cherry, Maple, Mahogany, Superior & Knotty Alder, Poplar, Oak, Walnut)

ValuFlex® Flexible Moulding (Manufactured at EL & EL)

Bodyguard. Protected Primed FJ Mouldings

Bodyguard. Protected Exterior Trimboard & Siding

MiraTEC. & Extira. Treated Exterior Composite Trim & Shutter Board

Interior & Exterior Door Jambs & Frames (Primed FJ & Solid Pine, Poplar, Engineered FG & VG Fir, Oak, Cherry, Alder, Mahogany, Walnut, Composite)

Weatherstrip, Flashing & Shims

Columns & Accessories

HB&G... Columns & Porch Systems

Fypon. Polyurethane Beams & Accessories

Accessories

(Plinth Blocks, Rosettes, Base Corners, Dowels)

Majestic Mantels_® (Assembled at EL & EL) Pre-built Shelves, Surrounds & Pilaster Kits

Pocket Door Frames (Assembled at EL & EL)

Closet Material (Shelving, Brackets, Poles, Edge Banding)

Doors - Interior & Exterior

(Pre-hanging Available)

Knotty Alder Doors

Masonite. Clear & Knotty Pine Doors

Primed MDF & Clear Pine Louver Doors

Masonite. Solid Core Hardboard Doors

Masonite. Moulded Panel Doors

Masonite. Fiberglass & Steel Exterior Doors (Pre-hanging & Pre-finishing available)

Simpson. Interior & Exterior Doors

Shaker Doors (Primed, VG Fir & Alder)

Trimlite... Decorative Glass

Barn Doors

(Knotty Alder, Knotty Pine & Primed MDF)

Barn Door Hardware (Rustic & Stainless Steel)

(hustic & Stairliess Steet)

CoxUSA... Hardware Components

Masonite_® Architectural Doors

RediFrame. & RediFlex. Steel Frames

Dormakaba... Hollow Metal Doors & Frames

Lites & Louvers































