
EnLiten™ Flush-Glazed Designs THERMATRU®











Simplified beauty. Resilient designs.



Designs for any entry.

At Therma-Tru, we believe your door should always welcome you home – while playing seamlessly into your style. Our EnLiten flush-glazed designs create striking profiles that effortlessly combine indoor and outdoor living spaces, inviting in more natural light than ever. The possibilities are endless, giving you doors that perfectly fit your lifestyle.



Create a clean look with maximum views.

During manufacturing, double- or triple-pane glass is built directly into the door. This design eliminates the need for a lite frame and screw plugs, achieving a seamless, consistent finish. EnLiten flush-glazed designs offer up to a 16% increase in visible glass area as compared to conventional lite frames, creating an airy, open feeling in the home with larger daylight openings.



Flush-Glazed Glass

Lip-Lite Frame



See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking Products shown in this brochure feature detailed sticking unless otherwise indicated.



Flush-Glazed Glass with Square Sticking Look for the (•) symbol



Lip-Lite Frame

Seamless style. Controllable privacy.

Smooth-Star* doors with internal blinds featuring EnLiten flush-glazed designs deliver simplicity and convenience with contemporary appeal. Discover attractive, durable entry solutions for around the house, including patio, side and back doors allowing for optimal daylight and outdoor views, or complete privacy.



Strength is built in.

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal.

This reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy-Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

Left: Smooth-Star, Chord Glass, Door - S2200XC, Sidelite - S90SLXC

Middle: Smooth-Star, Internal Blinds, Door - S82600

Right: Smooth-Star, Clear Glass, Doors - S82200





^{*}Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

^{**}Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.


Decorative Glass Options with Triple-Pane Construction

Saratoga™

Now available in flush-glazed designs.

The first decorative glass available in flush-glazed designs for Fiber-Classic and Smooth-Star, Saratoga evokes a certain urban sophistication while offering modest privacy with its clear bevels, diamond glass, reeded glass and caming. The geometric pattern bridges both modern and traditional designs.








Black Nickel

Brushed Nickel




Privacy & Textured Glass Options with Triple-Pane Construction

For just the right balance of privacy and natural light, textured glass options provide a smart solution.



Triple-Pane Flush-Glazed Glass









Privacy Scale

Divided Lites

For Clear and Privacy Glass

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Coordinate with the home's window patterns for a cohesive look and increased curb appeal. Choose from Colonial, Craftsman, Prairie and Modern styles to suit the home's architectural details. Tailor the look with different texture, profile and color choices. Available glass options include elegant privacy and textured, energy-efficient Low-E and clear glass.

Simulated Divided Lite (SDL) Bar Options





Grained Flat (28.6 mm / 1.125 in.)



Smooth Flat (28.6 mm / 1.125 in.)



Grained Wide (88.9 mm / 3.5 in.)



Grid Patterns

Smooth Wide (88.9 mm / 3.5 in.)

GBG Bar Options



GBG Color Options



Black GBGs available in select grid patterns for Smooth-Star, Profiles, and Traditions only.



- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- **Contour or Flat White Grilles** Between Glass (GBGC / GBGF)
- **Contour or Flat Almond Grilles** Between Glass (GBGC / GBGF)
- Contour or Flat Bronze Grilles Between Glass (GBGC / GBGF)
- **Contour or Flat Black Grilles** Between Glass (GBGC / GBGF)
- E Elevated 10" Bottom Rail Options
- **Å** 6'6" Height Available

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

XK = Reeded Glass

XG = Geometric Glass Available for select styles

XE = Satin Etch Glass

XC = Chord Glass

XJ = Chinchilla Glass

XR = Rainglass

XN = Granite Glass

Full Lites

Privacy & Textured Glass with Divided Lites



Oak

FC1205_ 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



Smooth

S1205_ NUE 2'6"x 6'8" Å 2'8"x 6'8" Å 2'10"x 6'8" \$ 3'0"x 6'8" 1



FC1207_

2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



S1207_

≈E 2'10"x 6'8" Å 3'0"x 6'8" \$



2010_

2'6" x 6'8" 2'8"x 6'8" 3'0"x 6'8"



Smooth S2010_

■ E 2'6" x 6'8" \$ 2'8" x 6'8" Å 2'10" x 6'8" 🕸 3'0" x 6'8" A



2050_ 2'6"x 6'8"

2'8"x 6'8" 3'0"x 6'8"



Smooth S2050_

≥E 2'6"x 6'8" \$ 2'8"x 6'8" Å 2'10"x 6'8" A 3'0"x 6'8" \$



S5705_ ÑΕ

S85705_ ÑΕ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" 🕸 2'10" x 8'0" 3'0"x 6'8" A 3'0"x 8'0"



S5715_

S85715_

2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0'

3'0"x 8'0"

D E

NE 2'6"x 6'8" Å 2'8" x 6'8" 🛕



S5725_

S85725_ **□ E** 2'6"x 6'8" Å DIE. 2'6"x 8'0" 2'8"x 6'8" 🗴 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC5700_ 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8'





S5700_ S85700_ 2 E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" Å 2'10"x 8'0"

3'0"x 6'8" 1 3'0"x 8'0"



FC5710_ FC85710_ 2'6"x 6'8" 2'6" x 8'0" 2'8"x 6'8' 2'8" x 8'0" 3'0"x 6'8" 2'10"x 8'0"

3'0"x 8'0"



S5710_ S85710_ 2 E 2 E

2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" Å 3'0"x 6'8" 1 3'0"x 8'0"



FC5720_

FC85720_ 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" 2'8"x 8'0" 3'0"x 6'8" 2'10"x 8'0" 3'0"x 8'0'



S5720_ S85720_ 2 E 2 E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 🛕 3'0"x 8'0"





FC691_ FC8691_ 2

2 2'6"x 6'8" 2'6"x 8'0" 2'8"x 8'0" 2'8"x 6'8" 3'0"x 6'8" 2'10"x 8'0" 3'0"x 8'0"



S8691_

2 E

2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

S691_ 2 E 2'10"x 6'8" Å 3'0"x 6'8" 🗴



FC685L_

2 2'6"x 6'8" 2'6"x 8'0" 2'8"x 6'8" 2'10" x 8'0" 3'0" x 8'0" 3'0"x 6'8"



S685L_ S8685L_ 2 E 2 E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" Å 2'10" x 8'0" 3'0"x 6'8" A 3'0"x 8'0"



FC685R_ 2 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



3'0"x 8'0"



S685R_

2 E 2'10" x 6'8" 🕹 3'0"x 6'8" 🛕

S8685R_ 2 E 2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Privacy & Textured Glass



2000_ _0008

2'6"x 6'8" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" 3'0"x 6'8' 3'0"x 8'0"



S2000_ S8000_ Е 2'6"x 6'8" Å 2'6"x 8'0" 2'8"x 6'8" 🕹 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

Internal Blinds

FC8685L_

2'8"x 8'0"

2



S2600 * E 2'6"x 6'8" Å 2'8"x 6'8" 🕹 2'10"x 6'8" 🕸 3'0"x 6'8" 1

S82600 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0 3'0"x 8'0"

Clear Glass with Divided Lites



FC1205

*** ■ † † † *** 2'6"x 6'8" 2'8"x 6'8" 3'0" x 6'8"



Smooth

2'6"x 6'8" Å 2'8" x 6'8" 🛕



FC1206 * * * *

3'0"x 6'8"

Oak 2'6"x 6'8" 2'8"x 6'8"



\$1206 ***** ♦ ♦ ♦ **E**



FC1207

* 📦 🕈 🕈 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



S1207 * **≈** + + + + E 2'10"x 6'8" 🗴

3'0"x 6'8" 1




2010 * ■ • • • 2'6" x 6'8" 2'8"x 6'8" 3'0"x 6'8"

Oak



S2010 * **≥** † † † † E 2'10"x 6'8" 🕹

3'0"x 6'8" A



FC1204 * • • • 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"




S1204 * * * * * E 2'10"x 6'8" 🗘 3'0"x 6'8" A



2050 *** № ♦** ♦ 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



S2050 *** ≥ † † † † E** 2'10"x 6'8" 🛕 3'0"x 6'8" A



8000-12 * • • 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- **Contour or Flat White Grilles** Between Glass (GBGC / GBGF)
- **Contour or Flat Almond Grilles** Between Glass (GBGC / GBGF)
- Contour or Flat Bronze Grilles Between Glass (GBGC / GBGF)
- **Contour or Flat Black Grilles** Between Glass (GBGC / GBGF)
- Elevated 10" Bottom Rail Options
- **Å** 6'6" Height Available

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

XK = Reeded Glass

XG = Geometric Glass Available for select styles.

XE = Satin Etch Glass

XC = Chord Glass

XJ = Chinchilla Glass

XR = Rainglass


XN = Granite Glass

Clear Glass with Divided Lites Continued





* * * * * E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8000-18 * • • • * * * * * E 2'0"x 8'0" 2'6"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 2'10"x 8'0" 3'0"x 8'0"

3'0"x 8'0"



* • • • ***** • • • 2'6"x 8'0" 2'0" x 6'8" 2'6" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0'



S2009 * * * * * E 2'0"x 6'8" Å 2'6"x 6'8" Å 2'8" x 6'8" Å 2'10"x 6'8" 1 3'0"x 6'8" Å



3'0"x 8'0"



S5705 **#** □ E **# □ E** 2'6" x 6'8" \$ 2'6"x 8'0" 2'8"x 6'8" Å 2'8"x 8'0" 2'10"x 6'8" 🛕 2'10"x 8'0" 3'0"x 6'8" 🗘 3'0"x 8'0"



S5715 * 🗓 E 2'6"x 6'8" 🕹 2'8"x 6'8" X 2'10"x 6'8" \$ 3'0"x 6'8" ₺

S85715 * 🛍 E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" Smooth S85725

* 🔁 E

2'6" x 8'0"

2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S5725 * 🕅 E 2'6" x 6'8" 🛕 2'8" x 6'8" 🛕 2'10"x 6'8" \$ 3'0"x 6'8" 🗴



FC5700 FC85700 2'6" x 6'8" 2'6"x 8'0" 2'8" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0" x 6'8"



S5700 S85700 * 2 E * 2 E 2'6"x 6'8" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" \$ 2'10"x 8'0' 3'0"x 6'8" Å



FC85710 FC5710 2'6" x 6'8" 2'6"x 8'0" 2'8" x 6'8" 2'8"x 8'0" 3'0"x 6'8' 2'10"x 8'0"





S85710 * 2 E 2'6"x 8'0' 2'8"x 8'0" 2'10"x 8'0' 3'0"x 8'0"



FC5720 * 2 FC85720 ***** 2 2'6" x 6'8" 2'6"x 8'0" 2'8"x 6'8" 2'8"x 8'0" 3'0"x 6'8' 2'10"x 8'0' 3'0"x 8'0"



\$5720 **₩** 🔁 **E** S85720 **※ 2 E** 2'6"x 6'8" Å 2'6" x 8'0" 2'8"x 6'8" 🗴 2'8" x 8'0" 2'10"x 6'8" \$ 2'10" x 8'0' 3'0"x 6'8" 🕸 3'0"x 8'0"



FC691 # 2 FC8691 # 2 2'6"x 6'8" 2'6"x 8'0" 2'8"x 6'8" 2'8"x 8'0" 3'0"x 6'8" 2'10" x 8'0' 3'0"x 8'0"



S691 * 2 E * 2 E 2'6" x 6'8" Å 2'6"x 8'0" 2'8"x 6'8" 🗘 2'8" x 8'0" 2'10"x 6'8" \$ 2'10" x 8'0' 3'0"x 6'8" 🗴 3'0"x 8'0"





2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0"x 8'0"

2'8" x 6'8"

3'0" x 6'8"



2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"



2'10"x 6'8" 🗴

3'0"x 6'8" 🗘

2'10" x 8'0"

3'0"x 8'0"



2'8"x 6'8"

3'0"x 6'8"



2'10"x 6'8" 1 2'10"x 8'0"

3'0"x 6'8" 1 3'0"x 8'0"

3/4 Lites

3'0"x 8'0"

Privacy & Textured Glass with Divided Lites

2'6"x 6'8" 1

2'8"x 6'8" Å

2'10" x 6'8" 🗘

3'0"x 6'8" A







\$2104_* 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$82105_ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$82106_ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$2250_* 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Smooth S82107_

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass



2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

\$2200_*
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
2'10"x 6'8"
2'10"x 8'0"
3'0"x 8'0"
3'0"x 8'0"

Clear Glass with Divided Lites





















3'0"x 8'0"







- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Contour or Flat White Grilles Between Glass (GBGC / GBGF)
- Contour or Flat Almond Grilles Between Glass (GBGC / GBGF)
- **Contour or Flat Bronze Grilles** Between Glass (GBGC / GBGF)
- **Contour or Flat Black Grilles** Between Glass (GBGC / GBGF)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- E Elevated 10" Bottom Rail Options
- **Å** 6'6" Height Available

Glass Options

door and glass combination.

XK = Reeded Glass

XE = Satin Etch Glass

XC = Chord Glass

XJ = Chinchilla Glass

XR = Rainglass

XN = Granite Glass

Optional Dentil Shelf*

4-Block Dentil Shelf

Available for all Craftsman-style Smooth-Star doors.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.



1/2 Lites

Clear Glass with Divided Lites



FC1350

2'6"x 6'8"

2'8"x 6'8'

3'0"x 6'8"

S2200

2'6" x 6'8"

2'8"x 6'8"

Smooth \$1409 ***** ♦ ♦ ♦ ♦

2'6"x 6'8"

2'8"x 6'8"

3'0"x 6'8"

S82200

2'6"x 8'0"

2'8"x 8'0"



2'6"x 6'8"

2'8"x 6'8"











FC1409 ***** • • • 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

Privacy & Textured

Add the code to the blank in the style number for the desired

XG = Geometric Glass

Craftsman Lites Clear Glass





Manogan	ľ
FCM6240	
≜E	
2'8" x 6'8"	
2'10" x 6'8"	

3'0" x 6'8"

S6240 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S86240

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass with Divided Lites

2100

2'6" x 6'8"

2'8" x 6'8'

3'0"x 6'8"



FCM4812_** **♦ 11 E** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S4812_** S84812_** **♦ 1 E** 2'8" x 6'8" (7'0") **▲ [1]** 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10"x 8'0"

3'0"x 8'0"

3'0" x 6'8" (7'0")

Mahogany FCM4813_** **å Rjj E**

2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"

S2100

2'6" x 6'8"

2'8" x 6'8'

3'0"x 6'8"



S4813_** 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



S84813_**







S4814_** **♦ E**

S84814_**

^{2&#}x27;8"x 6'8" (7'0") | 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FCM4816_** 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Smooth S4816_** S84816_** 2'8"x 8'0" 2'10"x 8'0"

Privacy & Textured Glass



FCM4810_** **♦**E 2'8" x 6'8" 2'10"x 6'8"

3'0" x 6'8"



S4810_** S84810_** **♦ E** 2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"

Clear Glass with Divided Lites



FCM4812 **♦ * 1 E** 2'8" x 6'8" 2'10" x 6'8"

3'0"x 6'8"



S4812 S84812 **♦ * □ E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") **♦ * •** 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

3'0"x 6'8" (7'0")

Clear Glass



FCM4813 **♦ * □ E** 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S4813 S84813



FCM4814 **♦ * □ E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S84814

2'10"x 8'0"

S4814

 ♦ ** □ E
 2'8" x 6'8" (7'0")

 2'10" x 6'8" (7'0")
 2'10" x 8'0

 3'0" x 6'8" (7'0")
 3'0" x 8'0"



FCM4816 **♦ * □ E** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S4816 ♦ **** [] E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
2'10" x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FCM4810 **♦ * E**2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S4810 **♦ # E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

S84810 **♦** ₩ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Contour or Flat White Grilles Between Glass (GBGC / GBGF)
- **Contour or Flat Almond Grilles** Between Glass (GBGC / GBGF)
- **Contour or Flat Bronze Grilles** Between Glass (GBGC / GBGF)
- **Contour or Flat Black Grilles** Between Glass (GBGC / GBGF)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- E Elevated 10" Bottom Rail Options
- **Å** 6'6" Height Available

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

XK = Reeded Glass Available for select styles.

XG = Geometric Glass

XE = Satin Etch Glass

XC = Chord Glass


XJ = Chinchilla Glass

XR = Rainglass

XN = Granite Glass

Sidelites

Saratoga™




12" x 6'8" 14" x 6'8" 10"x 6'8" 🛕 12" x 8'0" 12"x 6'8" (7'0") \$ 14" x 8'0" 14"x 6'8" (7'0") \$\frac{1}{2}\$


S86201SL

Privacy & Textured Glass with Divided Lites Oak Smooth Mahogany Smooth S84886_SL \$2010_\$L 10"x 6'8" FCM2050_SL 2050_SL S2000_SL-2C 12"x 6'8" 12"x 6'8" 12"x 8'0" Å 10"x 6'8" Å 12"x 6'8" (7'0") 🕹 14"x 8'0" Å 12"x 6'8" (7'0") Å 14"x 6'8" 14"x 6'8'

14"x 6'8" (7'0") 🛦

14"x 6'8" (7'0") &








S85720_SL S5720_SL 12"x 8'0" 10"x 6'8" 12"x 6'8" (7'0") | 14"x 8'0" 14"x 6'8" (7'0")





14"x 6'8"



Clear Glass with Divided Lites Mahogany FCM1205SL ***** ♦ ♦ ♦ ■ 12"x 6'8" 14"x 6'8"







- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Contour or Flat White Grilles Between Glass (GBGC / GBGF)
- **Contour or Flat Almond Grilles** Between Glass (GBGC / GBGF)
- **Contour or Flat Bronze Grilles** Between Glass (GBGC / GBGF)
- **Contour or Flat Black Grilles** Between Glass (GBGC / GBGF)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- **Å** 6'6" Height Available

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

XK = Reeded Glass

XG = Geometric Glass

XE = Satin Etch Glass

XC = Chord Glass

XJ = Chinchilla Glass

XR = Rainglass

XN = Granite Glass



























Every home. Every entrance.



Therma-Tru_® EnLiten_™ flush-glazed doors provide sleek style with maximum views. Whether Classic or Contemporary, Craftsman or European, our doors make a style statement you'll love coming home to.

Southwest Coastal Traditional Modern Front Entry S205 / S2000SL S2000 / S2000SL S1206 / S2000SL S5720 Patio S2200 S1204 / S1204SL 2050 S5715 Utility S2250 2150 S2100 S2000XE

O BRANCH BOISE, ID ★ CORPORATE BOZEMAN, MT DENVER, CO ONTARIO, CA PHOENIX, AZ SACRAMENTO, CA SALT LAKE CITY LIT SPOKANE, WA TACOMA, WA WILSONVILLE, OR





EnLiten flush-glazed designs are backed by the industry's most comprehensive lifetime limited warranty, plus warranty riders for peace of mind – all from the entry door brand building professionals choose most.*

EnLiten_™ Flush-Glazed Riders

For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

For California Residents Only

MARNING: Cancer and Reproductive Harm - www.P65warnings.ca.gov

Solo para residentes de California

ADVERTENCIA: causantes de cáncer y de daños en el aparato reproductivo, www.P65warnings.ca.gov

*Brand Use Study, 2021 Builder magazine. Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, riders and ENERGY STAR qualified products.

Cover: Fiber-Classic Mahogany Collection, Saratoga Glass, Door - FCM6240, Sidelites - FCM6201SL, Transom - 19750T, Finish - Sweet Date

©2022 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. HOT 22040160 / APR 2022