

THERMA TRU[®] | **DOORS**
fabricated by **OREPAC**



Entry & Patio Door Systems
Southwest Region



Why Therma-Tru® Doors

Uncompromising quality, inside and out.

#1 Among Building Pros

It's a brand you can trust. Why? Because year after year, building professionals rank Therma-Tru #1 – as the brand they prefer most – in entry doors.*



Experience & Know-How

Behind every Therma-Tru door stands decades of experience and technical know-how. Therma-Tru makes or recommends every aspect – from the glass to the hinges – to bring your home durability and reliability through the years.

Lifetime Limited Warranty

When you pay close attention to every detail that goes into a door, you can stand behind its parts longer than the rest. That's why your Therma-Tru fiberglass door system is backed with a lifetime limited warranty – the industry's most comprehensive warranty of its kind.



Energy Efficiency

More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.



Why OrePac



Our History


OrePac is a family-owned and operated business, founded by the Hart family in 1976. Through strong leadership and a commitment to success, the company has grown into one of the premier distributors in the building industry.

Trust, integrity, and a dedication to excellence are the values most important to OrePac. That commitment can


be found in the services we offer, the quality of the products we provide, and the way we treat our employees and customers. This dedication to our markets has enabled us to make a positive impact on the shelter industry and the communities we serve.

OrePac Marketplace

At OrePac, our goal is to **Make Complicated Simple™**. That's why we've created an industry-leading configurator to simplify the door ordering process for our dealers. Talk to your OrePac Sales Representative to find out more about this easy and time-saving tool.



- Boise, ID
- Bozeman, MT
- Denver, CO
- Ontario, CA
- Phoenix, AZ
- Sacramento, CA
- Salt Lake City, UT*
- Spokane, WA
- Tacoma, WA
- Wilsonville, OR



- ★ Corporate
- Manufacturing
- Branch

*Therma-Tru is not available at SLC branch

*Brand Use Study, 2019 *Builder* magazine.
 Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Front Cover: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, ©TheHouseDesigners.com
 Right Page: Pulse Ari, Granite Glass with Scrolled Lite Frame, Door – FC2XN

Table of Contents

Why Choose Us.....	2
A Complete Door System	4
Curb Appeal.....	6
Classic-Craft. Door Options	8
Classic-Craft. Door Construction	9
Fiber-Classic. & Smooth-Star. Door Options...10	
Fiber-Classic. & Smooth-Star. Door Construction	11
Decorative Glass	12
Specialty Glass.....	16
SDL Doors with Glass	18
EnLiten.™ Flush-Glazed Designs.....	19
FinishKOTE™ by OrePac	20
Full-Glass Options.....	22
3/4-Glass Options	34
2/3-Glass Options	40
1/2-Glass Options.....	44
Oval-Glass Options	54
Craftsman Options	58
Minimal-Glass Options.....	64
Solid Panel Options.....	70
Pulse. Options	76
Full-Glass Sidelites.....	82
3/4-Glass Sidelites	87
1/2-Glass Sidelites.....	88
Craftsman Sidelites	89
Pulse. Sidelites	90
8'0" Full-Glass Options	92
8'0" 3/4-Glass Options.....	100
8'0" 2/3-Glass Options.....	104
8'0" 1/2-Glass Options.....	110
8'0" Craftsman Options.....	114
8'0" Minimal-Glass Options	120
8'0" Solid Panel Options	124
8'0" Pulse. Options.....	130
8'0" Full-Glass Sidelites	136
8'0" 3/4 & 1/2-Glass Sidelites	140
8'0" Craftsman Sidelites.....	142
8'0" Pulse. Sidelites.....	143
Steel Options	146
Steel Sidelites	158
8'0" Steel Options.....	160
Hinged Patio Doors	166
Multi-Point Locking Systems	170
Hardware	171
3'6" Width Door Style Options.....	172
7'0" Height Door Style Options.....	173
5'0" Solutions Matrix	174
Product Details	175



A Complete Door System

A Therma-Tru® door with genuine Therma-Tru parts is more than just a beautiful door. It's a complete door system – from the glass to the hinges – made to perform as good as it looks.





1 Frame Options

We can help you choose the right frame for your door system.



2 Removable Weatherstrip

Our resilient design compresses when closed and springs back when open. It's protected by a durable jacket for long-lasting sealing power.




3 Hardware

Choose from beautiful options that will complement the look of your home and help bring you security and peace of mind.



4 Ball-Bearing Hinges

Hinges with ball-bearings protect each hinge pivot, offering added support and stability to help keep your door opening and closing smoothly.



5 7-Shape Corner Seal Pads

(Inswing Only) This innovative design creates a protective air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.




6 Composite Adjustable Sills

These allow flexibility to adjust the sill cap vertically to close gaps, helping to maintain a tight seal between the sill and the bottom of the door.



7 Dual-Bulb / Dual-Fin Bottom Sweep


(Inswing Only) Two bulbs compress to sit tight against the sill, while two fins act like walls to form barriers and a built-in rain deflector pushes moisture away.



8 Mullion Options

Mullions not only give the hinges and lock a place to anchor, they come in a range of sizes from 1"-3" in width per mullion to help create an entry door system to fit the opening of your home.


What a DIFFERENCE a DOOR Makes



Now that's a smart investment.


Are You Remodeling?

There are so many ways to renovate a home. But adding a stunning new Therma-Tru entry door is one sure way to help homeowners add curb appeal.



\$18,750

A smart investment, a new Therma-Tru entry door can **increase** your home's perceived **value** by **4.2%** or **\$18,750** on average.*¹



2X

Homeowners who choose a stylish new Therma-Tru® entry door can see **more than 2 times** the return on their investment.*



10 SEC.

Potential homebuyers will form an opinion about your home's value within **10 seconds** of seeing **it in person.**²

¹www.thermatru.com ²www.about.com

*Not based on actual home sales. Not a guarantee of investment returns, increase in value or selling price. Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, an independent provider of Internet-based research.

FIND YOUR Home's Perfect MATCH

Get inspired to choose entry doors by design with our Architectural Home Styles Guide to popular home styles. Choose a door that brings out the best of your home's style. Let us help you find your match.

www.homestyles.thermatru.com



Colonial



Victorian



European



Craftsman



Southwest




Coastal



Traditional



Modern



Turn Your Vision Into Reality

Choose a door that brings out the best of you home's style. Then picture it on your home with the Doorways™ App.

1. Create and experiment with multiple door and glass combinations in the gallery.
2. Take a picture of your home and pop in the doors you designed.
3. Once you find your perfect new entry, locate your dealer to help you buy it.



Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Android and Google Play are trademarks of Google, Inc.

Classic-Craft®
American Style
Collection™

Classic-Craft®
Mahogany
Collection™

Classic-Craft®
Rustic
Collection™

Classic-Craft®
Oak
Collection™

Classic-Craft®
Canvas
Collection®

Door Options

Choose from our many fiberglass doors to create an entry that complements the architectural style of your home. Options include wood-grained, stained or smooth, painted surfaces.

Classic-Craft® Premium Entryways


These premium fiberglass entryways come in four wood grains or a smooth surface that all rival the look of custom wood.

Classic-Craft entry doors are rated a *Consumers Digest* Best Buy.

Architecturally correct for true classic beauty.

Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.

Up to
25% wider
panels*



Classic-Craft Premium Door



Standard Fiberglass Door



Premium – right down to the edge.
A solid hardwood square edge delivers a genuine wood appearance.



Standard fiberglass bullnose edge.
The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.



Door Construction



Classic-Craft® Premium Entryways

1 Enhanced Weather Resistance

No more worries about rotting, warping or twisting. Classic-Craft premium entryways are tested and designed to resist extreme weather conditions and the damaging effects of moisture. Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

2 Solid Security

Classic-Craft premium entryways feel solid and close with authority. A 4" wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity, giving the door weight and a natural wood feel.

3 Excellent Durability

Built to stand up to the elements and years of wear, Classic-Craft's fiberglass skins are thicker than other standard fiberglass doors to provide added durability and better long-term performance.

4 Higher R-Values

Classic-Craft premium entryways contribute to an energy-efficient home. A polyurethane foam core provides up to four times the insulating R-Value of wood.*

5 Edge-to-Edge Moisture Protection

Resist moisture at every turn – and along every edge. Classic-Craft premium entryways have hardwood and composite edges that help prevent moisture penetration.

*Comparison of fiberglass to wood doors (both without glass).



Fiber-Classic®
Mahogany
Collection™

Fiber-Classic®
Oak Collection™

Smooth-Star®



Door Options

Fiber-Classic® Doors

Get the look and feel of rich Mahogany or warm Oak with excellent performance and value.

Smooth-Star® Doors

Get a smooth surface for plenty of color options with exceptional performance and value.



Top: Fiber-Classic Oak Collection, Riserva Glass, Door – FC8529, Sidelites – FC8572SL
Bottom: Smooth-Star, Low-E Glass with SDLs, Door – S84816, Sidelites – S8000SL

Door Construction



Fiber-Classic® & Smooth-Star® Doors

1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

An enhanced lock block combined with a 1-1/4" engineered lumber lock stile increases rigidity and stability.

3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values


Built with a polyurethane foam core, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency, offering up to four times the insulating R-Value of wood.*

*Comparison of fiberglass to wood doors (both without glass).

Decorative Glass

Classic-Craft®

Villager™



Brushed Nickel

Black Nickel



Homeward™



Brushed Nickel

Black Nickel



Augustine®



Wrought Iron



Arborwatch®



Brushed Nickel

Black Nickel



Borrassa®



Wrought Iron



Provincial™



Black Nickel




Longford™



Black Nickel



Zaha®



Brushed Nickel

Black Nickel



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.


Lucerna.



Brushed
Nickel

Black Nickel

1 **7** 10
Privacy Rating



Decorative Glass

Decorative Glass

Fiber-Classic®, Smooth-Star®, Pulse® & Steel

Blackstone®



Brushed Nickel

Black Nickel



Privacy Rating



Crystalline™



Brushed Nickel

Black Nickel



Privacy Rating



Sedona



Black Nickel



Privacy Rating



Salinas®



Wrought Iron



Privacy Rating



Maple Park®



Brushed Nickel

Black Nickel



Privacy Rating



Avonlea®



Black Nickel



Privacy Rating



Saratoga™



Black Nickel



Privacy Rating



Wellesley™



Black Nickel



Privacy Rating



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Riserva™



Wrought Iron



Privacy Rating



Concorde™



Black Nickel



Privacy Rating



Brushed Nickel



Brass

Kensington™



Black Nickel



Privacy Rating



Brushed Nickel

Pembridge™



Black Nickel



Privacy Rating



Brushed Nickel



Brass

Axis™



Black Nickel



Privacy Rating



Specialty Glass

Geometric (XG)



Privacy Rating



Satin Etch (XE)



Privacy Rating




Chord (XC)



Privacy Rating



Chinchilla (XJ)



Privacy Rating



Rainglass (XR)



Privacy Rating



Granite (XN)



Privacy Rating




Internal Blinds



Low-E Glass




In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.



Simulated Divided Lites (SDL)



SDL Bar Options

Classic-Craft



(40.64 mm / 1.6 in.)
Look for the (SDL)
designation.



(107.95 mm / 4.25 in.)
Look for the (SDLF3)
and (DDBF3)
designations.



(139.70 mm / 5.5 in.)
Look for the (SDLF4)
and (DDBF4)
designations.



(40.64 mm / 1.6 in.)
Look for the (SDL)
designation.

Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the (SDLF5) and (DDBF5) designations.

Fiber-Classic



(28.6 mm / 1.125 in.)
Look for the (SDL)
designation.

Smooth-Star



Smooth-Star



(28.6 mm / 1.125 in.)
Look for the (SDLF1)
designation.

Fiber-Classic



(88.9 mm / 3.5 in.)
Look for the (SDLF2)
designation.

Smooth-Star



Grilles Between Glass (GBG)

Flat White (20 mm / 0.787 in.)



Fixed Grilles (FXG)



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Contemporary SDL Doors with Glass

for Classic-Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Contact your local OrePac representative for specific availability

MAKE IT YOUR OWN

Configurations

Select the perfect life style for your door.



Textures


Choose between smooth or woodgrain.



CLASSIC-CRAFT.
AMERICAN



FIBER-CLASSIC.
OAK



SMOOTH-STAR.

Glass

Choose between energy efficient privacy or textured glass.




CHINCHILLA



CHORD




CLEAR



GEOMETRIC



GRANITE



LOW-E



RAIN



SATIN ETCH

Choose Your Stain or Paint Color

Give your door the attention it deserves!

10 YEAR
LIMITED
WARRANTY

Refer to FinishKote and PrismaGuard pages 20-21 for color options

FINISHKOTE™
PAINT & STAIN COLLECTION

PRISMA GUARD.

Classic-Craft American Style Collection, Geometric Glass with SDLs, Door – CCA2300XG, Sidelites – CCA2400XGSL

EnLiten™ Flush-Glazed Designs

for Classic-Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. At Therma-Tru, we believe your door should always welcome you home – while playing seamlessly into your style. Our EnLiten flush-glazed designs create striking profiles that effortlessly combine indoor and outdoor living spaces, inviting in more natural light than ever. The possibilities are endless, giving you doors that perfectly fit your lifestyle.

Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy-Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)



Up to 16% Wider Daylight Opening

Let in more natural light with up to a 16% increase in visible glass area compared to a conventional lite frame.



Smooth-Star®, Satin Etch Glass with OrePac SDLs,
Door – S2000XE ©TheHouseDesigners.com

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.



FINISHKOTE™

PAINT & STAIN COLLECTION

FINISHKOTE™ by OrePac

Why FinishKote™?

- 9 Stain Options with a 10-Year Limited Warranty
- 15 Paint Options with a 10-Year Limited Warranty
- Stain Developed for Therma-Tru® Doors
- Single Source Supplier
- Slabs Inspected and Prepped for a Flawless Finish
- Fire-Rated Doors Available
- State-of-the-Art Finish Shop
- Shipped Promptly and Ready-to-Install




Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM608XC, Sidelites – FCM6126XC SL, Dentil Shelf

FINISHKOTE™ PAINT COLLECTION


Classic-Craft. | Fiber-Classic. | Smooth-Star.

10 YEAR
LIMITED
WARRANTY

Please refer to FinishKote™ limited 10-year paint warranty for more information.



Classic



Canvas



Sandstone



Kodiak



Earthen



Blossom



Forest



Surf



Atlantis



Engine



Cordovan




Vineyard



Stone



Thunder



Inkwell

STAIN COLLECTION



10 YEAR
LIMITED
WARRANTY

See your Therma-Tru seller for details on the PrismaGuard® warranties and exclusions.

FINISHKOTE™ by OrePac

	Classic-Craft®				Fiber-Classic®	
	American Style Collection™	Mahogany Collection™	Oak Collection™	Rustic Collection™	Mahogany Collection™	Oak Collection™
Wildflower Honey						
Rustic Clay						
Barley						
New Earth						
Autumn Harvest						
Redwood						
Mulberry						
Driftwood						
Raven						

Colors may vary from the actual application due to fluctuations in the printing process of this catalog. This catalog may not be used as a color matching tool. *For true colors see actual samples.*

X

Full-Glass Options



Classic-Craft American Style Collection, Satin Etch Glass with SDLs, Door – CCA2310XE, Sidelite – CCA2310XESL

Full-Glass Options

Note: Product images show exterior side of door.

Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Privacy SDL



Classic-Craft American Style
CCA2300()-SDLF4 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2310()-SDLF4 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2320()-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2330()-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2340()-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2350()-SDLF5 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2360()-SDLF5 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2380()-SDLF5 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2370()-SDLF4 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA4900()-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Key

- Flush-Glazed Glass
- XG Geometric
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- SDLF3 Simulated Divided Lites
- SDLF4 Simulated Divided Lites
- SDLF5 Simulated Divided Lites

Full-Glass Options

Classic-Craft® Shaker EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Privacy SDL



Classic-Craft American Style
CCA4910L()-SDLF3 (XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA4910R()-SDLF3 (XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA4920L()-SDLF5 (XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA4920R()-SDLF5 (XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA4930()-SDLF5 (XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA4940()-SDLF5 (XG, XE, XC, XJ, XR, XN)

Privacy



Classic-Craft American Style
CCA2400() (XG, XE, XC, XJ, XR, XN)

Low-E SDL



Classic-Craft American Style
CCA2300-SDLF4LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2310-SDLF4LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2320-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2330-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2340-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2350-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2360-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2380-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2370-SDLF4LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA4900-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA4910L-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA4910R-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA4920L-SDLF5LE (Low-E)

Key

- Flush-Glazed Glass
- XG Geometric
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- SDLF3 Simulated Divided Lites
- SDLF4 Simulated Divided Lites
- SDLF5 Simulated Divided Lites

Full-Glass Options

Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Low-E SDL



Classic-Craft American Style
CCA4920R-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA4930-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA4940-SDLF5LE (Low-E)

Low-E



Classic-Craft American Style
CCA2400-LE (Low-E)

Classic-Craft®

All doors available in 6'8" height and 3'0" width.

Homeward



Classic-Craft Mahogany
CCM9925 (1C)

Augustine



Classic-Craft Mahogany
CCM30027 (1W)



Classic-Craft Rustic
CCR30027 (1W)



Classic-Craft Canvas
CCV10027 (1W)

Borrassa



Classic-Craft Rustic
CCR1528 (1W)

Zaha



Classic-Craft Rustic
CCR1851 (1D, 1C)



Classic-Craft Canvas
CCV1851 (1D)

Lucerna



Classic-Craft Mahogany
CCM10022 (1D)

Low-E



Classic-Craft Rustic
CCR30020-LE (Low-E)



Classic-Craft Canvas
CCV10020-LE (Low-E)

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Blackstone



Fiber-Classic Oak
FC108 (1D)
2'8 2'10 7'0



Smooth-Star
S6002 (1D, 1C)
2'8

Fiber-Classic Mahogany
FCM108 (1D)
2'8 2'10

Blackstone



Fiber-Classic Oak
FC310 (1D)
2'8 2'10



Smooth-Star
S310 (1D, 1C)
2'8 7'0

Fiber-Classic Mahogany
FCM310 (1D)
2'8

Crystalline



Smooth-Star
S916 (1D, 1C)
2'8 2'10

Crystalline



Smooth-Star
S668 (1D, 1C)
2'8 2'10 3'6 7'0

Salinas



Fiber-Classic Oak
FC113 (1W)
2'8 2'8 2'10 7'0



Smooth-Star
S6008 (1W)
2'8 2'8 2'10 7'0

Fiber-Classic Mahogany
FCM113 (1W)
2'8 2'10

Salinas



Fiber-Classic Oak
FC369 (1W)
2'8 2'8 2'10



Smooth-Star
S369 (1W)
2'8 2'8 2'10 3'6 7'0

Fiber-Classic Mahogany
FCM369 (1W)
2'8 2'8 7'0

Maple Park



Fiber-Classic Oak
FC900 (1D)
2'8 2'10 7'0



Smooth-Star
S6100 (1D)
2'8 2'10

Fiber-Classic Mahogany
FCM900 (1D)
2'8 2'10

Maple Park



Fiber-Classic Mahogany
FCM1006 (1D)
2'8



Fiber-Classic Oak
FC1006 (1D)
2'8 2'10



Smooth-Star
S1006 (1D)
2'8 2'10 3'6 7'0

Avonlea



Fiber-Classic Mahogany
FCM758 (1D)
2'8 2'10




Fiber-Classic Oak
FC758 (1D)
2'8 2'10 7'0



Smooth-Star
S962 (1D)
2'8

Avonlea



Fiber-Classic Mahogany
FCM1027 (1D)
2'8 7'0



Fiber-Classic Oak
FC1027 (1D)
2'8 2'10



Smooth-Star
S1027 (1D)
2'8

Key

- No Stile Lines
- Flush-Glazed Glass
- 1D Black Nickel
- 1C Brushed Nickel
- 1W Wrought Iron
- LE Low-E
- SDLF5 Simulated Divided Lites
- 7'0 7'0" Height in Select Sizes
- 2'6 Available in 2'6" Width
- 2'8 Available in 2'8" Width
- 2'10 Available in 2'10" Width
- 3'6 Available in 3'6" Width

Full-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Saratoga



Fiber-Classic Oak
FC905 (1D)
2j6 2j8 2j10 7j0



Smooth-Star
S154 (1D, 1C)
2j6 2j8 2j10 7j0

Fiber-Classic Mahogany
FCM905 (1D)
2j6 2j10

Saratoga



Fiber-Classic Oak
FC6093 (1D)
2j6 2j8 2j10



Smooth-Star
S6093 (1D, 1C)
2j6 2j8 2j10 3j6 7j0

Fiber-Classic Mahogany
FCM6093 (1D)
2j6 2j8

Wellesley



Smooth-Star
S155
(1D) 2j8
(1C) 2j6 2j8

Fiber-Classic Oak
FC104 (1D, 1C)
2j8 ONLY

Wellesley



Fiber-Classic Oak
FC6094 (1D, 1C)
2j6 2j8



Smooth-Star
S6094
(1D) 2j8
(1C) 2j6 2j8

Fiber-Classic Mahogany
FCM6094 (1D, 1C)
2j6 2j8

Kensington



Fiber-Classic Oak
FC148
(1D) 2j8 2j10 7j0
(1C)



Smooth-Star
S160 (1D, 1C)
2j8 2j10

Fiber-Classic Mahogany
FCM148 (1D, 1C)
(1D) 2j8 2j10
(1C)

Kensington



Fiber-Classic Oak
FC626 (1D)
2j8 2j10



Smooth-Star
S626 (1D, 1C)
2j8 2j10 3j6 7j0

Fiber-Classic Mahogany
FCM626 (1D)
2j8

Pembridge



Smooth-Star
S6550
(1D) 2j6 2j8 2j10
(1C) 2j6 2j8
(1A) 2j8

Pembridge



Smooth-Star
S6500
(1D) 2j4 2j6 2j8 2j10 3j6 7j0
(1C) 2j6 2j8
(1A) 2j8

Axis



Fiber-Classic Oak
FC1652 (1D)
2j8 2j10 7j0



Smooth-Star
S1652 (1D)
2j8 2j8 2j10 7j0

Fiber-Classic Mahogany
FCM1652 (1D)
2j8 2j10

Axis



Fiber-Classic Oak
FC1651 (1D)
2j8 2j10



Smooth-Star
S1651 (1D)
2j6 2j8 2j10 3j6 7j0

Fiber-Classic Mahogany
FCM1651 (1D)
2j8

Privacy SDL



Smooth-Star
S128()-SDL
(XE, XC) 2'6 2'10 7'0
(XR, XN) 2'6 2'10

Privacy SDL



Smooth-Star
S141()-SDL ■
(XE, XC, XR, XN)
2'6 2'10 3'6 7'0

Privacy




Smooth-Star
S118()
(XE, XC) 2'6 2'10 7'0
(XR, XN) 2'6 2'10

Privacy



Smooth-Star
S140() ■
(XE, XC, XR, XN) 2'6 2'10 3'6 7'0
(XJ) 2'6

Internal Blinds



Fiber-Classic Oak
FC141-RTLE (Low-E)
2'6 2'6 2'10 7'0
FC141-RT (Clear)
2'6 2'10 7'0
Smooth-Star
S130-RTLE (Low-E)
2'6 2'6 2'10 7'0
S130-RT (Clear)
2'6 2'6 2'10 7'0

Internal Blinds



Fiber-Classic Oak
1286-RTLE ■ (Low-E)
2'6 2'6 2'10
1286-RT ■ (Clear)
2'6 2'10
Smooth-Star
S6061-RTLE ■ (Low-E)
2'4 2'6 2'6 2'10 3'6 7'0
S6061-RT ■ (Clear)
2'6 2'6 2'10 3'6 7'0

Fiber-Classic Mahogany
FCM1286-RTLE ■ (Low-E)
2'6 2'6 7'0
FCM1286-RT ■ (Clear)
2'6

Low-E / Clear SDL



Smooth-Star
S128-SDLLE (Low-E)
2'6 2'6 2'10 7'0
S128-SDL (Clear)
2'6 2'6 2'10 7'0

Low-E / Clear SDL



Smooth-Star
S141-SDLLE ■ (Low-E)
2'6 2'6 2'10 3'6 7'0
S141-SDL ■ (Clear)
2'6 2'6 2'10 3'6 7'0

GBG Flat White



Smooth-Star
S128-GBGFWLE (Low-E)
2'6 2'6 2'10 7'0
S128-GBGFW (Clear)
2'6 2'6 2'10 7'0

GBG Flat White



Smooth-Star
S141-GBGFWLE ■ (Low-E)
2'6 2'6 2'10 3'6 7'0
S141-GBGFW ■ (Clear)
2'6 2'6 2'10 3'6 7'0

Key

■ No Stile Lines	1A Brass	XJ Chinchilla	LE Low-E	7'0 7'0" Height in Select Sizes	2'6 Available in 2'8" Width
1D Black Nickel	XE Satin Etch	XR Rainglass	SDL Simulated Divided Lites	2'4 Available in 2'4" Width	2'10 Available in 2'10" Width
1C Brushed Nickel	XC Chord	XN Granite	GBG Grilles Between Glass	2'6 Available in 2'6" Width	3'6 Available in 3'6" Width

Full-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Fixed Grilles



Smooth-Star
S128-FXGLE (Low-E)
2'6 2'8 2'10 7'0

S128-FXG (Clear)
2'6 2'8 2'10 7'0

Fixed Grilles



Smooth-Star
S141-FXGLE (Low-E)
2'6 2'8 2'10 3'6 7'0

S141-FXG (Clear)
2'6 2'8 2'10 3'6 7'0

GBG Flat White



Smooth-Star
S108-GBGFWLE (Low-E)
2'8 2'10 7'0

GBG Flat White



Smooth-Star
S6063-GBGFWLE (Low-E)
2'8 2'10 3'6 7'0

Fixed Grilles



Smooth-Star
S108-FXG (Clear)
2'8 2'10 7'0

Fixed Grilles



Smooth-Star
S6063-FXG (Clear)
2'8 2'10 3'6 7'0

GBG Flat White



Smooth-Star
S198-GBGFWLE (Low-E)
2'8 2'10 7'0

S198-GBGFW (Clear)
2'8 2'10 7'0

GBG Flat White



Smooth-Star
S6062-GBGFWLE (Low-E)
2'8 2'10 3'6 7'0

S6062-GBGFW (Clear)
2'8 2'10 3'6 7'0

Low-E / Clear



Fiber-Classic Mahogany
FCM10-LE (Low-E)
2'8 2'10

FCM10 (Clear)
2'8 2'10



Fiber-Classic Oak
FC10-LE (Low-E)
2'8 2'8 2'10 7'0

FC10 (Clear)
2'8 2'10 7'0



Smooth-Star
S118-LE (Low-E)
2'8 2'8 2'10 7'0

S118 (Clear)
2'8 2'8 2'10 7'0

Low-E / Clear



Fiber-Classic Mahogany
FCM1283-LE (Low-E)
2'8 2'8 7'0

FCM1283 (Clear)
2'8



Fiber-Classic Oak
1283-LE (Low-E)
2'4 2'6 2'8 2'10

1283 (Clear)
2'8 2'10



Smooth-Star
S140-LE (Low-E)
2'0 2'4 2'6 2'8 2'10 3'6 7'0

S140 (Clear)
2'0 2'6 2'8 2'10 3'6 7'0

Key


- No Stile Lines
- Flush-Glazed Glass
- XG Geometric
- XE Satin Etch
- XC Chord
- XR Rainglass
- LE Low-E
- SDL Simulated Divided Lites
- SDLF1 Simulated Divided Lites
- SDLF2 Simulated Divided Lites
- GBG Grilles Between Glass
- FXG Fixed Grilles
- 7'0 7'0" Height in Select Sizes
- 2'0 Available in 2'0" Width
- 2'4 Available in 2'4" Width

Smooth-Star®

EnLiten™ Flush-Glazed Designs


All doors available in 6'8" height and 3'0" width.

Privacy SDL




Smooth-Star
S1205()-SDLF1
(XG, XE, XC, XR)

Privacy SDL




Smooth-Star
S5705()-SDLF1
(XG, XE, XC, XR)

Privacy SDL



Smooth-Star
S5715()-SDLF1
(XG, XE, XC, XR)

Privacy SDL



Smooth-Star
S5725()-SDLF1
(XG, XE, XC, XR)

Privacy SDL




Smooth-Star
S685L()-SDLF2
(XG, XE, XC, XR)

Privacy SDL



Smooth-Star
S685R()-SDLF2
(XG, XE, XC, XR)

Privacy SDL



Smooth-Star
S2010()-SDL
(XG)
(XE, XC, XR) 2'6 2'8

Privacy



Smooth-Star
S2000()
(XG)
(XE, XC, XR) 2'6 2'8

Internal Blinds



Smooth-Star
S2600-LE (Low-E)
2'6 2'8 2'10

Low-E / Clear SDL



Smooth-Star
S1205-SDLF1LE (Low-E)
2'10
S1205-SDLF1 (Clear)
2'10

- 2'6 Available in 2'6" Width
- 2'8 Available in 2'8" Width
- 2'10 Available in 2'10" Width

- 3'6 Available in 3'6" Width

Full-Glass Options

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Low-E / Clear SDL



Smooth-Star
S2010-SDLLE (Low-E)
2'6 2'8 2'10

S2010-SDL (Clear)
2'6 2'8 2'10


Low-E / Clear SDL



Smooth-Star
S5705-SDLF1LE (Low-E)
2'10

S5705-SDLF1 (Clear)
2'10


Low-E / Clear SDL



Smooth-Star
S5715-SDLF1LE (Low-E)
2'10

S5715-SDLF1 (Clear)
2'10

Low-E / Clear SDL



Smooth-Star
S5725-SDLF1LE (Low-E)
2'10

S5725-SDLF1 (Clear)
2'10

Low-E / Clear SDL



Smooth-Star
S685L-SDLF2LE (Low-E)
2'10

S685L-SDLF2 (Clear)
2'10

Low-E / Clear SDL



Smooth-Star
S685R-SDLF2LE (Low-E)
2'10

S685R-SDLF2 (Clear)
2'10

GBG Flat White



Smooth-Star
S2010-GBGFWLE (Low-E)
2'6 2'8

Low-E / Clear



Fiber-Classic Oak
2000-LE (Low-E)
2'6 2'8



Smooth-Star
S2000-LE (Low-E)
2'0 2'6 2'8 2'10

S2000 (Clear)
2'0 2'6 2'8 2'10

Key

▲ Flush-Glazed Glass

LE Low-E

SDL Simulated Divided Lites

SDLF1 Simulated Divided Lites

SDLF2 Simulated Divided Lites

GBG Grilles Between Glass

2'0 Available in 2'0" Width

2'6 Available in 2'6" Width

2'8 Available in 2'8" Width

2'10 Available in 2'10" Width







3/4-Glass Options

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 6'8" height and 3'0" width.

Augustine



Classic-Craft Mahogany
CCM1485 (1W)

Augustine



Classic-Craft Mahogany
CCM1495 (1W)

Augustine



Classic-Craft Canvas
CCV05027 (1W)

Borrassa



Classic-Craft Mahogany
CCM1475 (1W)

Borrassa



Classic-Craft Mahogany
CCM1465 (1W)

Borrassa



Classic-Craft Canvas
CCV1519 (1W)

Low-E



Classic-Craft Canvas
CCV05020-LE (Low-E)

Key

1W Wrought Iron
LE Low-E

3/4-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Blackstone



Fiber-Classic Oak
FC770 (1D, 1C)

Salinas



Fiber-Classic Mahogany
FCM115 (1W)
218



Fiber-Classic
Oak
FC115 (1W)



Smooth-Star
S6009 (1W)

Salinas




Fiber-Classic Oak
FC775 (1W)
218



Smooth-Star
S6010 (1W)
218 210

Maple Park




Fiber-Classic Mahogany
FCM902 (1D, 1C)
218



Fiber-Classic
Oak
FC902 (1D, 1C)

Maple Park



Fiber-Classic Oak
FC777 (1D, 1C)
218



Smooth-Star
S6103 (1D)

Saratoga




Fiber-Classic Mahogany
FCM907 (1D, 1C)
218




Fiber-Classic
Oak
FC907 (1D, 1C)

Saratoga



Fiber-Classic Oak
FC776 (1D, 1C)
218

Riserva



Fiber-Classic Mahogany
FCM543 (1W)
218




Fiber-Classic
Oak
FC543 (1W)



Smooth-Star
S543 (1W)

Riserva



Fiber-Classic Oak
FC529 (1W)
218



Smooth-Star
S529 (1W)
218

Concorde



Fiber-Classic Mahogany
FCM912 (1D, 1C)
218



Fiber-Classic
Oak
FC912 (1D, 1C)



Smooth-Star
S912 (1D, 1C)

Concorde



Smooth-Star S97 (1D, 1C)
2'8" 2'10"

Fiber-Classic Oak FC780 (1D, 1C)
2'8"


Kensington



Fiber-Classic Oak FC156 (1D, 1C)

Fiber-Classic Mahogany FCM156 (1D, 1C)
2'8"

Kensington



Fiber-Classic Oak FC20042 (1D, 1C)
2'8"

Axis



Smooth-Star S1647 (1D)

Axis



Smooth-Star S1646 (1D)
2'8"

Privacy SDL



Smooth-Star S82XG-SDL (Geometric)

Privacy SDL



Smooth-Star S92XG-SDL (Geometric)
2'8" 2'10"

Fiber-Classic Oak FC92()-SDL (XR, XN)

Privacy



Fiber-Classic Oak FC32XN (Granite)

Fiber-Classic Mahogany FCM32XN (Granite)
2'8"

Privacy



Smooth-Star S90XG (Geometric)
2'8" 2'10"

Fiber-Classic Oak FC766() (XR, XN)
2'8"

Internal Blinds



Smooth-Star S5425-RTLE (Low-E)

Key

1D	Black Nickel	XG	Geometric	LE	Low-E
1C	Brushed Nickel	XR	Rainglass	SDL	Simulated Divided Lites
1W	Wrought Iron	XN	Granite	2'8"	Available in 2'8" Width

2'10" Available in 2'10" Width

3/4-Glass Options

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Internal Blinds



Smooth-Star
S682-RTLE (Low-E)

2j8 2j10

S682-RT (Clear)

GBG Flat White



Fiber-Classic Oak
FC2107-GBGFWLE (Low-E)

Fiber-Classic Mahogany
FCM2107-GBGFWLE (Low-E)

GBG Flat White



Fiber-Classic Oak
FC2101-GBGFWLE (Low-E)

Low-E SDL



Fiber-Classic Oak
FC82-SDLLE (Low-E)

Fiber-Classic Mahogany
FCM82-SDLLE (Low-E)



Smooth-Star
S82-SDLLE (Low-E)

Low-E SDL



Smooth-Star
S92-SDLLE (Low-E)

2j8 2j10

Fiber-Classic Oak
FC92-SDLLE (Low-E)

Low-E / Clear



Fiber-Classic Oak
FC32-LE (Low-E)
FC32 (Clear)



Smooth-Star
S80-LE (Low-E)
S80 (Clear)

Fiber-Classic Mahogany
FCM32-LE (Low-E)

2j8

FCM32 (Clear)

2j8

Low-E / Clear



Smooth-Star
S90-LE (Low-E)

2j8 2j10

S90 (Clear)

2j8

Fiber-Classic Oak
FC766-LE (Low-E)

2j8

FC766 (Clear)

2j8

Key

Flush-Glazed Glass
 LE Low-E
 SDL Simulated Divided Lites

SDLF1 Simulated Divided Lites
 GBG Grilles Between Glass
 Available in 2'6" Width

Available in 2'8" Width
 Available in 2'10" Width

Smooth-Star.

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.


Low-E SDL



Smooth-Star
S2103-SDLLE (Low-E)

216

Low-E SDL



Smooth-Star
S2104-SDLF1LE (Low-E)

216 218

Low-E / Clear



Smooth-Star
S2200-LE (Low-E)

216 218



2/3-Glass Options



Classic-Craft Rustic Collection, Augustine Glass, Door – CCR20037, Granite Glass Sidelites – CCR3400SLXN

2/3-Glass Options

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 6'8" height and 3'0" width.

Augustine



Classic-Craft Rustic
CCR04037 (1W)

Augustine



Classic-Craft Rustic
CCR20527 (1W)

Augustine



Classic-Craft Rustic
CCR20537 (1W)



Classic-Craft
Canvas
CCV20537 (1W)

Augustine




Classic-Craft Rustic
CCR20027 (1W)

Augustine



Classic-Craft Rustic
CCR20037 (1W)

Borrassa



Classic-Craft Rustic
CCR1516 (1W)

Borrassa




Classic-Craft Rustic
CCR1515 (1W)

Zaha



Classic-Craft Rustic
CCR1841 (1D)

Zaha



Classic-Craft Rustic
CCR1839 (1D)



Classic-Craft
Canvas
CCV1839 (1D)

Zaha



Classic-Craft Rustic
CCR1838 (1D)



Classic-Craft
Canvas
CCV1838 (1D)


2/3-Glass Options

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 6'8" height and 3'0" width.

Lucerna



Classic-Craft Rustic
CCR20522 (1D, 1C)

Lucerna



Classic-Craft Rustic
CCR20022 (1D, 1C)

Privacy



Classic-Craft Rustic
CCR04020XC (Chord)

Privacy



Classic-Craft Rustic
CCR20520XC (Chord)



Classic-Craft
Canvas
CCV20520XC
(Chord)

Privacy



Classic-Craft Rustic
CCR20020XC (Chord)



Classic-Craft
Canvas
CCV22020XC
(Chord)

Low-E



Classic-Craft Rustic
CCR04020-LE (Low-E)

Low-E



Classic-Craft Rustic
CCR20520-LE (Low-E)



Classic-Craft
Canvas
CCV20520-LE
(Low-E)

Low-E



Classic-Craft Rustic
CCR20020-LE (Low-E)



Classic-Craft
Canvas
CCV22020-LE
(Low-E)

2/3-Glass Options

Key

1D Black Nickel LE Low-E
1C Brushed Nickel
XC Chord





2/3-Glass Options

1/2-Glass Options



Smooth-Star, Maple Park Glass, Door – S6107

1/2-Glass Options

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 6'8" height and 3'0" width.

Privacy




Classic-Craft Canvas
CCV06020XE (Satin Etch)

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Blackstone




Fiber-Classic Oak
FC109 (1D)
2B



Smooth-Star S6000
(1D) 2B 210 710
(1C) 2B

Fiber-Classic Mahogany
FCM109 (1D)


Blackstone



Smooth-Star S6032
(1D) 2B 210
(1C) 2B

Fiber-Classic Mahogany
FCM6032 (1D)


Blackstone



Smooth-Star S6052
(1D) 2B 210
(1C)

Fiber-Classic Mahogany
FCM6052 (1D)

Crystalline




Fiber-Classic Oak
FC45 (1D)
2B



Smooth-Star S926 (1D, 1C)
2B 210

Fiber-Classic Mahogany
FCM45 (1D)


Crystalline



Smooth-Star S6027 (1D, 1C)
2B 210

Fiber-Classic Mahogany
FCM6027 (1D)

Crystalline



Smooth-Star S6047 (1D, 1C)
2B 210

Fiber-Classic Mahogany
FCM6047 (1D)

Sedona



Smooth-Star S211 (1D)
2B

Sedona



Smooth-Star S6025 (1D)
2B

Key

1D Black Nickel
1C Brushed Nickel
XE Satin Etch

710 7'0" Height in Select Sizes
2B Available in 2'8" Width
210 Available in 2'10" Width

1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Sedona



Smooth-Star
S6045 (1D)

Salinas



Fiber-Classic Mahogany
FCM114 (1W)
218 210



Fiber-Classic Oak
FC114 (1W)
218 210



Smooth-Star
S6006 (1W)
218 210

Salinas



Fiber-Classic Mahogany
FCM6031 (1W)
218



Smooth-Star
S6031 (1W)
218 210

Salinas



Fiber-Classic Mahogany
FCM6051 (1W)
218



Smooth-Star
S6051(1W)
218 210

Maple Park



Fiber-Classic Mahogany
FCM901 (1D, 1C)
218 210



Fiber-Classic Oak
FC901 (1D, 1C)
218 210 710



Smooth-Star
S6101 (1D)
218 210

Maple Park



Fiber-Classic Mahogany
FCM6107 (1D, 1C)
218



Smooth-Star
S6107 (1D)
218 210

Maple Park



Fiber-Classic Mahogany
FCM6108 (1D, 1C)
218 210



Smooth-Star
S6108 (1D)
218 210

Avonlea



Fiber-Classic Mahogany
FCM761 (1D)
218 210



Fiber-Classic Oak
FC761 (1D)
218 210 710



Smooth-Star
S964 (1D)
218

Avonlea



Fiber-Classic Mahogany
FCM968 (1D)
218



Smooth-Star
S968 (1D)
218

Avonlea




Fiber-Classic Mahogany
FCM966 (1D)
218 210



Smooth-Star
S966 (1D)

Saratoga



Fiber-Classic Oak


FC906
(1D)
(1C) 2j8 2j10 7j0

Smooth-Star

S213
(1D) 2j6 2j8 2j10
(1C) 2j6 2j8 2j10 7j0

Fiber-Classic Mahogany
FCM906
(1D)
(1C) 2j8 2j10

Saratoga




Smooth-Star

S6029 (1D, 1C)
2j8 2j10

Fiber-Classic Mahogany
FCM6029 (1C)
2j8

Saratoga



Smooth-Star

S6049 (1D, 1C)
2j8 2j10

Fiber-Classic Mahogany
FCM6049 (1C)
2j8 2j10

Wellesley



Smooth-Star
S214 (1C)
2j8

Wellesley




Smooth-Star
S6030 (1C)
2j8

Wellesley



Smooth-Star
S6050 (1C)

Concorde



Fiber-Classic Oak


FC911 (1D)
2j6 2j8 2j10 7j0

Smooth-Star

S426 (1D, 1C)
2j6 2j8 2j10 7j0

Fiber-Classic Mahogany
FCM911 (1D)
2j8 2j10

Concorde




Smooth-Star

S6026 (1C)
2j8 2j10

Fiber-Classic Mahogany
FCM6026
(1D) 2j8
(1C)

Concorde




Smooth-Star

S6046 (1D, 1C)
2j8 2j10

Fiber-Classic Mahogany
FCM6046
(1D) 2j8
(1C)

Kensington



Fiber-Classic Oak

FC149 (1D, 1C)
2j8 2j10 7j0

Smooth-Star

S161 (1D, 1C)
2j8 2j10

Fiber-Classic Mahogany
FCM149 (1D, 1C)
2j8 2j10

Key

- 1D Black Nickel
- 1C Brushed Nickel
- 1W Wrought Iron
- 7j0 7'0" Height in Select Sizes
- 2j6 Available in 2'6" Width
- 2j8 Available in 2'8" Width
- 2j10 Available in 2'10" Width

1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.


Kensington



Smooth-Star
S6036 (1D, 1C)
2jB 2j10

Fiber-Classic Mahogany
FCM6036 (1D, 1C)
2jB


Kensington



Smooth-Star
S6056 (1D, 1C)
2jB 2j10

Fiber-Classic Mahogany
FCM6056 (1D, 1C)
2jB 2j10


Pembridge



Smooth-Star
S6560
(1D) 2jB 2jB 2j10
(1C) 2jB ONLY
(1A)


Fiber-Classic Oak
FC6560 (1D, 1C, 1A)

Pembridge



Smooth-Star
S6565
(1D) 2jB 2j10
(1A) 2jB

Pembridge



Smooth-Star
S6568
(1D) 2jB 2j10
(1A)

Axis



Smooth-Star
S1654 (1D)
2jB 2j10

Axis




Smooth-Star
S1656 (1D)
2jB

Axis



Smooth-Star
S1658 (1D)
2jB

Privacy SDL



Fiber-Classic
Oak
FC65XN-SDL
(Granite) 2jB



Smooth-Star
S262()-SDL
(XE, XC, XJ, XR)
2jB 2j10 7j0
(XN) 2jB 2j10

Fiber-Classic Mahogany
FCM65XN-SDL (Granite)
2jB

Privacy SDL



Smooth-Star
S6022()-SDL
(XE, XC, XJ, XR, XN)
2jB 2j10

Fiber-Classic Mahogany
FCM6022XN-SDL (Granite)
2jB


Privacy SDL



Smooth-Star
S6042()-SDL
(XE, XC, XJ, XR, XN)
2 1/8" 2 1/10"

Fiber-Classic Mahogany
FCM6042XN-SDL (Granite)
2 1/8"

Privacy



Fiber-Classic Oak
FC62()
(XR, XN) 2 1/8" 2 1/10" 7 1/0"



Smooth-Star
S206()
(XE, XC, XJ, XR)
2 1/8" 2 1/10" 7 1/0"
(XN) 2 1/8" 2 1/10"

Fiber-Classic Mahogany
FCM62() (XR, XN)
2 1/8" 2 1/10"

Privacy



Smooth-Star
S6021()
(XE, XC, XJ, XR, XN)
2 1/8" 2 1/10"

Fiber-Classic Mahogany
FCM6021() (XR, XN)
2 1/8"

Privacy



Smooth-Star
S6041()
(XE, XC, XJ, XR, XN)
2 1/8" 2 1/10"

Fiber-Classic Mahogany
FCM6041() (XR, XN)
2 1/8" 2 1/10"

Privacy




Fiber-Classic Oak
FC104()
(XR, XN) 2 1/8" 2 1/10"



Smooth-Star
S104() ■
(XE, XC, XJ, XR, XN)
2 1/8" 2 1/10" 7 1/0"

Fiber-Classic Mahogany
FCM104() ■
(XR) 2 1/8"
(XN) 2 1/8" 7 1/0"

Internal Blinds




Fiber-Classic Oak
FC678-RTLE (Low-E)
2 1/8" 2 1/10" 7 1/0"



Smooth-Star
S132-RTLE (Low-E)
2 1/8" 2 1/8" 2 1/10" 7 1/0"
S132-RT (Clear)
2 1/8" 2 1/8" 2 1/10" 7 1/0"

Fiber-Classic Mahogany
FCM678-RTLE (Low-E)
2 1/8" 2 1/10"

Internal Blinds



Smooth-Star
S6035-RTLE (Low-E)
2 1/8" 2 1/10"
S6035-RT (Clear)
2 1/8" 2 1/10"

Fiber-Classic Mahogany
FCM6035-RTLE (Low-E)
2 1/8"


Internal Blinds



Smooth-Star
S6055-RTLE (Low-E)
2 1/8" 2 1/10"
S6055-RT (Clear)
2 1/8" 2 1/10"

Fiber-Classic Mahogany
FCM6055-RTLE (Low-E)
2 1/8" 2 1/10"

Internal Blinds



Fiber-Classic Oak
FC116-RTLE ■
(Low-E) 2 1/8" 2 1/10"



Smooth-Star
S131-RTLE ■ (Low-E)
2 1/8" 2 1/8" 2 1/10" 7 1/0"
S131-RT ■ (Clear)
2 1/8" 2 1/8" 2 1/10" 7 1/0"

Fiber-Classic Mahogany
FCM116-RTLE ■ (Low-E)
2 1/8" 7 1/0"

Screen Vented



Smooth-Star
S243
2 1/8" 2 1/10" 7 1/0"

Key

- No Stile Lines
- 1A Brass
- XJ Chinchilla
- LE Low-E
- 2 1/8" Available in 2'6" Width
- 1D Black Nickel
- XE Satin Etch
- XR Rainglass
- SDL Simulated Divided Lites
- 2 1/8" Available in 2'8" Width
- 1C Brushed Nickel
- XC Chord
- XN Granite
- 7 1/0" 7'0" Height in Select Sizes
- 2 1/10" Available in 2'10" Width

1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Screen Vented




Smooth-Star
S6034
2j8 2j10

Screen Vented



Smooth-Star
S6054
2j8 2j10

Screen Vented



Smooth-Star
S137
2j8 2j10 7j0

Low-E / Clear SDL



Fiber-Classic Mahogany
FCM65-SDLLE (Low-E)
2j8



Fiber-Classic Oak
FC65-SDLLE (Low-E)
2j8



Smooth-Star
S262-SDLLE (Low-E)
2j8 2j10 7j0
S262-SDL (Clear)
2j8 2j10 7j0

GBG Flat White



Smooth-Star
S262-GBGFWLE (Low-E)
2j8 2j10 7j0
S262-GBGFW (Clear)
2j8 2j10 7j0

Fixed Grilles



Smooth-Star
S262-FXGLE (Low-E)
2j6 2j8 2j9 2j10 7j0
S262-FXG (Clear)
2j6 2j8 2j9 2j10 7j0

Low-E / Clear SDL



Fiber-Classic Mahogany
FCM6022-SDLLE (Low-E)
2j8




Smooth-Star
S6022-SDLLE (Low-E)
2j8 2j10
S6022-SDL (Clear)
2j8 2j10

GBG Flat White



Smooth-Star
S6022-GBGFWLE (Low-E)
2j8 2j10
S6022-GBGFW (Clear)
2j8 2j10

Fixed Grilles



Smooth-Star
S6022-FXGLE (Low-E)
2j8 2j10
S6022-FXG (Clear)
2j8 2j10

Low-E / Clear SDL



Fiber-Classic Mahogany
FCM6042-SDLLE (Low-E)
2j8



Smooth-Star
S6042-SDLLE (Low-E)
2j8 2j10
S6042-SDL (Clear)
2j8 2j10

GBG Flat White



Smooth-Star
S6042-GBGFWLE (Low-E)
2'8 2'10

S6042-GBGFW (Clear)
2'8 2'10


Fixed Grilles



Smooth-Star
S6042-FXGLE (Low-E)
2'8 2'10

S6042-FXG (Clear)
2'8 2'10

Low-E / Clear



Fiber-Classic Oak
FC62-LE (Low-E)
2'8 2'10 7'0

FC62 (Clear)
2'8 2'10 7'0

Smooth-Star
S206-LE (Low-E)
2'6 2'8 2'10 7'0

S206 (Clear)
2'6 2'8 2'10 7'0

Low-E / Clear



Fiber-Classic Mahogany
FCM6021-LE (Low-E)
2'8

FCM6021 (Clear)
2'8

Low-E / Clear




Smooth-Star
S6021-LE (Low-E)
2'8 2'10

S6021 (Clear)
2'8 2'10

Smooth-Star
S6041-LE (Low-E)
2'8 2'10

S6041 (Clear)
2'8 2'10

Low-E / Clear



Fiber-Classic Mahogany
FCM670-LE (Low-E)
2'8 7'0

FCM670 (Clear)
2'8



Fiber-Classic Oak
FC670-LE (Low-E)
2'8 2'10


FC670 (Clear)
2'8 2'10



Smooth-Star
S104-LE (Low-E)
2'6 2'8 2'10 7'0

S104 (Clear)
2'6 2'8 2'10 7'0

Blackstone



Smooth-Star
S972 (1D)

Crystalline




Smooth-Star
S38 (1D, 1C)
2'8

Salinas



Smooth-Star
S973 (1W)
2'8

Maple Park



Smooth-Star
S6106 (1D)
2'8

Key

- No Stile Lines
- 1D Black Nickel
- 1C Brushed Nickel
- 1W Wrought Iron
- LE Low-E
- SDL Simulated Divided Lites
- GBG Grilles Between Glass
- FXG Fixed Grilles
- 7'0 7'0" Height in Select Sizes
- 2'6 Available in 2'6" Width
- 2'8 Available in 2'8" Width
- 2'10 Available in 2'10" Width

1/2-Glass Options

Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Saratoga



Smooth-Star
S41 (1D, 1C)
218

Concorde



Smooth-Star
S37 (1D, 1C)
218

Kensington




Smooth-Star
S43 (1D, 1C)
218

Pembridge



Smooth-Star
S6536 (1D)
218

Axis



Smooth-Star
S1653 (1D)

Privacy SDL



Smooth-Star
S32()-SDL
(XE, XJ, XR, XN) 218
(XC)

Privacy



Smooth-Star
S30()
(XE, XJ, XR, XN) 218
(XC)

Internal Blinds



Smooth-Star
S971-RTLE (Low-E)
218
S971-RT (Clear)
218

Low-E / Clear SDL



Smooth-Star
S32-SDLLE (Low-E)
218
S32-SDL (Clear)
218

GBG Flat White




Smooth-Star
S32-GBGFWLE (Low-E)
218
S32-GBGFW (Clear)
218

Key

- No Stile Lines
- Flush-Glazed Glass
- 1D Black Nickel
- 1C Brushed Nickel
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- SDL Simulated Divided Lites
- SDLF1 Simulated Divided Lites
- GBG Grilles Between Glass
- FXG Fixed Grilles
- 710 7'0" Height in Select Sizes
- 216 Available in 2'6" Width
- 218 Available in 2'8" Width
- 210 Available in 2'10" Width

Fixed Grilles



Smooth-Star
 S32-FXGLE (Low-E)
 216

S32-FXG (Clear)
 216


Low-E / Clear



Smooth-Star
 S30-LE (Low-E)
 216

S30 (Clear)
 216

Low-E / Clear



Smooth-Star
 S105-LE (Low-E)
 216 218 2110 710

S105 (Clear)
 216 218 2110 710

Smooth-Star[®]
EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Low-E / Clear SDL



Smooth-Star
 S1350-SDLF1LE (Low-E)
 216 218

S1350-SDLF1 (Clear)
 216 218

Low-E / Clear SDL



Smooth-Star
 S2150-SDLLE (Low-E)
 216 218

S2150-SDL (Clear)
 216 218

Low-E / Clear SDL



Smooth-Star
 S2150-SDLF1LE (Low-E)
 216 218


S2150-SDLF1 (Clear)
 216 218

Low-E / Clear



Smooth-Star
 S2100-LE (Low-E)
 216 218

S2100 (Clear)
 216 218



Oval-Glass Options

Classic-Craft Mahogany Collection, Longford Glass, Door - CCM703, Sidelites - CCM3303SL, Transom - LFHRT

Oval-Glass Options

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 6'8" height and 3'0" width.

Longford



Classic-Craft Mahogany
CCM703 (1D, 1C)

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Blackstone



Fiber-Classic Mahogany
FCM110 (1D)



Fiber-Classic
Oak
FC714 (1D)
2 1/8"



Smooth-Star
S771 (1D)

Blackstone



Fiber-Classic Mahogany
FCM164 (1D)
2 1/8"



Fiber-Classic
Oak
FC164 (1D)



Smooth-Star
S6085 (1D)

Blackstone



Fiber-Classic Oak
FC794 (1D)
2 1/8"



Smooth-Star
S997 (1D)
2 1/8"

Avonlea



Fiber-Classic Mahogany
FCM785 (1D)



Fiber-Classic
Oak
FC785 (1D)
2 1/8"

Avonlea



Fiber-Classic Mahogany
FCM788 (1D)
2 1/8"



Fiber-Classic
Oak
FC788 (1D)

Avonlea



Fiber-Classic Oak
FC792 (1D)
2 1/8"

Wellesley



Smooth-Star
S774 (1D, 1C)

Wellesley



Smooth-Star
S6082 (1D, 1C)

Key

- 1D Black Nickel
- 1C Brushed Nickel
- 2 1/8" Available in 2'8" Width

Oval-Glass Options

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Wellesley



Smooth-Star
S999
(1D) 2j8 2j10
(1C) 2j8

Fiber-Classic Oak
FC796 (1D, 1C)

Concorde



Fiber-Classic
Oak
FC916 (1D, 1C)
2j8



Smooth-Star
S773 (1D, 1C)

Fiber-Classic Mahogany
FCM916 (1D, 1C)

Concorde



Fiber-Classic
Oak
FC915 (1D, 1C)



Smooth-Star
S6084 (1D, 1C)

Fiber-Classic Mahogany
FCM915 (1D, 1C)
2j8

Concorde



Smooth-Star
S1000 (1D)
2j8 2j10

Fiber-Classic Oak
FC797 (1D, 1C)
2j8

Kensington



Fiber-Classic
Oak
FC709 (1D, 1C)
2j8



Smooth-Star
S709 (1D, 1C)

Fiber-Classic Mahogany
FCM151 (1D, 1C)

Kensington



Fiber-Classic Oak
FC151 (1D, 1C)



Smooth-Star
S163 (1D, 1C)

Fiber-Classic Mahogany
FCM789 (1D, 1C)

Kensington



Smooth-Star
S1001 (1D, 1C)
2j8 2j10

Fiber-Classic Oak
FC798 (1D, 1C)
2j8

Pembridge



Smooth-Star
S6575 (1D)

Pembridge



Smooth-Star
S6576 (1D, 1C)
2j8 2j10

Pembridge



Smooth-Star
S6577 (1D)



Oval-Glass Options



Craftsman Options

Classic-Craft®

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Villager SDL




Classic-Craft American Style
CCA232-SDL (1D)

Homeward SDL



Classic-Craft American Style
CCA231-SDL (1C)

Homeward



Classic-Craft American Style
CCA211 (1D, 1C)

Homeward



Classic-Craft Canvas
CCV911 (1D, 1C)

Arborwatch SDL



Classic-Craft American Style
CCA9300-SDL (1C)

Arborwatch



Classic-Craft American Style
CCA9100 (1D, 1C)

Note: Product images show exterior side of door.

Privacy SDL



Classic-Craft American Style
CCA220()-SDL
(XG, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft Canvas
CCV920()-SDL
(XG, XC, XJ)

Privacy SDL



Classic-Craft American Style
CCA230()-SDL
(XG, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft Canvas
CCV930()-SDL
(XG, XC, XJ)

Privacy SDL



Classic-Craft American Style
CCA240()-SDL
(XC, XJ, XR)

Privacy SDL



Classic-Craft American Style
CCA260()-SDL
(XG, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft Canvas
CCV960()-SDL
(XG, XC, XJ)

Privacy



Classic-Craft American Style
CCA210()
(XG, XC, XJ, XR, XN)

Privacy



Classic-Craft Canvas
CCV910()
(XG, XC, XJ)

Low-E SDL



Classic-Craft American Style
CCA220-SDLLE (Low-E)

Key

- Flush-Glazed Glass
- 1D Black Nickel
- 1C Brushed Nickel
- XG Geometric
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E

SDL Simulated Divided Lites

Craftsman Options

Classic-Craft®

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Low-E SDL



Classic-Craft Canvas
CCV920-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA230-SDLLE (Low-E)

Low-E SDL



Classic-Craft Canvas
CCV930-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA240-SDLLE (Low-E)

Low-E SDL



Classic-Craft Canvas
CCV940-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA260-SDLLE (Low-E)

Low-E SDL



Classic-Craft Canvas
CCV960-SDLLE (Low-E)

Low-E



Classic-Craft American Style
CCA210-LE (Low-E)

Low-E



Classic-Craft Canvas
CCV910-LE (Low-E)

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Sedona



Smooth-Star
S604 (1D)
2jB

Fiber-Classic Mahogany
FCM604 (1D)
2jB

Maple Park



Smooth-Star
S609 (1D, 1C)
2jB

Fiber-Classic Mahogany
FCM609 (1D, 1C)
2jB

Saratoga



Smooth-Star
S602 (1D, 1C)
2jB

Fiber-Classic Mahogany
FCM602 (1D, 1C)
2jB

Riserva



Smooth-Star
S508 (1W)
2jB

Pembridge



Smooth-Star
S2640-FF (1C, 1A)

Pembridge



Smooth-Star
S6520
(1D, 1C) 2jB
(1A)

Axis



Smooth-Star
S2620-FF (1D)
2jB

Axis



Smooth-Star
S1650 (1D)
2jB

Fiber-Classic Mahogany
FCM1650 (1D)
2jB

Privacy SDL



Smooth-Star
S605()-SDL
(XG, XE, XC,
XJ, XR, XN)
2jB

Fiber-Classic Mahogany
FCM605()-SDL
(XE, XC, XJ, XR, XN)
2jB

Privacy SDL



Smooth-Star
S606()-SDL
(XG, XE, XC,
XJ, XR, XN)
2jB

Fiber-Classic Mahogany
FCM606()-SDL
(XE, XC, XJ, XR, XN)
2jB

Key

● Flush-Glazed Glass	1A Brass	XE Satin Etch	XR Rainglass	SDL Simulated Divided Lites
1D Black Nickel	1W Wrought Iron	XC Chord	XN Granite	FF Flat Frame
1C Brushed Nickel	XG Geometric	XJ Chinchilla	LE Low-E	2jB Available in 2'8" Width

Craftsman Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Privacy SDL



Smooth-Star
S607()-SDL
(XG, XE, XC,
XJ, XR, XN)

2|B

Fiber-Classic Mahogany

FCM607()-SDL
(XE, XC, XJ, XR, XN)

2|B

Privacy SDL



Smooth-Star
S608()-SDL
(XG, XE, XC,
XJ, XR, XN)

2|B

Fiber-Classic Mahogany

FCM608()-SDL
(XE, XC, XJ, XR, XN)

2|B

Privacy



Smooth-Star

S2610 ()-FF
(XG, XE, XC, XJ, XR, XN)

2|B

Privacy



Smooth-Star
S601()
(XG, XE, XC,
XJ, XR, XN)

2|B

Fiber-Classic Mahogany

FCM601()
(XE, XC, XJ, XR, XN)

2|B

Low-E SDL



Smooth-Star
S605-SDLLE
(Low-E)

2|B

Fiber-Classic Mahogany

FCM605-SDLLE (Low-E)

2|B

Low-E SDL



Smooth-Star
S606-SDLLE
(Low-E)

2|B

Fiber-Classic Mahogany

FCM606-SDLLE (Low-E)

2|B

Low-E SDL



Smooth-Star
S607-SDLLE
(Low-E)

2|B

Fiber-Classic Mahogany

FCM607-SDLLE (Low-E)

2|B

Low-E SDL



Smooth-Star
S608-SDLLE
(Low-E)

2|B

Fiber-Classic Mahogany

FCM608-SDLLE (Low-E)

2|B

Low-E



Smooth-Star

S2610-FFLE (Low-E)

2|B

Low-E



Smooth-Star
S601-LE
(Low-E)

2|B

Fiber-Classic Mahogany

FCM601-LE (Low-E)

2|B

Smooth-Star®

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Privacy SDL



Smooth-Star
S4812-SDLF1LE (Low-E)
(XE, XC, XJ, XR, XN)
(XE) 2/8

Privacy SDL



Smooth-Star
S4813-SDLF1LE (Low-E)
(XE, XC, XJ, XR, XN)
(XE) 2/8

Privacy SDL



Smooth-Star
S4814-SDLF1LE (Low-E)
(XE, XC, XJ, XR, XN)
(XE) 2/8

Privacy SDL



Smooth-Star
S4816-SDLF1LE (Low-E)
(XE, XC, XJ, XR, XN)
(XE) 2/8

Privacy




Smooth-Star
S4810 () (Low-E)
(XE, XC, XJ, XR, XN)
(XE) 2/8

Low-E SDL



Smooth-Star
S4812-SDLF1LE (Low-E)
2/8

Low-E SDL



Smooth-Star
S4813-SDLF1LE (Low-E)
2/8

Low-E SDL



Smooth-Star
S4814-SDLF1LE (Low-E)
2/8

Low-E SDL



Smooth-Star
S4816-SDLF1LE (Low-E)
2/8

Low-E



Smooth-Star
S4810-LE (Low-E)
2/8



Minimal-Glass Options



Fiber-Classic Oak Collection, Pembridge Glass, Door - FC745

Minimal-Glass Options

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Crystalline




Smooth-Star
S930 (1D, 1C)
2 1/8"

Maple Park




Fiber-Classic Oak
FC903 (1D)
2 1/8"

Saratoga



Fiber-Classic Oak
FC908 (1D)
2 1/8"

Avonlea



Fiber-Classic Oak
FC782 (1D)
2 1/8"

Concorde



Fiber-Classic Oak
FC913 (1D)
2 1/8"

Kensington



Fiber-Classic Oak
FC152 (1D, 1C)
2 1/8"



Smooth-Star
S162 (1D, 1C)
2 1/8"

Privacy SDL



Smooth-Star
S807()-SDL
(XE, XJ, XR) 2 1/8"

Privacy



Fiber-Classic Oak
FC48() (XR)
2 1/8"



Smooth-Star
S289()
(XE, XJ, XR)
2 1/8"

Low-E / Clear SDL



Smooth-Star
S807-SDLLE (Low-E)
2 1/8"

Low-E / Clear



Smooth-Star
S289-LE (Low-E)
2 1/8"
S289 (Clear)
2 1/8"

Key


1D	Black Nickel	XJ	Chinchilla	SDL	Simulated Divided Lites
1C	Brushed Nickel	XR	Rainglass	2 1/8"	Available in 2'8" Width
XE	Satin Etch	LE	Low-E		

Minimal-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Salinas



Fiber-Classic Oak
FC118 (1W)

Fiber-Classic Mahogany
FCM118 (1W)

Concorde



Fiber-Classic Oak
FC914 (1D)



Smooth-Star
S17 (1D)

Fiber-Classic Mahogany
FCM914 (1D)

Wellesley



Fiber-Classic Oak
FC125 (1D)

Fiber-Classic Mahogany
FCM125 (1D)

Kensington



Fiber-Classic Oak
FC150 (1D, 1C)



Smooth-Star
S6119 (1D, 1C)

Fiber-Classic Mahogany
FCM150 (1D, 1C)

Maple Park




Fiber-Classic Oak
FC736 (1D, 1C)
218 2110 710



Smooth-Star
S736 (1D, 1C)
218 2110 710

Fiber-Classic Mahogany
FCM736 (1D, 1C)
218 2110

Saratoga




Fiber-Classic Oak
FC707 (1D, 1C)
218 2110 710



Smooth-Star
S707
(1D, 1C) 218 2110 710

Fiber-Classic Mahogany
FCM707 (1D, 1C)
218 2110

Wellesley



Fiber-Classic Oak
FC721 (1D, 1C)
218 2110 710



Smooth-Star
S721
(1D, 1C) 218 2110 710

Fiber-Classic Mahogany
FCM721 (1D, 1C)
218 2110

Concorde



Fiber-Classic Oak
FC735 (1D, 1C)
218 2110 710



Smooth-Star
S735 (1D, 1C)
218 2110 710

Fiber-Classic Mahogany
FCM735 (1D, 1C)
218 2110

Pembridge



Smooth-Star
S745
(1D) 2110
(1C, 1A) 218

Fiber-Classic Oak
FC745 (1D, 1C, 1A)

Fixed Grilles



Smooth-Star
S704-FXG (Clear)
218 2110 710

Note: Product images show exterior side of door.

Low-E




Smooth-Star
S708-LE (Low-E)
218 2110 710

Crystalline



Smooth-Star
S9341 (1D, 1C)
218

Maple Park



Fiber-Classic Oak
FC80955 (1D)
218

Avonlea



Fiber-Classic Oak
FC80956 (1D)

Saratoga



Fiber-Classic Oak
FC80954 (1D)
218

Concorde



Fiber-Classic Oak
FC80947 (1D)

Kensington



Fiber-Classic Oak
FC80942 (1D, 1C)
218



Smooth-Star
S9342 (1D, 1C)
218

Privacy SDL



Smooth-Star
S93203()-SDL
(XE, XJ, XR)
218 2110

Privacy



Fiber-Classic Oak
FC80920XR (Rainglass)



Smooth-Star
S9320()
(XE, XJ, XR)
218 2110

Low-E SDL



Smooth-Star
S93203-SDLLE (Low-E)
218 2110

Minimal-Glass Options

Key

1D Black Nickel	1W Wrought Iron	XR Rainglass	FXG Fixed Grilles	2110 Available in 2'10" Width
1C Brushed Nickel	XE Satin Etch	LE Low-E	710 7'0" Height in Select Sizes	
1A Brass	XJ Chinchilla	SDL Simulated Divided Lites	218 Available in 2'8" Width	

Minimal-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Low-E / Clear



Smooth-Star
S9320-LE (Low-E)
2'6 2'10

S9320 (Clear)
2'6

Concorde



Fiber-Classic Oak
FC917 (1D, 1C, 1A)



Smooth-Star
S454 (1D, 1C)
2'6

GBG Flat White



Smooth-Star
S255-GBGFWLE (Low-E)

Fixed Grilles



Fiber-Classic Oak
FC23-FXGLE (Low-E)
FC23-FXG (Clear)



Smooth-Star
S255-FXGLE
(Low-E) 2'6
S255-FXG
(Clear) 2'6

Low-E



Fiber-Classic Oak
FC803-LE (Low-E)



Smooth-Star
S256-LE (Low-E)
2'6
S256 (Clear)
2'6

Fixed Grilles



Smooth-Star
S236-FXG (Clear)
2'6 2'10

Pembridge



Fiber-Classic Mahogany
FCM6570 (1D)
2'6




Fiber-Classic Oak
FC6570 (1D)
2'6 2'8



Smooth-Star
S6570 (1D, 1C, 1A)
2'6 2'8 2'10

Axis



Fiber-Classic Mahogany
FCM1645 (1D)
2'6 2'10



Fiber-Classic Oak
FC1645 (1D)
2'6 2'8 2'10 7'0



Smooth-Star
S1645 (1D)
2'6 2'8 2'10 7'0

Privacy



Fiber-Classic Mahogany
FCM61(____)
(XE, XC, XJ, XN) 2'6
(XR) 2'6 2'8



Fiber-Classic Oak
FC61(____)
(XE, XC, XJ, XN)
2'6 2'8
(XR) 2'6 2'8 2'10 7'0



Smooth-Star
S296(____)
(XE, XC, XJ, XR, XN)
2'6 2'8 2'10 7'0

Low-E / Clear



Fiber-Classic Mahogany
FCM61-LE (Low-E)
2'6 2'10
FCM61 (Clear)
2'6 2'10



Fiber-Classic Oak
FCM61-LE (Low-E)
2'6 2'8 2'10 7'0
FC61 (Clear)
2'6 2'8 2'10 7'0



Smooth-Star
S296-LE (Low-E)
2'6 2'8 2'10 7'0
S296 (Clear)
2'6 2'8 2'10 7'0

Key

1D	Black Nickel	XE	Satin Etch	XR	Rainglass	GBG	Grilles Between Glass	2'6	Available in 2'6" Width
1C	Brushed Nickel	XC	Chord	XN	Granite	FXG	Fixed Grilles	2'8	Available in 2'8" Width
1A	Brass	XJ	Chinchilla	LE	Low-E	7'0	7'0" Height in Select Sizes	2'10	Available in 2'10" Width

Note: Product images show exterior side of door.



Minimal-Glass Options



Solid Panel Options

Solid Panel Options

Note: Product images show exterior side of door.

Classic-Craft® Shaker

All doors available in 6'8" height and 3'0" width.

1-Panel Shaker



Classic-Craft American Style
CCA1100

3-Panel Shaker



Classic-Craft American Style
CCA1133-DDBF4

4-Panel Shaker



Classic-Craft American Style
CCA1145-DDBF4

5-Panel Shaker



Classic-Craft American Style
CCA1150-DDBF3

**2-Panel
Craftsman Shaker**



Classic-Craft American Style
CCA1125-DDBF5

**4-Panel
Craftsman Shaker**



Classic-Craft American Style
CCA1149-DDBF5

**4-Panel Square
Top Shaker**



Classic-Craft American Style
CCA1147-DDBF5

6-Panel Shaker



Classic-Craft American Style
CCA1166-DDBF5

**5-Panel Square
Top Shaker**



Classic-Craft American Style
CCA1158-DDBF3

**2-Panel Square
Top Shaker**



Classic-Craft American Style
CCA1127-DDBF4

Key

- DDBF3 Door Divider Bars
- DDBF4 Door Divider Bars
- DDBF5 Door Divider Bars

Solid Panel Options

Classic-Craft® Shaker

All doors available in 6'8" height and 3'0" width.

X-Brace



Classic-Craft American Style
CCA4905-DDBF3

Z-Brace-Left



Classic-Craft American Style
CCA4915L-DDBF3

Z-Brace-Right



Classic-Craft American Style
CCA4915R-DDBF3

Double-Z-Left



Classic-Craft American Style
CCA4925L-DDBF5

Double-Z-Right



Classic-Craft American Style
CCA4925R-DDBF5

Double-X



Classic-Craft American Style
CCA4935-DDBF5

Bottom-X



Classic-Craft American Style
CCA4945-DDBF5

Solid Panel Options

Classic-Craft®

All doors available in 6'8" height and 3'0" width.

3-Panel Scroll



Classic-Craft Mahogany
CCM701

2-Panel Plank Soft Arch



Classic-Craft Rustic
CCR205



Classic-Craft
Canvas
CCV205

4-Panel Round Top



Classic-Craft Rustic
CCR040

2-Panel Soft Arch



Classic-Craft Rustic
CCR200

Full Plank



Classic-Craft Rustic
CCR100



6-Panel



Classic-Craft Mahogany
CCM60



Classic-Craft
Oak
CC60



Classic-Craft
Canvas
CCV060

4-Panel



Classic-Craft Oak
CC40

3/6 ONLY

2-Panel Square Top



Classic-Craft Canvas
CCV220

2-Panel 3/4 Top



Classic-Craft Canvas
CCV200

5-Panel



Classic-Craft Canvas
CCV050

Solid Panel Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

3-Panel Square Top



Fiber-Classic Oak
FC31



Smooth-Star S31
S31
2'6" 2'10"



SSF31

Fiber-Classic Mahogany
FCM31



2-Panel 3/4 Top



Smooth-Star S93
S93
2'6" 2'10"

Fiber-Classic Oak
FC809



2-Panel Square Top



Smooth-Star S220
S220
2'6" 2'10"
SSF220
2'6"

Fiber-Classic Mahogany
FCM220



1-Panel Shaker



Smooth-Star S1100
S1100



SSF1100
2'6"

2-Panel Square Top Shaker



Smooth-Star S120
S120



SSF120
2'6"

2-Panel Soft Arch



Smooth-Star S200
S200



SSF200



2-Panel Plank Soft Arch



Smooth-Star S205
S205
2'6" 2'10"
SSF205
2'6"

Fiber-Classic Mahogany
FCM205



4-Panel Square Top



Smooth-Star S960
S960



Fiber-Classic Oak
FC808



3-Panel Scroll



Fiber-Classic Mahogany
FCM755




Fiber-Classic Oak
FC755



Smooth-Star S755
S755

2-Panel Craftsman Shaker



Smooth-Star S4800
S4800



Solid Panel Options

Key

- No Stile Lines
- 20-Minute Fire-Rated**
- 7'0" Height in Select Sizes
- Available in 2'0" Width
- Available in 2'4" Width
- Available in 2'6" Width

- Available in 2'8" Width
- Available in 2'10" Width
- Available in 3'6" Width

*Select sizes available with elevated 10" bottom rail.
**To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

Note: Product images show exterior side of door.

2-Panel Craftsman



Smooth-Star
S600
2/8

Fiber-Classic Mahogany
FCM600
2/8

8-Panel




Fiber-Classic Oak
FC134

Fiber-Classic Mahogany
FCM134



Smooth-Star
S11

6-Panel



Fiber-Classic Oak
FC60*
2/6 2/8 2/10 7/0
FCF160
2/8



Smooth-Star
S210*
2/6 2/8 2/10 7/0
SSF160
2/6 2/8

Fiber-Classic Mahogany
FCM60
2/8 2/10

Flush Panel



Fiber-Classic Oak
1000
2/6 2/4 2/6 2/8 2/10



Smooth-Star
S100 2/0 2/4 2/6 2/8 2/10 3/6 7/0
SSF100 2/6 2/8 2/10

Fiber-Classic Mahogany
FCM1000
2/6 2/8 7/0




Solid Panel Options

Pulse® Options

All doors available in 6'8" height and 3'0" width.

Ari

Sedona




Oak
FC2SN (1D)
2/8 2/10

Smooth
S2SN (1D)
2/8 2/10 3/6

Mahogany
FCM2SN (1D)
2/8

Saratoga




Oak
FC2SG (1D, 1C)
2/8 2/10

Smooth
S2SG (1D, 1C)
2/8 2/10 3/6


Mahogany
FCM2SG (1D, 1C)
2/8

Riserva



Smooth
S2RS (1W)
2/8 2/10 3/6


Pembridge



Smooth
S2PB-FF (1C, 1A)
2/8

S2PB
(1D, 1C) 2/8 2/10 3/6
(1A) 2/8

Axis



Oak
FC2AX-FF (1D)
2'8 2'10

FC2AX (1D)
2'8 2'10

Smooth
S2AX-FF (1D)
2'8 2'10 3'6

S2AX (1D)
2'8 2'10 3'6

Mahogany
FCM2AX-FF (1D)
2'8

FCM2AX (1D)
2'8

Privacy



Oak
FC2()-FF (XE, XR)
2'8 2'10

FC2() (XE, XC, XJ, XR, XN)
2'8 2'10


Smooth
S2()-FF
(XG, XE, XC, XJ, XR, XN)
2'8 2'10 3'6

S2()
(XG, XE, XC, XJ, XR, XN)
2'8 2'10 3'6

Mahogany
FCM2()-FF
(XE, XR) 2'8

FCM2()
(XE, XC, XJ, XR, XN) 2'8

Low-E



Oak
FC2CL-FFLE (Low-E)
2'8

FC2CL-LE (Low-E)
2'8 2'10

Smooth
S2CL-FFLE (Low-E)
2'8 2'10 3'6


S2CL-LE (Low-E)
2'8 2'10 3'6

Mahogany
FCM2CL-FFLE (Low-E)
2'8

FCM2CL-LE (Low-E)
2'8

Línea

Blackstone



Oak
FC1(L, C, R)BS
(1D, 1C)
2'6 2'8 2'10

Smooth
S1(L, C, R)BS
(1D, 1C)
2'6 2'8 2'10 3'6


Mahogany
FCM1(L, C, R)BS (1D, 1C)
2'6 2'8

Crystalline



Smooth
S1(L, C, R)BL (1D, 1C)
2'6 2'8 2'10 3'6

Sedona




Oak
FC1(L, C, R)SN
(1D)
2'6 2'8 2'10

Smooth
S1(L, C, R)SN (1D)
2'6 2'8 2'10 3'6

Mahogany
FCM1(L, C, R)SN (1D)
2'6 2'8

Salinas



Oak
FC1(L, C, R)SA (1W)
2'6 2'8 2'10

Smooth
S1(L, C, R)SA (1W)
2'6 2'8 2'10 3'6

Mahogany
FCM1(L, C, R)SA (1W)
2'6 2'8

Key

1D	Black Nickel	1W	Wrought Iron	XC	Chord	XN	Granite
1C	Brushed Nickel	XG	Geometric	XJ	Chinchilla	LE	Low-E
1A	Brass	XE	Satin Etch	XR	Rainglass	FF	Flat Frame

2'6 Available in 2'6" Width
2'8 Available in 2'8" Width
2'10 Available in 2'10" Width


3'6 Available in 3'6" Width

Pulse® Options

All doors available in 6'8" height and 3'0" width.

Línea

Avonlea



Oak
FC1(L, C, R)AV (1D)
2/6 2/8 2/10



Smooth
S1(L, C, R)AV (1D)
2/6 2/8 2/10 3/6

Mahogany
FCM1(L, C, R)AV
(1D) 2/6 2/8

Saratoga




Oak
FC1(L, C, R)SG
(1D, 1C)
2/6 2/8 2/10



Smooth
S1(L, C, R)SG (1D, 1C)
2/6 2/8 2/10 3/6


Mahogany
FCM1(L, C, R)SG (1D, 1C)
2/6 2/8

Riserva



Smooth
S1(L, C, R)RS (1W)
2/6 2/8 2/10 3/6


Pembridge



Smooth
S1(L, C, R)PB-FF (1C)
2/6 2/8

S1(L, C, R)PB
(1D, 1C) 2/6 2/8 2/10 3/6
(1A) 2/6 2/8

Axis



Oak
FC1(L, C, R)AX (1D)
2/6 2/8 2/10



Smooth
S1(L, C, R)AX-FF
(1D) 2/6 2/8 2/10 3/6

S1(L, C, R)AX
(1D) 2/6 2/8 2/10 3/6

Mahogany
FCM1(L, C, R)AX (1D)
2/6 2/8

Privacy



Oak
FC1(L, C, R)(__)-FF
(XE) 2/6 2/8 2/10

FC1(L, C, R)(__)
(XE, XC, XJ, XR, XN) 2/6 2/8 2/10



Smooth
S1(L, C, R)(__)-FF
(XG, XE, XC, XJ, XR, XN)
2/6 2/8 2/10 3/6

S1(L, C, R)(__)
(XG, XE, XC, XJ, XR, XN)
2/6 2/8 2/10 3/6

Mahogany
FCM1(L, C, R)(__)-FF
(XE) 2/6 2/8

FCM1(L, C, R)(__)
(XG, XE, XC, XJ, XR, XN) 2/6 2/8

Low-E / Clear



Oak
FC1(L, C, R)CL-LE (Low-E)
2/6 2/8 2/10

FC1(L, C, R)CL (Clear)
2/6 2/8 2/10




Smooth
S1(L, C, R)CL-FFLE (Low-E) 2/6 2/8 2/10 3/6
S1(L, C, R)CL-LE (Low-E) 2/6 2/8 2/10 3/6
S1(L, C, R)CL (Clear) 2/6 2/8 2/10 3/6

Mahogany
FCM1(L, C, R)CL-LE (Low-E)
2/6 2/8

FCM1(L, C, R)CL (Clear)
2/6 2/8

Echo

Pembridge




Oak
FC4(L, C, R)PB
(1D) 2'6" 2'8"

Smooth
S4(L, C, R)PB-FF
(1D) 2'6" 2'8" 2'10" 3'6"
(1C) 2'6" 2'8"

Mahogany
FCM4(L, C, R)PB
(1D) 2'6" 2'8"

S4(L, C, R)PB
(1D) 2'6" 2'8" 2'10" 3'6"
(1C, 1A) 2'6" 2'8"

Pembridge



Oak
FC5(L, C, R)PB
(1D) 2'6" 2'8"

Smooth
S5(L, C, R)PB-FF
(1D) 2'6" 2'8" 2'10" 3'6"
(1C) 2'6" 2'8"

Mahogany
FCM5(L, C, R)PB
(1D) 2'6" 2'8"

S5(L, C, R)PB
(1D) 2'6" 2'8" 2'10" 3'6"
(1C, 1A) 2'6" 2'8"

Pembridge




Oak
FC9(L, C, R)PB
(1D) 2'6" 2'8"

Smooth
S9(L, C, R)PB-FF
(1D) 2'6" 2'8" 2'10" 3'6"
(1C) 2'6" 2'8"

Mahogany
FCM9(L, C, R)PB
(1D) 2'6" 2'8"

S9(L, C, R)PB
(1D) 2'6" 2'8" 2'10" 3'6"
(1C, 1A) 2'6" 2'8"

Pembridge




Oak
FC8(L, C, R)PB
(1D) 2'6" 2'8"

Smooth
S8(L, C, R)PB-FF
(1D) 2'6" 2'8" 2'10" 3'6"
(1C) 2'6" 2'8"

Mahogany
FCM8(L, C, R)PB
(1D) 2'6" 2'8"

S8(L, C, R)PB
(1D) 2'6" 2'8" 2'10" 3'6"
(1C, 1A) 2'6" 2'8"

Axis



Oak
FC4(L, C, R)AX-FF
(1D) 2'6" 2'8" 2'10"

FC4(L, C, R)AX
(1D) 2'6" 2'8" 2'10"


Smooth
S4(L, C, R)AX-FF (1D)
2'6" 2'8" 2'10" 3'6"

S4(L, C, R)AX (1D)
2'6" 2'8" 2'10" 3'6"

Mahogany
FCM4(L, C, R)AX-FF
(1D) 2'6" 2'8"

FCM4(L, C, R)AX
(1D) 2'6" 2'8"

Axis



Oak
FC5(L, C, R)AX-FF
(1D) 2'6" 2'8" 2'10"

FC5(L, C, R)AX
(1D) 2'6" 2'8" 2'10"


Smooth
S5(L, C, R)AX-FF (1D)
2'6" 2'8" 2'10" 3'6"

S5(L, C, R)AX (1D)
2'6" 2'8" 2'10" 3'6"

Mahogany
FCM5(L, C, R)AX-FF
(1D) 2'6" 2'8"

FCM5(L, C, R)AX
(1D) 2'6" 2'8"

Axis



Oak
FC9(L, C, R)AX-FF
(1D) 2'6" 2'8" 2'10"

FC9(L, C, R)AX
(1D) 2'6" 2'8" 2'10"


Smooth
S9(L, C, R)AX-FF (1D)
2'6" 2'8" 2'10" 3'6"

S9(L, C, R)AX (1D)
2'6" 2'8" 2'10" 3'6"

Mahogany
FCM9(L, C, R)AX-FF
(1D) 2'6" 2'8"

FCM9(L, C, R)AX
(1D) 2'6" 2'8"

Axis



Oak
FC8(L, C, R)AX-FF
(1D) 2'6" 2'8" 2'10"

FC8(L, C, R)AX
(1D) 2'6" 2'8" 2'10"

Smooth
S8(L, C, R)AX-FF (1D)
2'6" 2'8" 2'10" 3'6"

S8(L, C, R)AX (1D)
2'6" 2'8" 2'10" 3'6"

Mahogany
FCM8(L, C, R)AX-FF
(1D) 2'6" 2'8"

FCM8(L, C, R)AX
(1D) 2'6" 2'8"

Key

1D	Black Nickel	1W	Wrought Iron	XC	Chord	XN	Granite	FF	Flat Frame	2'10"	Available in 2'10" Width
1C	Brushed Nickel	XG	Geometric	XJ	Chinchilla	LE	Low-E	2'6"	Available in 2'6" Width	3'6"	Available in 3'6" Width
1A	Brass	XE	Satin Etch	XR	Rainglass	CL	Clear	2'8"	Available in 2'8" Width		

Pulse® Options

All doors available in 6'8" height and 3'0" width.

Echo

Privacy




Oak
 FC4(L, C, R)(__)-FF
 (XE, XC) 2'6 2'8 2'10
 (XR) 2'6 2'8
 FC4(L, C, R)(__)
 (XE, XC, XJ, XN) 2'6 2'8
 (XR) 2'6 2'8 2'10

Mahogany

FCM4(L, C, R)(__)-FF
 (XE, XC, XR) 2'6 2'8

FCM4(L, C, R)(__)
 (XE, XC, XJ, XR, XN) 2'6 2'8

Privacy



Smooth

S4(L, C, R)(__)-FF
 (XG, XE, XC, XJ, XR, XN) 2'6 2'8 2'10 3'6

S4(L, C, R)(__)
 (XE, XC, XJ, XR, XN) 2'6 2'8 2'10 3'6

Privacy




Oak
 FC5(L, C, R)(__)-FF
 (XE, XC) 2'6 2'8 2'10
 (XR) 2'6 2'8
 FC5(L, C, R)(__)
 (XE, XC, XJ, XN) 2'6 2'8
 (XR) 2'6 2'8 2'10

Mahogany

FCM5(L, C, R)(__)-FF
 (XE, XC, XR) 2'6 2'8

FCM5(L, C, R)(__)
 (XE, XC, XJ, XR, XN) 2'6 2'8

Privacy




Smooth

S5(L, C, R)(__)-FF
 (XG, XE, XC, XJ, XR, XN) 2'6 2'8 2'10 3'6

S5(L, C, R)(__)
 (XE, XC, XJ, XR, XN) 2'6 2'8 2'10 3'6

Privacy



Oak
 FC9(L, C, R)(__)-FF
 (XE, XC) 2'6 2'8 2'10
 (XR) 2'6 2'8
 FC9(L, C, R)(__)
 (XE, XC, XJ, XN) 2'6 2'8
 (XR) 2'6 2'8 2'10

Mahogany

FCM9(L, C, R)(__)-FF
 (XE, XC, XR) 2'6 2'8

FCM9(L, C, R)(__)
 (XE, XC, XJ, XR, XN) 2'6 2'8

Privacy



Smooth

S9(L, C, R)(__)-FF
 (XG, XE, XC, XJ, XR, XN) 2'6 2'8 2'10 3'6

S9(L, C, R)(__)
 (XE, XC, XJ, XR, XN) 2'6 2'8 2'10 3'6

Privacy



Oak
 FC8(L, C, R)(__)-FF
 (XE, XC) 2'6 2'8 2'10
 (XR) 2'6 2'8
 FC8(L, C, R)(__)
 (XE, XC, XJ, XN) 2'6 2'8
 (XR) 2'6 2'8 2'10

Mahogany

FCM8(L, C, R)(__)-FF
 (XE, XC, XR) 2'6 2'8

FCM8(L, C, R)(__)
 (XE, XC, XJ, XR, XN) 2'6 2'8

Privacy



Smooth

S8(L, C, R)(__)-FF
 (XG, XE, XC, XJ, XR, XN) 2'6 2'8 2'10 3'6

S8(L, C, R)(__)
 (XE, XC, XJ, XR, XN) 2'6 2'8 2'10 3'6

Key

XG	Geometric	XJ	Chinchilla	LE	Low-E	2'6	Available in 2'6" Width	3'6	Available in 3'6" Width
XE	Satin Etch	XR	Rainglass	CL	Clear	2'8	Available in 2'8" Width		
XC	Chord	XN	Granite	FF	Flat Frame	2'10	Available in 2'10" Width		

Low-E / Clear



Oak
 FC4(L, C, R)CL-LE
 (Low-E) 2j6 2j8 2j10
 FC4(L, C, R)CL-FF
 (Clear) 2j6 2j8
 FC4(L, C, R)CL
 (Clear) 2j6 2j8 2j10

Mahogany

FCM4(L, C, R)CL-LE (Low-E) 2j6 2j8
 FCM4(L, C, R)CL-FF (Clear) 2j6 2j8
 FCM4(L, C, R)CL (Clear) 2j6 2j8

Low-E / Clear




Oak
 FC9(L, C, R)CL-LE
 (Low-E) 2j6 2j8 2j10
 FC9(L, C, R)CL-FF
 (Clear) 2j6 2j8
 FC9(L, C, R)CL
 (Clear) 2j6 2j8 2j10

Mahogany

FCM9(L, C, R)CL-LE (Low-E) 2j6 2j8
 FCM9(L, C, R)CL-FF (Clear) 2j6 2j8
 FCM9(L, C, R)CL (Clear) 2j6 2j8

Low-E / Clear



Smooth

S4(L, C, R)CL-FFLE (Low-E) 2j6 2j8 2j10 3j6
 S4(L, C, R)CL-LE (Low-E) 2j6 2j8 2j10 3j6
 S4(L, C, R)CL-FF (Clear) 2j6 2j8 2j10 3j6
 S4(L, C, R)CL (Clear) 2j6 2j8 2j10 3j6

Low-E / Clear



Smooth

S9(L, C, R)CL-FFLE (Low-E) 2j6 2j8 2j10 3j6
 S9(L, C, R)CL-LE (Low-E) 2j6 2j8 2j10 3j6
 S9(L, C, R)CL-FF (Clear) 2j6 2j8 2j10 3j6
 S9(L, C, R)CL (Clear) 2j6 2j8 2j10 3j6

Low-E / Clear



Oak
 FC5(L, C, R)CL-LE
 (Low-E) 2j6 2j8 2j10
 FC5(L, C, R)CL-FF
 (Clear) 2j6 2j8
 FC5(L, C, R)CL
 (Clear) 2j6 2j8 2j10

Mahogany

FCM5(L, C, R)CL-LE (Low-E) 2j6 2j8
 FCM5(L, C, R)CL-FF (Clear) 2j6 2j8
 FCM5(L, C, R)CL (Clear) 2j6 2j8

Low-E / Clear



Oak
 FC8(L, C, R)CL-LE
 (Low-E) 2j6 2j8 2j10
 FC8(L, C, R)CL-FF
 (Clear) 2j6 2j8
 FC8(L, C, R)CL
 (Clear) 2j6 2j8 2j10

Mahogany

FCM8(L, C, R)CL-LE (Low-E) 2j6 2j8
 FCM8(L, C, R)CL-FF (Clear) 2j6 2j8
 FCM8(L, C, R)CL (Clear) 2j6 2j8

Low-E / Clear



Smooth

S5(L, C, R)CL-FFLE (Low-E) 2j6 2j8 2j10 3j6
 S5(L, C, R)CL-LE (Low-E) 2j6 2j8 2j10 3j6
 S5(L, C, R)CL-FF (Clear) 2j6 2j8 2j10 3j6
 S5(L, C, R)CL (Clear) 2j6 2j8 2j10 3j6

Low-E / Clear



Smooth

S8(L, C, R)CL-FFLE (Low-E) 2j6 2j8 2j10 3j6
 S8(L, C, R)CL-LE (Low-E) 2j6 2j8 2j10 3j6
 S8(L, C, R)CL-FF (Clear) 2j6 2j8 2j10 3j6
 S8(L, C, R)CL (Clear) 2j6 2j8 2j10 3j6



Full-Glass Sidelites

Classic-Craft. Shaker

EnLiten™ Flush-Glazed Designs

All sidelites available in 6'8" height and 12" and 14" widths.

Villager



**Classic-Craft
American Style**
CCA2430SL (1D, 1C)

Homeward



**Classic-Craft
American Style**
CCA2420SL (1D, 1C)

Arborwatch



**Classic-Craft
American Style**
CCA2410SL (1D, 1C)

Privacy SDL



**Classic-Craft
American Style**
CCA2300()SL-SDLF4 (XG, XE, XC, XJ, XR, XN)

Sidelite Configurations

Configure a beautiful look to suit your home.



Privacy SDL



**Classic-Craft
American Style**
CCA2310()SL-SDLF4 (XG, XE, XC, XJ, XR, XN)

Privacy SDL



**Classic-Craft
American Style**
CCA2320()SL-SDLF3 (XG, XE, XC, XJ, XR, XN)

Privacy SDL



**Classic-Craft
American Style**
CCA2330()SL-SDLF3 (XG, XE, XC, XJ, XR, XN)

Privacy SDL



**Classic-Craft
American Style**
CCA2340()SL-SDLF3 (XG, XE, XC, XJ, XR, XN)

Privacy



Classic-Craft American Style
CCA2400()SL
(XG, XE, XC, XJ, XR, XN)

Low-E SDL



Classic-Craft American Style
CCA2300SL-SDLF4LE
(Low-E)

Low-E SDL



Classic-Craft American Style
CCA2310SL-SDLF4LE
(Low-E)

Low-E SDL



Classic-Craft American Style
CCA2320SL-SDLF3LE
(Low-E)

Low-E SDL



Classic-Craft American Style
CCA2330SL-SDLF3LE
(Low-E)

Low-E SDL



Classic-Craft American Style
CCA2340SL-SDLF3LE
(Low-E)

Low-E



Classic-Craft American Style
CCA2400SL-LE
(Low-E)

**Classic-Craft®
EnLiten™ Flush-Glazed Designs**

All sidelites available in 6'8" height and 12" and 14" widths.
Homeward Privacy SDL Privacy



Classic-Craft American Style
CCA3401SL
(1D) ¹⁴ ONLY



Classic-Craft American Style
CCA3450()SL-SDL
(XG) (XR) ¹⁴ ONLY



Classic-Craft American Style
CCA3400()SL
(XG) (XR) ¹⁴ ONLY



Classic-Craft Canvas
CCV950()SL-SDL
(XG, XE)



Classic-Craft Mahogany
CCM3400()SL
(XG, XE)



Classic-Craft Rustic
CCR3400()SL
(XG, XE, XN, XR)

Privacy



Classic-Craft Rustic
CCR3400()SL
(XG, XE, XR, XN)



Classic-Craft Oak
CC2020()SL
(XG, XE)



Classic-Craft Canvas
CCV100()SL
(XG, XE)

Low-E SDL



Classic-Craft American Style
CCA3450SL-SDLLE
(Low-E)

Low-E



Classic-Craft American Style
CCA3400SL-LE
(Low-E)



Classic-Craft Rustic
CCR3400SL-LE
(Low-E)

Key

- ◐ Flush-Glazed Glass
- 1D Black Nickel
- 1C Brushed Nickel
- XG Geometric
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- SDL Simulated Divided Lites
- SDLF3 Simulated Divided Lites
- SDLF4 Simulated Divided Lites Available in 14" Width

Full-Glass Sidelites

Fiber-Classic® & Smooth-Star®

All sidelites available in 6'8" height and 12" and 14" widths.

Blackstone



Smooth-Star
S6002SL (1D, 1C)

Fiber-Classic Oak
FC108SL (1D, 1C)



Blackstone



Smooth-Star
S4570SL (1D, 1C)

Fiber-Classic Mahogany
FCM808SL (1D, 1C)



Crystalline



Smooth-Star
S916SL (1D, 1C)

Crystalline



Fiber-Classic Mahogany
S6130SL (1D, 1C)

(No Vented)

Sedona



Smooth-Star
S139SL (1D)

Fiber-Classic Oak
FC100SL (1D)



Sedona



Fiber-Classic Oak
FC816SL (1D)



Smooth-Star
S604SL (1D)

(No Vented)

Fiber-Classic Mahogany
FCM816SL (1D)

(No Vented)

Salinas



Smooth-Star
S6008SL (1W)

Fiber-Classic Oak
FC113SL (1W)



Salinas



Fiber-Classic Oak
FC814SL (1W)



Smooth-Star
S6134SL (1W)

(No Vented)

Fiber-Classic Mahogany
FCM814SL (1W)

(No Vented)

Maple Park



Smooth-Star
S6100SL (1D, 1C)

Fiber-Classic Oak
FC900SL (1D, 1C)



Maple Park



Fiber-Classic Oak
FC812SL (1D)



Smooth-Star
S6131SL (1D, 1C)

(No Vented)

Fiber-Classic Mahogany
FCM812SL (1D, 1C)

(No Vented)

Avonlea



Smooth-Star
S962SL (1D)

Fiber-Classic Oak
FC758SL (1D)



Avonlea



Fiber-Classic Oak
FC807SL (1D)



Smooth-Star
S6127SL (1D)

(No Vented)

Fiber-Classic Mahogany
FCM807SL (1D)

(No Vented)

Saratoga



Smooth-Star
S154SL (1D, 1C)

Fiber-Classic Oak
FC905SL (1D, 1C)



Saratoga



Fiber-Classic Oak
FC815SL (1D, 1C)



Smooth-Star
S602SL (1D, 1C)

(No Vented)

Fiber-Classic Mahogany
FCM815SL (1D, 1C)

(No Vented)

Note: Product images show exterior side of sidelite.

Wellesley



Smooth-Star
S155SL (1D, 1C)

Wellesley



Fiber-Classic Mahogany
FCM818SL (1D)

Smooth-Star
S5870SL (1D, 1C) (No Vented)

Riserva



Smooth-Star
S573SL (1W)

Riserva



Smooth-Star
S572SL (1W)
(No Vented)

Concorde



Smooth-Star
S416SL (1D, 1C)

Concorde




Fiber-Classic Oak
FC809SL (1D, 1C)

Smooth-Star
S4070SL (1D, 1C)
(No Vented)

Fiber-Classic Mahogany
FCM809SL (1D, 1C)
(No Vented)

Kensington




Fiber-Classic Oak
FC148SL (1D, 1C)
(No Vented)

Smooth-Star
S160SL (1D, 1C)

Fiber-Classic Mahogany
FCM813SL (1D, 1C)
(No Vented)

Kensington



Fiber-Classic Oak
FC813SL (1D, 1C)

Smooth-Star
S6132SL (1D, 1C)
(No Vented)

Fiber-Classic Mahogany
FCM813SL (1D, 1C)
(No Vented)

Pembridge



Smooth-Star
S6550SL (1D, 1C)

Pembridge



Smooth-Star
S6500SL (1D, 1C)
(No Vented)


Axis



Smooth-Star
S1652SL-FF (1D)
S1652SL (1D)

Fiber-Classic Oak
FC1652SL (1D)
(No Vented)

Axis



Smooth-Star
S1651SL-FF (1D)
S1651SL (1D)
(No Vented)


Fiber-Classic Mahogany
FCM1651SL (1D)
(No Vented)

Privacy SDL



Fiber-Classic Oak
FCO6190()SL-SDL
(XE, XC, XJ, XR, XN)
(No Vented)

Privacy SDL



Fiber-Classic Mahogany
FCM6126()SL-SDL
(XE, XC, XJ, XR, XN)
(No Vented)

Key

- No Stile Lines 1C Brushed Nickel XC Chord XN Granite (10) Available in 10" Width
- Vented Sidelite 1W Wrought Iron XJ Chinchilla SDL Simulated Divided Lites
- 1D Black Nickel XE Satin Etch XR Rainglass FF Flat Frame

Full-Glass Sidelites

Full-Glass Sidelites

Note: Product images show exterior side of sidelite.

Fiber-Classic® & Smooth-Star®

All sidelites available in 6'8" height and 12" and 14" widths.

Privacy SDL




Smooth-Star
S308()SL-SDL
(XG, XE, XC, XJ, XR, XN)

Privacy SDL




Smooth-Star
S1170()SL-SDL ■
(XG ●, XE ●, XC ●, XJ, XR ●, XN ●)
10 (No Vented)

Privacy




Fiber-Classic Oak
FC47()SL
(XE, XC, XJ, XR, XN)
10

Privacy



Fiber-Classic Oak
12101()SL-FF ■ ●
(XE)
12101()SL ■ ●
(XE, XC, XJ, XR)
Smooth-Star
S601()SL-FF ■
S601()SL ■
(XG ●, XE ●, XC ●, XJ, XR ●, XN ●)
10 (No Vented)
Fiber-Classic Mahogany
FCM12101()SL-FF ■ ●
(XE) 10 (No Vented)
FCM12101()SL ■
(XE ●, XC ●, XJ ●, XR ●, XN)

Internal Blinds




Smooth-Star
S130SL-RTLE
(Low-E)
S130SL-RT (Clear)

Internal Blinds



Fiber-Classic Oak
1286SL-RTLE ■ ●
(Low-E)
Smooth-Star
S6128SL-RTLE ■ ●
(Low-E) 10 (No Vented)
S6128SL-RT ■
(Clear) 10

Low-E / Clear SDL



Smooth-Star
S2000SL-4C-SDLLE
● (Low-E)
10 (No Vented)
Fiber-Classic Mahogany
FCO6190SL-SDLLE (Low-E)
10
FCO6190SL-SDL (Clear)
10

Low-E / Clear SDL



Fiber-Classic Oak
FCO6186SL-SDLLE
■ ● (Low-E)

Fiber-Classic Mahogany
FCM6126SL-SDLLE ■ ●
(Low-E) 10 (No Vented)
FCM6126SL-SDL ■ (Clear)
10

Low-E / Clear SDL



Smooth-Star
S308SL-SDLLE (Low-E)
S308SL-SDL (Clear)

Low-E / Clear SDL



Smooth-Star
S1170SL-SDLLE ■ ● (Low-E)
10 (No Vented)
S1170SL-SDL ■ ● (Clear)
10 (No Vented)

GBG Flat White



Smooth-Star
S308SL-GBGFWLE (Low-E)

GBG Flat White



Smooth-Star
S1170SL-GBGFWLE ■ ●
(Low-E) 10 (No Vented)

Fixed Grilles



Smooth-Star
S308SL-FXGLE (Low-E)
S308SL-FXG (Clear)

Fixed Grilles



Smooth-Star
S1170SL-FXGLE ■ ● (Low-E)
10 (No Vented)
S1170SL-FXG ■ (Clear)
10

3/4-Glass Sidelites

Low-E / Clear




Fiber-Classic Oak
12101SL-LE (Low-E)

Smooth-Star
S601SL-FFLE (Low-E)
S601SL-LE (Low-E)
S601SL (Clear)
(No Vented)

Fiber-Classic Mahogany
FCM12101SL-LE (Low-E)
(No Vented)
FCM12101SL (Clear)

Low-E / Clear



Smooth-Star
S100SL-FFLE (Low-E)
S100SL-LE (Low-E)
S100SL (Clear)

Fiber-Classic Oak
FC47SL-LE (Low-E)
(No Vented)
FC47SL (Clear)

Fiber-Classic® & Smooth-Star® EnLiten™ Flush-Glazed Designs

All sidelites available in 6'8" height and 12" and 14" widths.

Privacy SDL



Smooth-Star
S2000()SL-4C-SDL (No Vented)
(XE) (No Vented)
(XC) (No Vented),

Privacy SDL



Smooth-Star
S2010()SL-SDL (No Vented)
(XE) (No Vented)
(XC) (No Vented),

Privacy SDL



Smooth-Star
S2010()SL-SDLF1 (No Vented)
(XE) (No Vented)
(XC) (No Vented),

Privacy



Smooth-Star
S2000()SL (No Vented)
(XE) (No Vented)
(XC) (No Vented),

Smooth-Star®

All sidelites available in 6'8" height and 12" and 14" widths.

Privacy



Smooth-Star
S751XESL (Satin Etch)

Low-E SDL



Smooth-Star
S2010SL-SDLLE (Low-E) (No Vented)

Low-E SDL



Smooth-Star
S2010SL-SDLF1LE (Low-E) (No Vented)

Low-E / Clear



Smooth-Star
S2000SL-LE (Low-E) (No Vented)
S2000SL (Clear)

Fiber-Classic Oak
2000SL (Clear)

Key


- No Stile Lines
- ▲ Flush-Glazed Glass
- Vented Sidelite
- XG Geometric
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- SDL Simulated Divided Lites
- SDLF1 Simulated Divided Lites
- GBG Grilles Between Glass
- FXG Fixed Grilles
- FF Flat Frame
- 10 Available in 10" Width
- 14 Available in 14" Width

1/2-Glass Sidelites

Fiber-Classic® & Smooth-Star®

All sidelites available in 6'8" height and 12" and 14" widths.

Crystalline



Smooth-Star
S930SL (1D, 1C)

Maple Park




Fiber-Classic Mahogany
FCM901SL (1D)



Fiber-Classic Oak
FC901SL (1D)

Avonlea



Fiber-Classic Mahogany
FCM761SL (1D)



Fiber-Classic Oak
FC761SL (1D)
12 ONLY

Saratoga



Fiber-Classic Mahogany
FCM906SL (1D)



Fiber-Classic Oak
FC906SL (1D)

Concorde



Fiber-Classic Mahogany
FCM911SL (1D)



Fiber-Classic Oak
FC911SL (1D)

Kensington



Fiber-Classic Mahogany
FCM149SL (1D, 1C)



Fiber-Classic Oak
FC149SL (1D, 1C)



Smooth-Star
S161SL (1D, 1C)

Privacy SDL



Smooth-Star
S263(____)SL-SDL
(XE, XJ, XR)

Privacy



Fiber-Classic Mahogany
FCM62XRSL
(Rainglass)



Fiber-Classic Oak
FC48XRSL
(Rainglass)



Smooth-Star
S210(____)SL
(XE, XJ, XR)

Low-E SDL



Smooth-Star
S263SL-SDLLE (Low-E)


Low-E / Clear



Smooth-Star
S210SL-LE (Low-E)
S210SL (Clear)

Sidelite Configurations

Configure a beautiful look to suit your home.



Key

- Flush-Glazed Glass
- 1D Black Nickel
- 1C Brushed Nickel
- XG Geometric
- XE Satin Etch
- XJ Chinchilla
- XR Rainglass
- LE Low-E
- SDL Simulated Divided Lites
- SDLF1 Simulated Divided Lites



Craftsman Sidelites

Note: Product images show exterior side of sidelite.

Classic-Craft.

EnLiten™ Flush-Glazed Designs

All sidelites available in 6'8" height and 12" and 14" widths.

Arborwatch



Classic-Craft American Style
CCA9100SL (1D)

Privacy SDL



Classic-Craft American Style
CCA220XGSL-SDL (Geometric)

Privacy SDL



Classic-Craft Canvas
CCV920XGSL-SDL (Geometric)

Privacy



Classic-Craft American Style
CCA210XGSL (Geometric)

Smooth-Star.

EnLiten™ Flush-Glazed Designs

All sidelites available in 6'8" height and 12" and 14" widths.


Low-E SDL



Smooth-Star
S4812SL-SDLF1LE (Low-E)

Sidelite Configurations

Configure a beautiful look to suit your home.



Privacy



Classic-Craft Canvas
CCV910XGSL (Geometric)

Low-E SDL



Classic-Craft American Style
CCA220SL-SDLLE (Low-E)

Low-E



Classic-Craft American Style
CCA210SL-LE (Low-E)

Low-E



Smooth-Star
S4810SL-LE (Low-E)



Pulse® Sidelites

All sidelites available in 6'8" height and 12" and 14" widths.

Pembridge

Oak
FC5PBSL (1D) ●

Smooth
S5PBSL-FF (1D) ●
S5PBSL (1D) ●

Mahogany
FCM5PBSL (1D) ●

Pembridge

Oak
FC4PBSL (1D) ●

Smooth
S4PBSL-FF (1D) ●
S4PBSL (1D) ●

Mahogany
FCM4PBSL (1D) ●

Pembridge

Oak
FC9PBSL (1D) ●

Smooth
S9PBSL-FF (1D) ●
S9PBSL (1D) ●

Mahogany
FCM9PBSL (1D) ●

Pembridge

Oak
FC10PBSL (1D) ●

Smooth
S10PBSL-FF (1D) ●
S10PBSL (1D) ●

Mahogany
FCM10PBSL (1D) ●

Sidelite Configurations

Configure a beautiful look to suit your home.



Axis

Smooth
S5AXSL-FF (1D)
S5AXSL (1D) ●

Mahogany
FCM5AXSL-FF (1D)
● Vented 12" Only
FCM5AXSL (1D)

Axis

Smooth
S4AXSL-FF (1D)
S4AXSL (1D) ●

Mahogany
FCM4AXSL-FF (1D)
FCM4AXSL (1D)

Axis

Smooth
S9AXSL-FF (1D)
S9AXSL (1D) ●

Mahogany
FCM9AXSL-FF (1D)
● Vented 12" Only
FCM9AXSL (1D)

Axis

Smooth
S10AXSL-FF (1D)
S10AXSL (1D) ●

Mahogany
FCM10AXSL-FF (1D)
FCM10AXSL (1D)

Privacy



Oak
 FC5XRSL-FF ●
 (Rainglass)
 FC5()SL ●
 (XE, XC, XJ, XN)



Smooth
 S5()SL-FF ●
 (XG, XE, XC, XJ, XR, XN)
 S5()SL ●
 (XE, XC, XJ, XR, XN)

Mahogany
 FCM5()SL-FF
 (XE, XC, XR) ●
 FCM5()SL
 (XE, XC, XJ, XN) ●
 (XR)

Privacy



Oak
 FC4XRSL-FF ●
 (Rainglass)
 FC4()SL ●
 (XE, XC, XJ, XN)



Smooth
 S4()SL-FF ●
 (XG, XE, XC, XJ, XR, XN)
 S4()SL ●
 (XE, XC, XJ, XR, XN)

Mahogany
 FCM4()SL-FF
 (XE, XC, XR) ●
 FCM4()SL
 (XE, XC, XJ, XN) ●
 (XR)

Privacy



Oak
 FC9XRSL-FF ●
 (Rainglass)
 FC9()SL ●
 (XE, XC, XJ, XN)



Smooth
 S9()SL-FF ●
 (XG, XE, XC, XJ, XR, XN)
 S9()SL ●
 (XE, XC, XJ, XR, XN)

Mahogany
 FCM9()SL-FF
 (XE), (XC) ● Vented 14" Only,
 (XR) ●
 FCM9()SL
 (XE, XC, XJ, XN) ●
 (XR)

Privacy



Oak
 FC10XRSL-FF ●
 (Rainglass)
 FC10()SL ●
 (XE, XC, XJ, XN)



Smooth
 S10()SL-FF ●
 (XG, XE, XC, XJ, XR, XN)
 S10()SL ●
 (XE, XC, XJ, XR, XN)

Mahogany
 FCM10()SL-FF
 (XE), (XC) ● Vented 14" Only,
 (XR) ●
 FCM10()SL
 (XE, XC, XJ, XN) ●
 (XR)

Low-E / Clear



Oak
 FC5CLSL-LE (Low-E) ●
 FC5CLSL-FF (Clear) ●
 FC5CLSL (Clear) ●



Smooth
 S5CLSL-FFLE (Low-E) ●
 S5CLSL-LE (Low-E) ●
 S5CLSL-FF (Clear) ●
 S5CLSL-LE (Clear) ●

Mahogany
 FCM5CLSL-LE (Low-E) ●
 FCM5CLSL-FF (Clear) ●
 FCM5CLSL (Clear) ●

Low-E / Clear



Oak
 FC4CLSL-LE (Low-E) ●
 FC4CLSL-FF (Clear) ●
 FC4CLSL (Clear) ●



Smooth
 S4CLSL-FFLE (Low-E) ●
 S4CLSL-LE (Low-E) ●
 S4CLSL-FF (Clear) ●
 S4CLSL-LE (Clear) ●

Mahogany
 FCM4CLSL-LE (Low-E) ●
 FCM4CLSL-FF (Clear) ●
 FCM4CLSL (Clear) ●

Low-E / Clear



Oak
 FC9CLSL-LE (Low-E) ●
 FC9CLSL-FF (Clear) ●
 FC9CLSL (Clear) ●



Smooth
 S9CLSL-FFLE (Low-E) ●
 S9CLSL-LE (Low-E) ●
 S9CLSL-FF (Clear) ●
 S9CLSL (Clear) ●

Mahogany
 FCM9CLSL-LE (Low-E) ●
 FCM9CLSL-FF (Clear) ●
 FCM9CLSL (Clear) ●

Low-E / Clear



Oak
 FC10CLSL-LE (Low-E) ●
 FC10CLSL-FF (Clear) ●
 FC10CLSL (Clear) ●



Smooth
 S10CLSL-FFLE (Low-E) ●
 S10CLSL-LE (Low-E) ●
 S10CLSL-FF (Clear) ●
 S10CLSL (Clear) ●

Mahogany
 FCM10CLSL-LE (Low-E) ●
 FCM10CLSL-FF (Clear) ●
 FCM10CLSL (Clear) ●

Key

- Vented Sidelite
- 1D Black Nickel
- XG Geometric
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- CL Clear
- FF Flat Frame

8'0" Full-Glass Options



8'0" Full-Glass Options

Note: Product images show exterior side of door.

Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

All doors available in 8'0" height and 3'0" width.

Privacy SDL



Classic-Craft American Style
CCA82300()-SDLF4 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82310()-SDLF4 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82320()-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82330()-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82340()-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82350()-SDLF5 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82360()-SDLF5 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82380()-SDLF5 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82370()-SDLF4 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA84900()-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Key

- Flush-Glazed Glass
- XG Geometric
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- SDLF3 Simulated Divided Lites
- SDLF4 Simulated Divided Lites
- SDLF5 Simulated Divided Lites

8'0" Full-Glass Options

8'0" Full-Glass Options

Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

All doors available in 8'0" height and 3'0" width.

Privacy SDL



Classic-Craft American Style
CCA84910L()-SDLF3 (XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA84910R()-SDLF3 (XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA84920L()-SDLF5 (XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA84920R()-SDLF5 (XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA84930()-SDLF5 (XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA84940()-SDLF5 (XG, XE, XC, XJ, XR, XN)

Privacy



Classic-Craft American Style
CCA82400() (XG, XE, XC, XJ, XR, XN)

Low-E SDL



Classic-Craft American Style
CCA82300-SDLF4LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82310-SDLF4LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82320-SDLF3LE (Low-E)

Key

- Flush-Glazed Glass
- XG Geometric
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- SDLF3 Simulated Divided Lites
- SDLF4 Simulated Divided Lites
- SDLF5 Simulated Divided Lites

8'0" Full-Glass Options

Note: Product images show exterior side of door.

Low-E SDL



Classic-Craft American Style
CCA82330-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82340-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82350-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82360-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82380-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82370-SDLF4LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA84900-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA84910L-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA84910R-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA84920L-SDLF5LE (Low-E)

8'0" Full-Glass Options

8'0" Full-Glass Options

Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

All doors available in 8'0" height and 3'0" width.

Low-E SDL



Classic-Craft American Style
CCA84920R-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA84930-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA84940-SDLF5LE (Low-E)

Low-E



Classic-Craft American Style
CCA82400-LE (Low-E)

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Blackstone



Smooth-Star
S85892 (1D)
2'6" 2'8" 3'6"

Blackstone



Fiber-Classic Oak
FC816 (1C)
2'6" ONLY

Crystalline




Smooth-Star
S814 (1C)

Crystalline



Smooth-Star
S815 (1C)
2'6" 2'8" 3'6"

Salinas



Fiber-Classic Oak
81919P (1W)

Salinas



Smooth-Star
S817 (1W)
2'6" 3'6"



Smooth-Star
S816 (1D)
2'6" 2'8" 3'6"



Smooth-Star
S85893 (1W)

Key

- | | | | | | |
|----------------------|-------------------|---------------|-------------------------------|--------------------------------|------------------------------|
| ■ No Stile Lines | 1C Brushed Nickel | XC Chord | XN Granite | 2'6" Available in 2'6" Width | 3'6" Available in 3'6" Width |
| ● Flush-Glazed Glass | 1W Wrought Iron | XJ Chinchilla | LE Low-E | 2'8" Available in 2'8" Width | |
| 1D Black Nickel | XE Satin Etch | XR Rainglass | SDLF5 Simulated Divided Lites | 2'10" Available in 2'10" Width | |

8'0" Full-Glass Options

Pembridge




Smooth-Star
S86550 (1D)

Pembridge



Smooth-Star
S86500 ■ (1D)
2½ 3½

Axis



Smooth-Star
S81652 (1D)
2½ 2½

Axis



Smooth-Star
S81651 ■ (1D)
2½ 2½ 2½ 3½

Privacy



Smooth-Star
S818(____)
(XE, XC, XJ, XR, XN) 2½

Privacy



Smooth-Star
S8140(____) ■
(XE, XC, XJ, XR, XN) 2½ 2½ 3½

Internal Blinds



Fiber-Classic Mahogany
FCM8115-LE (Low-E)



Fiber-Classic Oak
81225P-RTLE
(Low-E) 2½



Smooth-Star
S829-RTLE
(Low-E) 2½ 2½
S829-RT
(Clear) 2½ 2½

Internal Blinds



Fiber-Classic Mahogany
FCM81225-LE ■ (Low-E)



Fiber-Classic Oak
81225-RTLE ■
(Low-E) 2½



Smooth-Star
S81225-RTLE ■
(Low-E) 2½ 2½ 2½ 3½
S81225-RT ■
(Clear) 2½ 2½ 2½ 3½

Low-E / Clear



Fiber-Classic Mahogany
FCM870-LE (Low-E)



Fiber-Classic Oak
81200P-LE
(Low-E) 2½



Smooth-Star
S818-LE (Low-E)
2½ 2½
S818 (Clear)
2½ 2½

Low-E / Clear



Fiber-Classic Mahogany
FCM81200-LE ■ (Low-E)



Fiber-Classic Oak
81200-LE ■
(Low-E) 2½



Smooth-Star
S8140-LE ■ (Low-E)
2½ 2½ 2½ 3½
S8140 ■ (Clear)
2½ 2½ 2½ 3½

8'0" Full-Glass Options

8'0" Full-Glass Options

Note: Product images show exterior side of door.

Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Noise Reduction




Smooth-Star
S8140STC-NRLE (Low-E)

Fiber-Classic® & Smooth-Star®

EnLiten™ Flush-Glazed Designs


All doors available in 8'0" height and 3'0" width.

Privacy SDL




Smooth-Star
S85705()-SDLF1 (XG, XE, XR)

Privacy SDL



Smooth-Star
S85715()-SDLF1 (XG, XE, XR)

Privacy SDL



Smooth-Star
S85725()-SDLF1 (XG, XE, XR)

Privacy



Fiber-Classic Oak
8000XE (Satin Etch)




Smooth-Star
S8000() (XG, XR)
(XE) 2j6 2j8

Internal Blinds



Smooth-Star
S82600-LE (Low-E) 2j6 2j8

Low-E / Clear SDL



Smooth-Star
S85705-SDLF1LE (Low-E) 2j10
S85705-SDLF1 (Clear) 2j10

Low-E / Clear SDL



Smooth-Star
S85715-SDLF1LE (Low-E) 2j10
S85715-SDLF1 (Clear) 2j10

Low-E / Clear SDL



Smooth-Star
S85725-SDLF1LE (Low-E) 2j10
S85725-SDLF1 (Clear) 2j10

Key

Flush-Glazed Glass
XG Geometric
XE Satin Etch

XR Rainglass
LE Low-E
SDLF1 Simulated Divided Lites

2j0 Available in 2'0" Width
2j6 Available in 2'6" Width
2j8 Available in 2'8" Width

2j10 Available in 2'10" Width

Low-E / Clear



Smooth-Star
S8000-LE (Low-E)

210 216 218 2110


S8000 (Clear)

210 216 218 2110

Fiber-Classic Oak

8000-LE (Low-E) 216 218

8000 (Clear) 218



8'0" Full-Glass Options



8'0" 3/4-Glass Options

8'0" 3/4-Glass Options

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 8'0" height and 3'0" width.

Homeward



Classic-Craft Mahogany
CCM89922 (1C)

Augustine



Classic-Craft Mahogany
CCM805027 (1W)



Classic-Craft
Canvas
CCV805027
(1W)

Lucerna



Classic-Craft Mahogany
CCM898 (1D)

Zaha



Classic-Craft Canvas
CCV81843 (1D)

Low-E



Classic-Craft Canvas
CCV805020-LE (Low-E)

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Blackstone



Fiber-Classic Oak
81952P (1D)

2/8



Smooth-Star
S894 (1D, 1C)

Crystalline



Smooth-Star
S888 (1D, 1C)

2/8

Salinas



Fiber-Classic Oak
81955P (1W)

2/8



Smooth-Star
S895 (1W)

2/8

Maple Park



Fiber-Classic Oak
81957P (1D)

2/8



Smooth-Star
S85898 (1D)

2/8

Key

1D Black Nickel
1C Brushed Nickel
1W Wrought Iron

LE Low-E
2/8 Available in 2'8" Width


8'0" 3/4-Glass Options

8'0" 3/4-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Avonlea



Smooth-Star
S85900 (1D)

Fiber-Classic Oak
81967P (1D)

2 1/8"

Saratoga



Smooth-Star
S891 (1D, 1C)

Fiber-Classic Oak
81956P (1D)

2 1/8"

Wellesley



Smooth-Star
S892 (1D, 1C)

Kensington



Smooth-Star
S902 (1D, 1C)

Fiber-Classic Oak
81961P
(1D)

2 1/8", (1C)

Pembridge



Smooth-Star
S86580 (1D, 1C, 1A)

(1D) 2 1/8", (1C, 1A)

Axis



Smooth-Star
S81646 (1D)

Fiber-Classic Oak
FC81646 (1D)

2 1/8"

Privacy SDL



Smooth-Star
S881()-SDL
(XE, XC, XR, XN)

2 1/8"

Privacy



Smooth-Star
S880()
(XE, XC, XR, XN)

2 1/8"

Internal Blinds




Smooth-Star
S8682-RTLE
(Low-E)
S8682-RT
(Clear)

Fiber-Classic Oak
81964P-RTLE (Low-E)
81964P-RT (Clear)

2 1/8"

2 1/8"

Low-E / Clear SDL



Smooth-Star
S881-SDLLE (Low-E)
S881-SDL (Clear)

2 1/8"

2 1/8"

Key

1D	Black Nickel	XE	Satin Etch	XN	Granite	GBG	Grilles Between Glass
1C	Brushed Nickel	XC	Chord	LE	Low-E	FXG	Fixed Grilles
1A	Brass	XR	Rainglass	SDL	Simulated Divided Lites	2 1/8"	Available in 2'8" Width


Note: Product images show exterior side of door.

GBG Flat White



Smooth-Star
S881-GBGFWLE (Low-E) 2|B
S881-GBGFW (Clear) 2|B

Fixed Grilles



Smooth-Star
S881-FXGLE (Low-E) 2|B
S881-FXG (Clear) 2|B

GBG Flat White



Smooth-Star
S882-GBGFWLE (Low-E)
2|B

Fixed Grilles



Smooth-Star
S882-FXG (Clear)
2|B

GBG Flat White



Smooth-Star
S898-GBGFWLE (Low-E)
S898-GBGFW (Clear)

Low-E / Clear



Fiber-Classic Oak
81943P-LE (Low-E) 2|B
81943P (Clear) 2|B



Smooth-Star
S880-LE
(Low-E) 2|B
S880
(Clear) 2|B



8'0" 3/4-Glass Options




Classic-Craft Rustic Collection, Augustine Glass, Door - CCR820037

8'0" 2/3-Glass Options

Classic-Craft®


All doors available in 8'0" height and 3'0" width.

Homeward




Classic-Craft Rustic
CCR89921 (1C)
3/6 ONLY

Homeward




Classic-Craft Rustic
CCR89919 (1C)
3/6 ONLY

Homeward



Classic-Craft Rustic
CCR822218 (1C)
3/6 ONLY

Augustine



Classic-Craft Rustic
CCR804027 (1W)
3/6



Classic-Craft Canvas
CCV806027 (1W)

Augustine



Classic-Craft Rustic
CCR804037 (1W)

3/6

Augustine




Classic-Craft Rustic
CCR820527 (1W)

3/6



Classic-Craft Canvas
CCV820527 (1W)

Augustine




Classic-Craft Rustic
CCR820537 (1W)

3/6



Classic-Craft Canvas
CCV820537 (1W)

Augustine



Classic-Craft Rustic
CCR820537A (1W)

Augustine



Classic-Craft Rustic
CCR820027 (1W)

Augustine



Classic-Craft Rustic
CCR822227 (1W)

3/6




Classic-Craft Canvas
CCV822027 (1W)

Augustine



Classic-Craft Rustic
CCR820037 (1W)

Borrassa



Classic-Craft Rustic
CCR81518 (1W)

3/6



Classic-Craft Canvas
CCV81518 (1W)

Borrassa



Classic-Craft Rustic
CCR81514 (1W)

3/6

Borrassa



Classic-Craft Rustic
CCR81516 (1W)

3/6



Classic-Craft Canvas
CCV81516 (1W)

8'0" 2/3-Glass Options

Key


- 1C Brushed Nickel
- 1W Wrought Iron
- 3/6 Available in 3'6" Width

8'0" 2/3-Glass Options

Classic-Craft®

All doors available in 8'0" height and 3'0" width.

Borrassa



Classic-Craft
Canvas
CCV81512 (1W)

Classic-Craft Rustic
CCR81512 (1W)




Borrassa



Classic-Craft
Canvas
CCV81515 (1W)

Classic-Craft Rustic
CCR81515 (1W)

Borrassa



Classic-Craft Rustic
CCR822215 (1W)



Borrassa



Classic-Craft Rustic
CCR81511 (1W)

Provincial




Classic-Craft Rustic
CCR804028 (1D)

Provincial



Classic-Craft Rustic
CCR820528 (1D)

Provincial




Classic-Craft Rustic
CCR820028 (1D)

Provincial



Classic-Craft Rustic
CCR822228 (1D)

Longford



Classic-Craft Rustic
CCR804023 (1C)

Longford



Classic-Craft Rustic
CCR820523 (1C)

8'0" 2/3-Glass Options

Note: Product images show exterior side of door.

Longford




Classic-Craft Rustic
CCR820023 (1C)

Longford




Classic-Craft Rustic
CCR822223 (1C)

Lucerna




Classic-Craft Rustic
CCR804022 (1D, 1C)
3/6 ONLY

Lucerna



Classic-Craft Rustic
CCR820522 (1D, 1C)
3/6 ONLY

Lucerna




Classic-Craft Rustic
CCR822222 (1D, 1C)
3/6 ONLY

Lucerna




Classic-Craft Rustic
CCR820532 (1D)

Lucerna



Classic-Craft Rustic
CCR820032 (1D, 1C)

Lucerna



Classic-Craft Rustic
CCR804032 (1D)

Privacy



Classic-Craft Rustic
CCR804030XN (Granite)

Privacy



Classic-Craft Rustic
CCR820530XN (Granite)



Classic-Craft Canvas
CCV820530XN (Granite)

8'0" 2/3-Glass Options

Key

1D Black Nickel
1C Brushed Nickel
1W Wrought Iron

XN Granite
3/6 Available in 3'6" Width

8'0" 2/3-Glass Options

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 8'0" height and 3'0" width.

Privacy



Classic-Craft Rustic
CCR820530AXN (Granite)

Privacy



Classic-Craft Rustic
CCR820030XN (Granite)

Low-E



Classic-Craft Rustic
CCR804020-LE (Low-E)



Classic-Craft Canvas
CCV806020-LE (Low-E)

Low-E



Classic-Craft Rustic
CCR820520-LE (Low-E)



Classic-Craft Canvas
CCV820520-LE (Low-E)

Low-E



Classic-Craft Rustic
CCR820020-LE (Low-E)

Low-E



Classic-Craft Rustic
CCR822220-LE (Low-E)



Classic-Craft Canvas
CCV822020-LE (Low-E)

Augustine



Classic-Craft Canvas
CCV803027 (1W)

Borrassa



Classic-Craft Canvas
CCV81520 (1W)

Low-E



Classic-Craft Canvas
CCV803020-LE (Low-E)

8'0" 2/3-Glass Options


Key

1W Wrought Iron
XN Granite
LE Low-E

Ⓜ Available in 3'6" Width



8'0" 2/3-Glass Options




Smooth-Star, Salinas Glass, Door - S81937P

8'0" 1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Blackstone



Fiber-Classic Oak
81933P (1D)



Smooth-Star
S81933P (1D, 1C)

Fiber-Classic Mahogany
FCM863 (1D)

Salinas




Fiber-Classic Oak
81937P (1W)
2/B



Smooth-Star
S81937P (1W)
2/B

Fiber-Classic Mahogany
FCM865 (1W)

Maple Park



Fiber-Classic Oak
81939P (1D, 1C)
2/B



Smooth-Star
S81939P (1D)
2/B


Fiber-Classic Mahogany
FCM886 (1D, 1C)

Avonlea



Fiber-Classic Oak
81932P (1D)

Saratoga




Fiber-Classic Oak
81938P (1D, 1C)
2½"

Smooth-Star
S81937P (1D, 1C)
2½"

Fiber-Classic Mahogany
FCM888 (1D, 1C)

Riserva




Fiber-Classic Oak
FC8581 (1W)
2½"

Smooth-Star
S8581 (1W)
2½"

Fiber-Classic Mahogany
FCM8581 (1W)

Concorde




Fiber-Classic Oak
81942P (1D, 1C)
2½"

Smooth-Star
S81942P (1D, 1C)
2½"

Fiber-Classic Mahogany
FCM891 (1D, 1C)

Kensington



Fiber-Classic Oak
FC8149 (1D, 1C)
2½"

Smooth-Star
S81942P (1D, 1C)
2½"

Fiber-Classic Mahogany
FCM8149 (1D, 1C)

Pembridge




Smooth-Star
S86560 (1C, 1A)

Axis



Smooth-Star
S81654 (1D)
2½"

Privacy SDL




Fiber-Classic Oak
FC8321(____)-SDL
(XR, XN)

Smooth-Star
S8321XG-SDL
(Geometric)
2½"

Fiber-Classic Mahogany
FCM8321XR-SDL (Rainglass)

Privacy



Fiber-Classic Oak
81929P(____)
(XR)
(XN) 2½"

Smooth-Star
S81929P(____)
(XG) 2½"
(XR)


Fiber-Classic Mahogany
FCM862(____)
(XR, XN)

Internal Blinds



Smooth-Star
S8132-RTLE (Low-E) 2½"
S8132-RT (Clear) 2½"

Low-E SDL



Fiber-Classic Oak
FC8321-SDLLE
(Low-E) 2½"

Smooth-Star
S8321-SDLLE
(Low-E) 2½"

Fiber-Classic Mahogany
FCM8321-SDLLE (Low-E)

Key

1D	Black Nickel	1W	Wrought Iron	XN	Granite
1C	Brushed Nickel	XG	Geometric	LE	Low-E
1A	Brass	XR	Rainglass	SDL	Simulated Divided Lites

2½" Available in 2'8" Width

8'0" 1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

GBG Flat White



Fiber-Classic Oak
FC8323-GBGFWLE
(Low-E) 2/8

Fiber-Classic Mahogany
FCM8323-GBGFWLE (Low-E)

Low-E / Clear



Fiber-Classic Oak
81929P-LE (Low-E)
2/8
81929P (Clear)
2/8



Smooth-Star
S81929P-LE (Low-E)
2/8
S81929P (Clear)
2/8

Fiber-Classic Mahogany
FCM862-LE (Low-E)
FCM862 (Clear)

Blackstone



Smooth-Star
S85905 (1D, 1C)

Fiber-Classic Oak
81975P (1D)

Salinas



Smooth-Star
S893 (1W)
2/8

Fiber-Classic Oak
81980P (1W)
2/8


Maple Park



Smooth-Star
S85897 (1D)

Fiber-Classic Oak
81982P (1D, 1C)
2/8

Avonlea



Fiber-Classic Oak
81974P (1D)

Saratoga



Smooth-Star
S85908 (1D)

Fiber-Classic Oak
81981P (1D, 1C)
2/8

Riserva



Smooth-Star
S8579 (1W)

Fiber-Classic Oak
FC8579 (1W)
2/8

Concorde



Smooth-Star
S837 (1D, 1C)
2/8

Fiber-Classic Oak
81985P (1D, 1C)
2/8

Kensington



Fiber-Classic Oak
FC89701 (1D, 1C)
2/8

8'0" 1/2-Glass Options

Key


1D	Black Nickel	1W	Wrought Iron	XN	Granite	GBG	Grilles Between Glass
1C	Brushed Nickel	XG	Geometric	LE	Low-E	2/8	Available in 2'8" Width
1A	Brass	XR	Rainglass	SDL	Simulated Divided Lites		

Pembridge



Smooth-Star
S86536 (1C, 1A)

Axis



Smooth-Star
S81653 (1D)

Privacy SDL



Fiber-Classic Oak
FC832(__)-SDL
(XR, XN)



Smooth-Star
S832XG-SDL
(Geometric)
2|B

Privacy



Fiber-Classic Oak
81971P(__)
(XR)
(XN) 2|B



Smooth-Star
S830(__)
(XG) 2|B
(XR)

Internal Blinds



Smooth-Star
S8971-RTLE (Low-E) 2|B
S8971-RT (Clear) 2|B

GBG Flat White



Fiber-Classic Oak
FC8319-GBGFWLE (Low-E)

Low-E SDL



Smooth-Star
S832-SDLLE (Low-E)
2|B

GBG Flat White



Smooth-Star
S832-GBGFWLE (Low-E)
2|B

Low-E / Clear



Fiber-Classic Oak
81971P-LE (Low-E) 2|B
81971P (Clear) 2|B



Smooth-Star
S830-LE (Low-E)
2|B
S830 (Clear)
2|B



8'0" Craftsman Options

Classic-Craft®

EnLiten™ Flush-Glazed Designs

All doors available in 8'0" height and 3'0" width.

Homeward

Arborwatch SDL



Classic-Craft American Style
CCA8211 (1D)

Classic-Craft American Style
CCA87131-SDL (1D)
316 ONLY

Arborwatch

Privacy SDL



Classic-Craft American Style
CCA89100 (1D, 1C)

Classic-Craft American Style
CCA8220()-SDL (1D)
(XG, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA87200()-SDL ●
(XG, XR) 3/8" ONLY

Privacy SDL



Classic-Craft American Style
CCA8230()-SDL ●
(XG, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA87300()-SDL ●
(XG, XR) 3/8" ONLY

Privacy SDL



Classic-Craft American Style
CCA8240()-SDL ●
(XC, XN)

Privacy SDL



Classic-Craft American Style
CCA87400XR-SDL ●
(Rainglass) 3/8" ONLY

Privacy SDL



Classic-Craft American Style
CCA8260()-SDL ●
(XG, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA87600()-SDL ●
(XG, XR) 3/8" ONLY

Privacy



Classic-Craft American Style
CCA8210() ●
(XG, XC, XJ, XR, XN)

Privacy



Classic-Craft American Style
CCA87100() ●
(XG, XR) 3/8" ONLY

Low-E SDL



Classic-Craft American Style
CCA8220-SDLLE ● (Low-E)

Key

- Flush-Glazed Glass
- 1D Black Nickel
- XG Geometric
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- SDL Simulated Divided Lites

3/8" Available in 3'6" Width

8'0" Craftsman Options

Classic-Craft®

EnLiten™ Flush-Glazed Designs

All doors available in 8'0" height and 3'0" width.

Low-E SDL



Classic-Craft American Style
CCA87200-SDLLE (Low-E)
316 ONLY

Low-E SDL



Classic-Craft American Style
CCA8230-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA87300-SDLLE (Low-E)
316 ONLY

Low-E SDL



Classic-Craft American Style
CCA8240-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA87400-SDLLE (Low-E)
316 ONLY

Low-E SDL



Classic-Craft American Style
CCA8260-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA87600-SDLLE (Low-E)
316 ONLY

Low-E



Classic-Craft American Style
CCA8210-LE (Low-E)

Low-E



Classic-Craft American Style
CCA87100-LE (Low-E)
316 ONLY

Note: Product images show exterior side of door.

Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Sedona



Smooth-Star
S8604 (1D)

2/8

Maple Park



Smooth-Star
S8609 (1D, 1C)

2/8

Saratoga



Smooth-Star
S8602 (1D, 1C)

2/8

Riserva



Smooth-Star
S8508 (1W)

2/8

Pembridge



Smooth-Star
S86520
(1D, 1C) 2/8
(1A)

Axis



Smooth-Star
S82620-FF (1D)

2/8

Axis



Smooth-Star
S81650 (1D)

2/8

Privacy SDL



Smooth-Star
S8605()-SDL
(XG, XE, XC, XJ, XR, XN)

2/8

Privacy SDL



Smooth-Star
S8606()-SDL
(XG, XE, XC, XJ, XR, XN)

2/8

Privacy SDL



Smooth-Star
S8607()-SDL
(XG, XE, XC, XJ, XR, XN)

2/8

8'0" Craftsman Options

Key

● Flush-Glazed Glass	1A Brass	XE Satin Etch	XR Rainglass	SDL Simulated Divided Lites	3/8 Available in 3'6" Width
1D Black Nickel	1W Wrought Iron	XC Chord	XN Granite	FF Flat Frame	
1C Brushed Nickel	XG Geometric	XJ Chinchilla	LE Low-E	2/8 Available in 2'8" Width	

8'0" Craftsman Options

Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Privacy SDL



Smooth-Star
S8608()-SDL
(XG, XE, XC, XJ, XR, XN)
2/8

Privacy



Smooth-Star
S82610()-FF
(XG, XE, XC, XJ, XR, XN)
2/8

Privacy



Smooth-Star
S8600()
(XG, XE, XC, XJ, XR, XN)
2/8

Low-E SDL



Smooth-Star
S8605-SDLLE (Low-E)
2/8

Low-E SDL



Smooth-Star
S8606-SDLLE (Low-E)
2/8

Low-E SDL



Smooth-Star
S8607-SDLLE (Low-E)
2/8

Low-E SDL



Smooth-Star
S8608-SDLLE (Low-E)
2/8

Low-E



Smooth-Star
S82610-FFLE (Low-E)
2/8

Low-E



Smooth-Star
S8601-LE (Low-E)
2/8

8'0" Craftsman Options

Smooth-Star®

EnLiten™ Flush-Glazed Designs

All doors available in 8'0" height and 3'0" width.

Privacy SDL



Smooth-Star
S84812()-SDLF1
(XE, XC)

Privacy SDL



Smooth-Star
S84813()-SDLF1
(XE, XC)

Privacy SDL



Smooth-Star
S84814()-SDLF1
(XE, XC)

Privacy SDL



Smooth-Star
S84816()-SDLF1
(XE, XC)

Privacy



Smooth-Star
S84810 ()
(XE, XC)

Low-E SDL



Smooth-Star
S84812-SDLF1LE
(Low-E)

Low-E SDL



Smooth-Star
S84813-SDLF1LE
(Low-E)

Low-E SDL



Smooth-Star
S84814-SDLF1LE
(Low-E)

Low-E SDL



Smooth-Star
S84816-SDLF1LE
(Low-E)

Low-E



Smooth-Star
S84810-LE (Low-E)

Key

● Flush-Glazed Glass	XC Chord	XN Granite	SDLF1 Simulated Divided Lites
XG Geometric	XJ Chinchilla	LE Low-E	FF Flat Frame
XE Satin Etch	XR Rainglass	SDL Simulated Divided Lites	2B Available in 2'8" Width



8'0" Minimal-Glass Options

Smooth-Star, Wellesley Glass, Door - S721
Note: Home image shown is of a 6'8" door.

8'0" Minimal-Glass Options

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Maple Park



Fiber-Classic Oak
FC8736 (1D, 1C)
2½



Smooth-Star
S8736 (1D, 1C)
2½

Fiber-Classic Mahogany
FCM8736 (1D, 1C)

Saratoga



Fiber-Classic Oak
FC8707 (1D, 1C)
2½



Smooth-Star
S8707 (1D, 1C)
2½

Fiber-Classic Mahogany
FCM8707 (1D, 1C)

Wellesley



Fiber-Classic Oak
FC8721 (1D, 1C)
2½



Smooth-Star
S8721 (1D, 1C)
2½

Fiber-Classic Mahogany
FCM8721 (1D, 1C)

Concorde



Fiber-Classic Oak
FC8735 (1D, 1C)
2½



Smooth-Star
S8735 (1D, 1C)
2½

Fiber-Classic Mahogany
FCM8735 (1D, 1C)

Pembridge



Smooth-Star
S8745
(1D) 2½
(1C, 1A)

Fixed Grilles



Smooth-Star
S8704-FXG (Clear)
2½

Low-E



Smooth-Star
S8708-LE (Low-E)
2½

Crystalline



Smooth-Star
S83141 (1D, 1C)

Maple Park



Fiber-Classic Oak
FC86255 (1D)
2½

Avonlea



Fiber-Classic Oak
FC86256 (1D)

Key

1D	Black Nickel	FXG	Fixed Grilles
1C	Brushed Nickel	LE	Low-E
1A	Brass	2½	Available in 2'8" Width

8'0" Minimal-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Saratoga



Fiber-Classic Oak
FC86254 (1D)

2/6

Wellesley



Fiber-Classic Oak
FC86249 (1C)

Concorde



Fiber-Classic Oak
FC86247 (1D)

2/6

Kensington



Fiber-Classic Oak
FC86242 (1D, 1C)

2/6



Smooth-Star
S83142 (1D, 1C)

Pembridge



Smooth-Star
S86533 (1C, 1A)

Privacy SDL



Smooth-Star
S831203()-SDL
(XE, XJ, XR)

2/6

Privacy



Fiber-Classic Oak
FC86220XR (Rainglass)

2/6



Smooth-Star
S83120()
(XE, XJ, XR)

2/6

Low-E SDL



Smooth-Star
S831203-SDLLE (Low-E)

2/6

Low-E / Clear



Smooth-Star
S83120-LE (Low-E) 2/6
S83120 (Clear) 2/6

Fixed Grilles



Smooth-Star
S8317-FXG (Clear)

2/6

Key

1D	Black Nickel	XE	Satin Etch	XR	Rainglass	SDL	Simulated Divided Lites
1C	Brushed Nickel	XC	Chord	XN	Granite	FXG	Fixed Grilles
1A	Brass	XJ	Chinchilla	LE	Low-E	2/6	Available in 2'6" Width

2/8 Available in 2'8" Width

8'0" Minimal-Glass Options

Note: Product images show exterior side of door.

Pembridge



Fiber-Classic Oak
FC86570 (1D)
2/8



Smooth-Star
S86570
(1D) 2/6 2/8
(1A)

Fiber-Classic Mahogany
FCM86570 (1D)

Axis



Fiber-Classic Oak
FC81645 (1D)
2/8



Smooth-Star
S81645 (1D)
2/6 2/8

Fiber-Classic Mahogany
FCM81645 (1D)

Privacy



Fiber-Classic Oak
FC861(____)
(XE, XC, XJ, XR, XN)
2/8



Smooth-Star
S896(____)
(XE, XC, XJ, XR, XN)
2/6 2/8

Fiber-Classic Mahogany
FCM861(____)
(XE, XC, XJ, XR, XN)

Low-E / Clear



Fiber-Classic Oak
FC861-LE (Low-E)
2/8
FC861 (Clear)
2/8



Smooth-Star
S896-LE (Low-E)
2/6 2/8
S896 (Clear)
2/6 2/8

Fiber-Classic Mahogany
FCM861-LE (Low-E)
FCM861 (Clear)



8'0" Minimal-Glass Options

8'0" Solid Panel Options



Smooth-Star Door – S81100; Low-E Glass, Sidelite – S8000SL

8'0" Solid Panel Options

Note: Product images show exterior side of door.

Classic-Craft® Shaker

All doors available in 8'0" height and 3'0" width.

1-Panel Shaker



Classic-Craft American Style
CCA81100

3-Panel Shaker



Classic-Craft American Style
CCA81133-DDBF4

4-Panel Shaker



Classic-Craft American Style
CCA81145-DDBF4

5-Panel Shaker



Classic-Craft American Style
CCA81150-DDBF3

**2-Panel
Craftsman Shaker**



Classic-Craft American Style
CCA81125-DDBF5

**4-Panel
Craftsman Shaker**



Classic-Craft American Style
CCA81149-DDBF5

**4-Panel Square
Top Shaker**



Classic-Craft American Style
CCA81147-DDBF5

6-Panel Shaker



Classic-Craft American Style
CCA81166-DDBF5

Key

- DDBF3 Door Divider Bars
- DDBF4 Door Divider Bars
- DDBF5 Door Divider Bars

8'0" Solid Panel Options

Classic-Craft® Shaker

All doors available in 8'0" height and 3'0" width.

5-Panel Square Top Shaker



Classic-Craft American Style
CCA81158-DDBF3

2-Panel Square Top Shaker




Classic-Craft American Style
CCA81127-DDBF4

X-Brace



Classic-Craft American Style
CCA84905-DDBF3

Z-Brace-Left



Classic-Craft American Style
CCA84915L-DDBF3

Z-Brace-Right



Classic-Craft American Style
CCA84915R-DDBF5

Double-Z-Left



Classic-Craft American Style
CCA84925L-DDBF5

Double-Z-Right



Classic-Craft American Style
CCA84925R-DDBF5

Double-X



Classic-Craft American Style
CCA84935-DDBF5

Bottom-X



Classic-Craft American Style
CCA84945-DDBF5

8'0" Solid Panel Options

Classic-Craft®

All doors available in 8'0" height and 3'0" width.

2-Panel 3/4 Top



Classic-Craft Mahogany
CCM890
CCMF890 🔗

2-Panel Plank Soft Arch



Classic-Craft Rustic
CCR8205
CCRF8205 🔗



Classic-Craft Canvas
CCV8205
CCVF8205 🔗

Arched 2-Panel Plank Soft Arch



Classic-Craft Rustic
CCR8205A 316 🔗

2-Panel Plank Round Top



Classic-Craft Rustic
CCR8225 316 🔗
CCRF8225 🔗

Radiused 2-Panel Plank Round Top



Classic-Craft Rustic
CCR8225R 316 🔗
CCRF8225R 🔗

1-Panel Plank Soft Arch



Classic-Craft Rustic
CCR8005
CCRF8005 🔗

4-Panel Round Top



Classic-Craft Rustic
CCR8040
CCRF8040 🔗

Radiused 4-Panel Round Top



Classic-Craft Rustic
CCR8040R 316 🔗

2 Panel Square Top - WS



Classic-Craft Rustic
CCR8222 316 🔗

2-Panel Square Top



Classic-Craft Canvas
CCV8220
CCVF8220 🔗

8'0" Solid Panel Options

Key

- 🔗 20-Minute Fire-Rated*
- 316 Available in 3'6" Width

*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

8'0" Solid Panel Options

Classic-Craft®

All doors available in 8'0" height and 3'0" width.

2-Panel Soft Arch



Classic-Craft Rustic
CCR8200

Arched Full Plank



Classic-Craft Rustic
CCR8220
CCRF8220 🔗

**Radiused 2-Panel
Round Top**




Classic-Craft Rustic
CCR8220R
CCRF8220R 🔗

Full Plank



Classic-Craft Rustic
CCR8100 316

Arched Full Plank



Classic-Craft Rustic
CCR8100A

Radiused Full Plank



Classic-Craft Rustic
CCR8100R 316

3-Panel



Classic-Craft Oak
CC831
CCF831 🔗



Classic-Craft
Canvas
CCV831

9-Panel



Classic-Craft Oak
CC810

6-Panel



Classic-Craft Oak
CC860 316 ONLY



Classic-Craft
Canvas
CCV860
CCVF8060 🔗

8'0" Solid Panel Options

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

2-Panel Square Top



Smooth-Star
S8200 ^{2|6}
SSF8220 ^{2|6}

1-Panel Shaker



Smooth-Star
S81100 ^{2|6}
SSF81100 ^{2|6}

2-Panel Square Top Shaker



Smooth-Star
S8120

2-Panel Soft Arch



Smooth-Star
S897 ^{2|6}
SSF8200 ^{2|6}

2-Panel Plank Soft Arch



Smooth-Star
S8201 ^{2|6}
SSF8205 ^{2|6}

3-Panel




Fiber-Classic Oak
FC862 ^{2|6}



Smooth-Star
S831 ^{2|6}
SSF831 ^{2|6}

2-Panel Craftsman Shaker




Smooth-Star
S84800 ^{2|6}
SSF84800 ^{2|6}

2-Panel Craftsman



Smooth-Star
S8600 ^{2|6}
SSF8600 ^{2|6}

6-Panel



Fiber-Classic Mahogany
FCM860
FMF860 ^{2|6}



Fiber-Classic Oak
FC860 ^{2|6}



Smooth-Star
S810 ^{2|6} ^{2|8}
SSF8160 ^{2|6}

Flush Panel



Fiber-Classic Mahogany
FCM81000 ^{2|6}



Fiber-Classic Oak
81000 ^{2|6} ^{2|8}



Smooth-Star
S81000 ^{2|0} ^{2|4} ^{2|6} ^{2|8} ^{2|10} ^{3|6}
SSF8100 ^{2|6} ^{2|8}

Key

- No Stile Lines
- 20-Minute Fire-Rated*
- Available in 2'0" Width
- Available in 2'4" Width
- Available in 2'6" Width
- Available in 2'8" Width
- Available in 2'10" Width
- Available in 3'6" Width

*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.



8'0" Pulse® Options

8'0" Pulse® Options

All doors available in 8'0" height and 3'0" width.

Note: Product images show exterior side of door.

Ari

Sedona



Oak
FC83SN (1D)
2'8"



Smooth
S83SN (1D)
2'8" 2'10" 3'6"

Mahogany
FCM83SN (1D)

Saratoga



Oak
FC83SG (1D, 1C)
2'8"



Smooth
S83SG (1D, 1C)
2'8" 2'10" 3'6"

Mahogany
FCM83SG (1D, 1C)

Riserva



Smooth
S83RRS (1W) 2'8" 2'10" 3'6"

Pembridge



Smooth
S83PB-FF (1C, 1A) 2'8" 3'6"
S83PB (1D, 1C) 2'8" 2'10" 3'6"
(1A) 2'8" 3'6"

Axis



Oak
FC83AX-FF (1D) 2'8"
FC83AX (1D) 2'8"



Smooth
S83AX-FF (1D) 2'8" 2'10" 3'6"
S83AX (1D) 2'8" 2'10" 3'6"

Mahogany
FCM83AX-FF (1D)
FCM83AX (1D)

Privacy



Oak
FC83(__)-FF (XE, XR) 2'8"
FC83(__)
(XE, XC, XJ, XR, XN) 2'8"



Smooth
S83(__)-FF
S83(__)
(XG, XE, XC, XJ, XR, XN) 2'8" 2'10" 3'6"

Mahogany
FCM83(__)-FF (XE, XR)
FCM83(__) (XE, XC, XJ, XR, XN)

Low-E



Oak
FC83CL-FFLE (Low-E) 2'8"
FC83CL-LE (Low-E) 2'8"



Smooth
S83CL-FFLE (Low-E) 2'8" 2'10" 3'6"
S83CL-LE (Low-E) 2'8" 2'10" 3'6"

Mahogany
FCM83CL-FFLE (Low-E)
FCM83CL-LE (Low-E)

Key

1D	Black Nickel	1W	Wrought Iron	XC	Chord	XN	Granite	2'8"	Available in 2'8" Width
1C	Brushed Nickel	XG	Geometric	XJ	Chinchilla	LE	Low-E	2'10"	Available in 2'10" Width
1A	Brass	XE	Satin Etch	XR	Rainglass	FF	Flat Frame	3'6"	Available in 3'6" Width

8'0" Pulse® Options

All doors available in 8'0" height and 3'0" width.

Línea

Sedona



Oak
FC81(L, C, R)SN
(1D) 2⁶

Mahogany
FCM81(L, C, R)SN (1D)

Pembridge



Smooth
S81(L, C, R)PB-FF (1D, 1C) 2⁶ 2⁸ 3⁶
S81(L, C, R)PB (1D) 2⁶ 2⁸ 3⁶

Axis



Smooth
S81(L, C, R)AX (1D) 2⁶ 2⁸ 2¹⁰ 3⁶

Privacy



Oak
FC81(L, C, R)XE-FF
(Satin Etch) 2⁶ 2⁸
FC81(L, C, R)XR
(Rainglass) 2⁶ 2⁸



Smooth
S81(L, C, R)()-FF
(XE, XC, XR, XN)
2⁶ 2⁸ 2¹⁰ 3⁶
S81(L, C, R)()
(XE, XC, XJ, XR, XN)
2⁶ 2⁸ 2¹⁰ 3⁶

Mahogany
FCM81(L, C, R)XE-FF
(Satin Etch) 2⁶
FCM81(L, C, R)XR
(Rainglass) 2⁶

Low-E / Clear



Smooth
S81(L, C, R)CL-FFLE (Low-E) 2⁶ 2⁸ 2¹⁰ 3⁶
S81(L, C, R)CL-LE (Low-E) 2⁶ 2⁸ 2¹⁰ 3⁶
S81(L, C, R)CL (Clear) 2⁶ 2⁸ 2¹⁰ 3⁶

Echo

Pembridge



Oak
FC84(L, C, R)PB-FF
(1D) 2⁶ 2⁸
FC84(L, C, R)PB
(1D) 2⁶ 2⁸



Smooth
S84(L, C, R)PB-FF
(1D) 2⁶ 2⁸ 2¹⁰ 3⁶
(1C) 2⁶ 2⁸ 3⁶
S84(L, C, R)PB
(1D) 2⁶ 2⁸ 2¹⁰ 3⁶
(1C, 1A) 2⁶ 2⁸ 3⁶

Mahogany
FCM84(L, C, R)PB (1D)
2⁶

Pembridge




Oak
FC85(L, C, R)PB-FF
(1D) 2⁶ 2⁸
FC85(L, C, R)PB
(1D) 2⁶ 2⁸



Smooth
S85(L, C, R)PB-FF
(1D) 2⁶ 2⁸ 2¹⁰ 3⁶
(1C) 2⁶ 2⁸ 3⁶
S85(L, C, R)PB
(1D) 2⁶ 2⁸ 2¹⁰ 3⁶
(1C, 1A) 2⁶ 2⁸ 3⁶

Mahogany
FCM85(L, C, R)PB (1D)
2⁶

Pembridge



Oak
FC86(L, C, R)PB-FF
(1D) 2⁶ 2⁸
FC86(L, C, R)PB
(1D) 2⁶ 2⁸



Smooth
S86(L, C, R)PB-FF
(1D) 2⁶ 2⁸ 2¹⁰ 3⁶
(1C) 2⁶ 2⁸ 3⁶
S86(L, C, R)PB
(1D) 2⁶ 2⁸ 2¹⁰ 3⁶
(1C, 1A) 2⁶ 2⁸ 3⁶

Mahogany
FCM86(L, C, R)PB (1D)
2⁶

Pembridge



Oak
FC811(L, C, R)PB-FF
(1D) 2⁶ 2⁸
FC811(L, C, R)PB
(1D) 2⁶ 2⁸



Smooth
S811(L, C, R)PB-FF
(1D) 2⁶ 2⁸ 2¹⁰ 3⁶
(1C) 2⁶ 2⁸ 3⁶
S811(L, C, R)PB
(1D) 2⁶ 2⁸ 2¹⁰ 3⁶
(1C, 1A) 2⁶ 2⁸ 3⁶


Mahogany
FCM811(L, C, R)PB (1D)
2⁶

Key

1D Black Nickel 1A Brass XE Satin Etch XJ Chinchilla XN Granite CL Clear 2⁶ Available in 2'6" Width
1C Brushed Nickel XG Geometric XC Chord XR Rainglass LE Low-E FF Flat Frame 2⁸ Available in 2'8" Width

8'0" Pulse® Options

Pembridge




Oak
FC810(L, C, R)PB-FF
(1D) 216 218
FC810(L, C, R)PB
(1D) 216 218



Smooth
S810(L, C, R)PB-FF
(1D) 216 218 210 316
(1C) 216 218 316
S810(L, C, R)PB
(1D) 216 218 210 316
(1C, 1A) 216 218 316

Mahogany
FCM810(L, C, R)PB (1D)
216

Axis



Oak
FC84(L, C, R)AX-FF
(1D) 218
FC84(L, C, R)AX
(1D) 218



Smooth
S84(L, C, R)AX-FF
(1D) 216 218 210 316
S84(L, C, R)AX
(1D) 216 218 210 316

Mahogany
FCM84(L, C, R)AX-FF (1D)
FCM84(L, C, R)AX (1D)

Axis



Oak
FC85(L, C, R)AX-FF
(1D) 218
FC85(L, C, R)AX
(1D) 218



Smooth
S85(L, C, R)AX-FF
(1D) 216 218 210 316
S85(L, C, R)AX
(1D) 216 218 210 316

Mahogany
FCM85(L, C, R)AX-FF (1D)
FCM85(L, C, R)AX (1D)

Axis




Oak
FC86(L, C, R)AX-FF
(1D) 218
FC86(L, C, R)AX
(1D) 218



Smooth
S86(L, C, R)AX-FF
(1D) 216 218 210 316
S86(L, C, R)AX
(1D) 216 218 210 316

Mahogany
FCM86(L, C, R)AX-FF (1D)
FCM86(L, C, R)AX (1D)

Axis




Oak
FC811(L, C, R)AX-FF
(1D) 218
FC811(L, C, R)AX
(1D) 218



Smooth
S811(L, C, R)AX-FF
(1D) 216 218 210 316
S811(L, C, R)AX
(1D) 216 218 210 316

Mahogany
FCM811(L, C, R)AX-FF (1D)
FCM811(L, C, R)AX (1D)

Axis



Oak
FC810(L, C, R)AX-FF
(1D) 218
FC810(L, C, R)AX
(1D) 218



Smooth
S810(L, C, R)AX-FF
(1D) 216 218 210 316
S810(L, C, R)AX
(1D) 216 218 210 316

Mahogany
FCM810(L, C, R)AX-FF (1D)
FCM810(L, C, R)AX (1D)

Privacy



Oak
FC84(L, C, R)(_)FF
(XE, XC) 218
(XR) 216 218
FC84(L, C, R)(_)
(XE, XC, XJ, XN) 216 218, (XR) 218

Mahogany
FCM84(L, C, R)(_)FF
(XE, XC, XR) 216
FCM84(L, C, R)(_)
(XE, XC, XJ, XN) 216, (XR)


Privacy



Oak
FC84(L, C, R)(_)FF
(XE, XC) 218
(XR) 216 218
FC84(L, C, R)(_)
(XE, XC, XJ, XN) 216 218, (XR) 218

Smooth
S84(L, C, R)(_)FF
(XG, XE, XC, XJ, XR, XN) 216 218 210 316
S84(L, C, R)(_)
(XE, XC, XJ, XR, XN) 216 218 210 316

Privacy



Oak
FC85(L, C, R)(_)FF
(XE, XC) 218
(XR) 216 218
FC85(L, C, R)(_)
(XE, XC, XJ, XN) 216 218, (XR) 218

Mahogany
FCM85(L, C, R)(_)FF
(XE, XC, XR) 216
FCM85(L, C, R)(_)
(XE, XC, XJ, XN) 216, (XR)

Privacy



Oak
FC85(L, C, R)(_)FF
(XE, XC) 218
(XR) 216 218
FC85(L, C, R)(_)
(XE, XC, XJ, XN) 216 218, (XR) 218

Smooth
S85(L, C, R)(_)FF
(XG, XE, XC, XJ, XR, XN) 216 218 210 316
S85(L, C, R)(_)
(XE, XC, XJ, XR, XN) 216 218 210 316

- 210 Available in 2'10" Width
- 316 Available in 3'6" Width

8'0" Pulse® Options

All doors available in 8'0" height and 3'0" width.

Echo

Privacy




Oak
 FC86(L, C, R)(__)-FF
 (XE, XC) 2j6
 (XR) 2j6 2j8
 FC86(L, C, R)(__)
 (XE, XC, XJ,
 XN) 2j6 2j8, (XR) 2j8

Mahogany

FCM86(L, C, R)(__)-FF
 (XE, XC), (XR) 2j6
 FCM86(L, C, R)(__)
 (XE, XC, XJ, XN) 2j6, (XR)

Privacy



Smooth

S86(L, C, R)(__)-FF
 (XG, XE, XC, XJ, XR, XN) 2j6 2j8 2j10 3j6
 S86(L, C, R)(__)
 (XE, XC, XJ, XR, XN) 2j6 2j8 2j10 3j6

Privacy



Oak
 FC811(L, C, R)(__)-FF
 (XE, XC) 2j8
 (XR) 2j6 2j8
 FC811(L, C, R)(__)
 (XE, XC, XJ,
 XN) 2j6 2j8, (XR) 2j8

Mahogany

FCM811(L, C, R)(__)-FF
 (XE, XC), (XR) 2j6
 FCM811(L, C, R)(__)
 (XE, XC, XJ, XN) 2j6, (XR)

Privacy



Smooth

S811(L, C, R)(__)-FF
 (XG, XE, XC, XJ, XR, XN) 2j6 2j8 2j10 3j6
 S811(L, C, R)(__)
 (XE, XC, XJ, XR, XN) 2j6 2j8 2j10 3j6

Privacy




Oak
 FC810(L, C, R)(__)-FF
 (XE, XC) 2j8
 (XR) 2j6 2j8
 FC810(L, C, R)(__)
 (XE, XC, XJ,
 XN) 2j6 2j8, (XR) 2j8

Mahogany

FCM810(L, C, R)(__)-FF
 (XE, XC), (XR) 2j6
 FCM810(L, C, R)(__)
 (XE, XC, XJ, XN) 2j6, (XR)

Privacy



Smooth

S810(L, C, R)(__)-FF
 (XG, XE, XC, XJ, XR, XN) 2j6 2j8 2j10 3j6
 S810(L, C, R)(__)
 (XE, XC, XJ, XR, XN) 2j6 2j8 2j10 3j6

Low-E / Clear



Oak
 FC84(L, C, R)CL-FFLE
 (Low-E) 2j6 2j8
 FC84(L, C, R)CL-FF
 (Clear) 2j6 2j8
 FC84(L, C, R)CL
 (Clear) 2j6 2j8

Mahogany

FCM84(L, C, R)CL-LE (Low-E) 2j6
 FCM84(L, C, R)CL-FF (Clear) 2j6
 FCM84(L, C, R)CL (Clear) 2j6


Low-E / Clear



Smooth

S84(L, C, R)CL-FFLE (Low-E) 2j6 2j8 2j10 3j6
 S84(L, C, R)CL-LE (Low-E) 2j6 2j8 2j10 3j6
 S84(L, C, R)CL-FF (Clear) 2j6 2j8 2j10 3j6
 S84(L, C, R)CL (Clear) 2j6 2j8 2j10 3j6

Low-E / Clear




Oak
 FC85(L, C, R)CL-FFLE
 (Low-E) 2j6 2j8
 FC85(L, C, R)CL-FF
 (Clear) 2j6 2j8
 FC85(L, C, R)CL
 (Clear) 2j6 2j8

Mahogany

FCM85(L, C, R)CL-LE (Low-E) 2j6
 FCM85(L, C, R)CL-FF (Clear) 2j6
 FCM85(L, C, R)CL (Clear) 2j6

Low-E / Clear



Smooth

S85(L, C, R)CL-FFLE (Low-E) 2j6 2j8 2j10 3j6
 S85(L, C, R)CL-LE (Low-E) 2j6 2j8 2j10 3j6
 S85(L, C, R)CL-FF (Clear) 2j6 2j8 2j10 3j6
 S85(L, C, R)CL (Clear) 2j6 2j8 2j10 3j6

8'0" Pulse® Options

Key

XG Geometric XE Satin Etch XC Chord XJ Chinchilla XR Rainglass XN Granite LE Low-E CL Clear FF Flat Frame

Low-E / Clear




Oak
 FC86(L, C, R)CL-FFLE
 (Low-E) 2'6 2'8
 FC86(L, C, R)CL-FF
 (Clear) 2'6 2'8
 FC86(L, C, R)CL
 (Clear) 2'6 2'8

Mahogany

FCM86(L, C, R)CL-LE (Low-E) 2'6
 FCM86(L, C, R)CL-FF (Clear) 2'6
 FCM86(L, C, R)CL (Clear) 2'6

Low-E / Clear



Smooth

S86(L, C, R)CL-FFLE (Low-E) 2'6 2'8 2'10 3'6
 S86(L, C, R)CL-LE (Low-E) 2'6 2'8 2'10 3'6
 S86(L, C, R)CL-FF (Clear) 2'6 2'8 2'10 3'6
 S810(L, C, R)CL (Clear) 2'6 2'8 2'10 3'6

Low-E / Clear



Oak
 FC811(L, C, R)CL-FFLE
 (Low-E) 2'6 2'8
 FC811(L, C, R)CL-FF
 (Clear) 2'6 2'8
 FC811(L, C, R)CL
 (Clear) 2'6 2'8

Mahogany

FCM811(L, C, R)CL-LE (Low-E) 2'6
 FCM811(L, C, R)CL-FF (Clear) 2'6
 FCM810(L, C, R)CL (Clear) 2'6

Low-E / Clear



Smooth

S811(L, C, R)CL-FFLE (Low-E) 2'6 2'8 2'10 3'6
 S811(L, C, R)CL-LE (Low-E) 2'6 2'8 2'10 3'6
 S811(L, C, R)CL-FF (Clear) 2'6 2'8 2'10 3'6
 S811(L, C, R)CL (Clear) 2'6 2'8 2'10 3'6

Low-E / Clear




Oak
 FC810(L, C, R)CL-FFLE
 (Low-E) 2'6 2'8
 FC810(L, C, R)CL-FF
 (Clear) 2'6 2'8
 FC810(L, C, R)CL
 (Clear) 2'6 2'8

Mahogany

FCM810(L, C, R)CL-LE (Low-E) 2'6
 FCM810(L, C, R)CL-FF (Clear) 2'6
 FCM810(L, C, R)CL (Clear) 2'6

Low-E / Clear



Smooth

S810(L, C, R)CL-FFLE (Low-E) 2'6 2'8 2'10 3'6
 S810(L, C, R)CL-LE (Low-E) 2'6 2'8 2'10 3'6
 S810(L, C, R)CL-FF (Clear) 2'6 2'8 2'10 3'6
 S810(L, C, R)CL (Clear) 2'6 2'8 2'10 3'6



8'0" Full-Glass Sidelites

Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

Sidelites available in 8'0" height and 12" and 14" widths.

Villager



Classic-Craft American Style
CCA82430SL
▲ (1D, 1C)

Homeward



Classic-Craft American Style
CCA82420SL
▲ (1D, 1C)

Arborwatch



Classic-Craft American Style
CCA82410SL
▲ (1D, 1C)

Privacy SDL



Classic-Craft American Style
CCA82300()SL-SDLF4
▲ (XG, XE, XC, XJ, XR, XN)


Privacy SDL



Classic-Craft American Style
CCA82310()SL-SDLF4
▲ (XG, XE, XC, XJ, XR, XN)

Sidelite Configurations

Configure a beautiful look to suit your home.



Privacy SDL



Classic-Craft American Style
CCA82320()SL-SDLF3
▲ (XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82330()SL-SDLF3
▲ (XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82340()SL-SDLF3
▲ (XG, XE, XC, XJ, XR, XN)

Privacy



Classic-Craft American Style
CCA82400()SL
▲ (XG, XE, XC, XJ, XR, XN)

Low-E SDL



Classic-Craft American Style
CCA82300SL-SDLF4LE
▲ (Low-E)

Classic-Craft®

EnLiten™ Flush-Glazed Designs

Sidelites available in 8'0" height and 12" and 14" widths.

Low-E SDL



Classic-Craft American Style
CCA82310SL-SDLF4LE
▲ (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82320SL-SDLF3LE
▲ (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82330SL-SDLF3LE
▲ (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82340SL-SDLF3LE
▲ (Low-E)

Low-E



Classic-Craft American Style
CCA82400SL-LE
▲ (Low-E)

Homeward



Classic-Craft American Style
CCA3501SL
▲ (1D) 14 ONLY

Arborwatch



Classic-Craft American Style
CCA81423SL
▲ (1D) 14 ONLY

Privacy SDL



Classic-Craft Canvas
CCV8950XGSL-SDL
▲ (Geometric)

Classic-Craft American Style
CCA3560()SL-SDL
▲ (XG, XR)

Privacy



Classic-Craft Mahogany
CCM8000XGSL ▲
(Geometric)

Classic-Craft American Style
CCA3500()SL
▲ (XG, XR)

Privacy



Classic-Craft Oak
CC8000XGSL
▲ (Geometric)



Classic-Craft Canvas
CCV8100XGSL
▲ (Geometric)

Classic-Craft Rustic
CCR8000()SL
▲ (XG, XR, XN)

Low-E SDL



Classic-Craft American Style
CCA3560SL-SDLLE
▲ (Low-E)

Low-E



Classic-Craft Rustic
CCR8000SL-LE ▲
(Low-E)



Classic-Craft Oak
CC8000SL-LE ▲
(Low-E)

Classic-Craft American Style
CCA3500SL-LE
▲ (Low-E)

Key

▲	Flush-Glazed Glass	1C	Brushed Nickel	XE	Satin Etch	XJ	Chinchilla	XN	Granite	SDL	Simulated Divided Lites	SDLF4	Simulated Divided Lites
1D	Black Nickel	XG	Geometric	XC	Chord	XR	Rainglass	LE	Low-E	SDLF3	Simulated Divided Lites	14	Available in 14" Width

Note: Product images show exterior side of sidelite.

8'0" Full-Glass Sidelites

Fiber-Classic® & Smooth-Star®

Sidelites available in 8'0" height and 12" and 14" widths.

Sedona



Fiber-Classic
Oak
81968PSL (1D)
14 ONLY

Fiber-Classic Mahogany
FCM872SL (1D)
12 ONLY

Axis



Smooth-Star
S81651SL (1D)
14 ONLY

Privacy



Smooth-Star
S8601()SL-FF
(XE, XC, XR, XN)
S8601()SL
(XE, XC, XJ, XR, XN)

Privacy



Smooth-Star
S81086()SL-FF
(XE, XC, XR, XN) 12, 14
S81086()SL
(XE, XC, XR, XN) 12, 14
(XJ)

Smooth-Star®

EnLiten™ Flush-Glazed Designs

Sidelites available in 8'0" height and 12" and 14" widths.

Privacy



Smooth-Star
S8000XESL
(Satin Etch)

Low-E



Smooth-Star
S8000SL-LE
(Low-E)

Internal Blinds



Smooth-Star
S85928SL-RTLE
(Low-E) 14 ONLY

Low-E / Clear



Smooth-Star
S8601SL-FFLE (Low-E)
S8601SL-LE (Low-E)
S8601SL (Clear)

Low-E / Clear



Smooth-Star
S81086SL-FFLE (Low-E) 12, 14
S81086SL-LE (Low-E) 12, 14
S81086SL (Clear)

Key

- No Stile Lines
- Vented Sidelite
- XE Satin Etch
- XJ Chinchilla
- XN Granite
- FF Flat Frame
- 14 Available in 14" Width
- ▲ Flush-Glazed Glass
- 1D Black Nickel
- XC Chord
- XR Rainglass
- LE Low-E
- 12 Available in 12" Width



8'0" Full - Glass Sidelites



8'0" 3/4 & 1/2 Glass Sidelites

Fiber-Classic® & Smooth-Star

Sidelites available in 8'0" height and 12" and 14" widths.

Blackstone



Fiber-Classic Oak
81952PSL (1D, 1C)
14 ONLY



Smooth-Star
S894SL (1D, 1C)

Fiber-Classic Mahogany
FCM882SL (1D, 1C)
12 ONLY

Crystalline



Smooth-Star
S888SL (1D, 1C)

Sedona



Fiber-Classic Oak
81954PSL (1D)
14 ONLY



Smooth-Star
S887SL (1D)

Fiber-Classic Mahogany
FCM883SL (1D)
12 ONLY

Salinas



Fiber-Classic Oak
81955PSL (1W)
14 ONLY



Smooth-Star
S895SL (1W)

Fiber-Classic Mahogany
FCM884SL (1W)
12 ONLY

Maple Park



Fiber-Classic Oak
81957PSL (1D, 1C)
14 ONLY



Smooth-Star
S85898SL (1D, 1C)

Fiber-Classic Mahogany
FCM887SL (1D, 1C)
12 ONLY

Avonlea



Fiber-Classic Oak
81967PSL (1D)
14 ONLY



Smooth-Star
S85900SL (1D)

Fiber-Classic Mahogany
FCM8104SL (1D)
12 ONLY

Saratoga



Fiber-Classic Oak
81956PSL (1D)
14 ONLY



Smooth-Star
S891SL (1D, 1C)

Fiber-Classic Mahogany
FCM889SL (1D)
12 ONLY

Wellesley



Smooth-Star
S892SL (1D, 1C)

Riserva



Smooth-Star
S8545SL (1W)

Concorde




Fiber-Classic Oak
81960PSL (1D, 1C)
14 ONLY



Smooth-Star
S85902SL (1D, 1C)

Fiber-Classic Mahogany
FCM892SL (1D, 1C)
12 ONLY



Key

1D	Black Nickel	1W	Wrought Iron	XE	Satin Etch	XJ	Chinchilla
1C	Brushed Nickel	XG	Geometric	XC	Chord	XR	Rainglass

Above: Fiber-Classic Oak Collection, Salinas Glass, Door – 81955P, Sidelites – 81955PSL

Kensington



Fiber-Classic Oak
81961PSL
(1D, 1C)
14 ONLY



Smooth-Star
S902SL
(1D, 1C)

Fiber-Classic Mahogany
FCM8107SL (1D, 1C)
12 ONLY

Pembridge



Smooth-Star
S86580SL (1D, 1C)

Axis



Fiber-Classic Oak
FC81646SL (1D)
14 ONLY



Smooth-Star
S81646SL (1D)

Fiber-Classic Mahogany
FCM81646SL (1D)
12 ONLY

Internal Blinds



Fiber-Classic Oak
81964PSL-RTLE
(Low-E)
14 ONLY



Smooth-Star
S8682SL-RTLE
(Low-E)
S8682SL-RT
(Clear)

Fiber-Classic Mahogany
FCM8110SL-RTLE (Low-E)
12 ONLY

Privacy SDL



Smooth-Star
S881()SL-SDL
(XG, XE, XC, XJ, XR, XN)

Privacy



Fiber-Classic Oak
81943P()SL
(XE, XC, XJ, XR, XN)
14 ONLY



Smooth-Star
S880()SL
(XG, XE, XC, XJ, XR, XN)

Fiber-Classic Mahogany
FCM881()SL
(XE, XC, XJ, XR, XN)
12 ONLY

Low-E / Clear SDL



Fiber-Classic Oak
81949PSL-SDLLE
(Low-E)
81949PSL (Clear)
14 ONLY

Fiber-Classic Mahogany
FCM81949SL-SDLLE (Low-E)
FCM81949SL (Clear)
12 ONLY

Low-E / Clear SDL



Smooth-Star
S881SL-SDLLE (Low-E)
S881SL-SDL (Clear)

GBG Flat White



Smooth-Star
S881SL-GBGFWE (Low-E)
S881SL-GBGFW (Clear)

Fixed Grilles



Smooth-Star
S881SL-FXGLE (Low-E)
S881SL-FXG (Clear)

Low-E / Clear



Fiber-Classic Oak
81943PSL-LE
(Low-E)
81943PSL (Clear)
14 ONLY



Smooth-Star
S880SL-LE (Low-E)
S880SL (Clear)

Fiber-Classic Mahogany
FCM881SL-LE (Low-E)
FCM881SL (Clear)
12 ONLY

Privacy



Smooth-Star
S85910XESL
(Satin Etch)



8'0" Craftsman Sidelites

Smooth-Star®

EnLiten™ Flush-Glazed Designs

Sidelites available in 8'0" height and 12" and 14" widths.

Low-E SDL



Smooth-Star

S84812SL-SDLF1LE

(Low-E)

Low-E




Smooth-Star

S84810SL-LE (Low-E)

Sidelite Configurations

Configure a beautiful look to suit your home.



Key

- Flush-Glazed Glass
- Vented Sidelite
- 1D Black Nickel
- LE Low-E
- SDLF1 Simulated Divided Lites
- FF Flat Frame



8'0" Pulse® Sidelites

Note: Product images show exterior side of sidelite.

All sidelites available in 8'0" height and 12" and 14" widths.

Pembridge



Smooth
 S86PBSL-FF (1D)
 ● Vented 14" Only
 S86PBSL (1D)
 ● Vented 14" Only

Pembridge



Smooth
 S85PBSL-FF (1D)
 ● Vented 14" Only
 S85PBSL (1D)
 ● Vented 14" Only

Pembridge



Smooth
 S84PBSL-FF (1D)
 ● Vented 14" Only
 S84PBSL (1D)
 ● Vented 14" Only

Pembridge



Smooth
 S811PBSL-FF (1D)
 ● Vented 14" Only
 S811PBSL (1D)
 ● Vented 14" Only

Pembridge



Smooth
 S810PBSL-FF (1D)
 ● Vented 14" Only
 S811PBSL (1D)
 ● Vented 14" Only

Axis



Smooth
 S86AXSL-FF (1D)
 ● Vented 14" Only
 S86AXSL (1D)
 ● Vented 14" Only

Axis



Smooth
 S85AXSL-FF (1D)
 ● Vented 14" Only
 S85AXSL (1D)
 ● Vented 14" Only

Axis



Smooth
 S84AXSL-FF (1D)
 ● Vented 14" Only
 S84AXSL (1D)
 ● Vented 14" Only

Axis



Smooth
 S811AXSL-FF (1D)
 ● Vented 14" Only
 S811AXSL (1D)
 ● Vented 14" Only


Axis



Smooth
 S810AXSL-FF (1D)
 ● Vented 14" Only
 S810AXSL (1D)
 ● Vented 14" Only

Sidelite Configurations

Configure a beautiful look to suit your home.



Above: Pulse Echo, Granite Glass with Scrolled Lite Frame,
 Door – S85XN, Sidelite – S85XNSL

Left Page: Smooth-Star, Low-E Glass with SDLs, Door – S4814,
 Sidelites – S4812SL (Home image shown is of a 6'8" door.)

8'0" Pulse® Sidelites

8'0" Pulse® Sidelites

All sidelites available in 8'0" height and 12" and 14" widths.

8'0" Pulse Sidelites


Privacy



Smooth
S86()SL-FF
(XG, XE, XC, XJ, XR, XN)
● Vented 14" Only
S86()SL
(XE, XC, XJ, XR, XN)
● Vented 14" Only

Oak
FC86XRSL (Rainglass)
12 ONLY


Privacy



Smooth
S85()SL-FF
(XG, XE, XC, XJ, XR, XN)
● Vented 14" Only
S85()SL
(XE, XC, XJ, XR, XN)
● Vented 14" Only

Oak
FC85XRSL (Rainglass)
12 ONLY

Privacy



Smooth
S84()SL-FF
(XG, XE, XC, XJ, XR, XN)
● Vented 14" Only
S84()SL
(XE, XC, XJ, XR, XN)
● Vented 14" Only

Oak
FC84XRSL (Rainglass)
12 ONLY

Privacy



Smooth
S811()SL-FF
(XG, XE, XC, XJ, XR, XN)
● Vented 14" Only
S811()SL
(XE, XC, XJ, XR, XN)
● Vented 14" Only

Oak
FC811XRSL (Rainglass)
12 ONLY

Privacy



Smooth
S810()SL-FF
(XG, XE, XC, XJ, XR, XN)
● Vented 14" Only
S810()SL
(XE, XC, XJ, XR, XN)
● Vented 14" Only

Oak
FC810XRSL (Rainglass)
12 ONLY


Low-E / Clear



Smooth
S86CLSLE-FFLE
S86CLSLE-LE
(Low-E)
● Vented 14" Only
S86CLSLE-FF
S86CLSLE
(Clear)
● Vented 14" Only

Oak
FC86CLSLE (Low-E)
12 ONLY


Low-E / Clear



Smooth
S85CLSLE-FFLE
S85CLSLE-LE
(Low-E)
● Vented 14" Only
S85CLSLE-FF
S85CLSLE
(Clear)
● Vented 14" Only

Oak
FC85CLSLE (Low-E)

Low-E / Clear



Smooth
S84CLSLE-FFLE
S84CLSLE-LE
(Low-E)
● Vented 14" Only
S84CLSLE-FF
S84CLSLE
(Clear)
● Vented 14" Only

Oak
FC84CLSLE (Low-E)

Low-E / Clear



Smooth
S811CLSLE-FFLE
S811CLSLE-LE
(Low-E)
● Vented 14" Only
S811CLSLE-FF
S811CLSLE
(Clear)
● Vented 14" Only

Oak
FC811CLSLE (Low-E)
12 ONLY

Low-E / Clear



Smooth
S810CLSLE-FFLE
S810CLSLE-LE
(Low-E)
● Vented 14" Only
S810CLSLE-FF
S810CLSLE
(Clear)
● Vented 14" Only

Oak
FC810CLSLE (Low-E)
12 ONLY

Key

● Vented Sidelite
XG Geometric

XE Satin Etch
XC Chord

XJ Chinchilla
XR Rainglass

XN Granite
LE Low-E

CL Clear
FF Flat Frame

12 Available in 12" Width



8'0" Pulse Sidelites

Steel Options

Profiles & Traditions

All doors available in 6'8" height and 3'0" width.

Blackstone



Traditions
TS310 (1D, 1C)
218

Crystalline



Profiles
916 (1D, 1C)
316



Traditions
TS916 (1D, 1C)
218 2110

Salinas



Profiles
369 (1W)
316



Traditions
TS369 (1W)
218 218 2110

Maple Park



Profiles
1006 (1D)
316



Traditions
TS962 (1D)
218 2110

Avonlea



Profiles
1027 (1D)



Traditions
TS1027 (1D)
218

Saratoga



Profiles
610 (1D, 1C)
(1D) 316
(1C) 218 316



Traditions
TS610 (1D, 1C)
218 218 2110

Wellesley



Traditions
TS620
(1D) 218
(1C) 218 218

Kensington



Profiles
626 (1D, 1C)
316



Traditions
TS626
(1D, 1C)
218 2110

Pembridge



Profiles
6500HD (1D)
(1D) 316
(1C, 1A)



Traditions
TS6500
(1D) 218 218 2110
(1C) 218 218
(1A) 218

Axis



Profiles
1651HD (1D)
316



Traditions
TS1651 (1D)
218 218 2110

Privacy SDL



Profiles
128 (__) -SDL
(XE, XC, XR, XN) 316



Traditions
TS128(__)-SDL
(XE, XC, XR, XN)
218 2110

Privacy



Profiles
118 (__)
(XE) 218 316
(XC, XR, XN) 316
(XJ)



Traditions
TS118 (__)
(XE, XC, XR, XN)
218 2110

Internal Blinds



Traditions
 TS130-RTLE
 (Low-E)
 2/4 2/6 2/8 2/10
 TS130-RT
 (Clear)
 2/6 2/8 2/10

Profiles
 130-RTLE (Low-E)
 2/6 3/6
 130-RT (Clear)
 2/6 3/6

Low-E / Clear SDL



Traditions
 TS128-SDLLE
 (Low-E)
 2/6 2/8 2/10
 TS128-SDL
 (Clear)
 2/6 2/8 2/10

Profiles
 128-SDLLE (Low-E)
 3/6
 128-SDL (Clear)
 3/6


GBG Flat White



Traditions
 TS128-GBGFLE
 (Low-E)
 2/6 2/8 2/10
 TS128-GBGFW
 (Clear)
 2/6 2/8 2/10

Profiles
 128-GBGFLE (Low-E)
 2/6 3/6
 128-GBGFW (Clear)
 2/6 3/6

Fixed Grilles



Traditions
 TS128-FXGLE
 (Low-E)
 2/6 2/8 2/10
 TS128-FXG
 (Clear)
 2/6 2/8 2/10

Profiles
 128-FXGLE (Low-E)
 2/6 3/6
 128-FXG (Clear)
 2/6 3/6

GBG Flat White



Traditions
 TS108-GBGFLE
 (Low-E)
 2/6 2/10

Profiles
 108-GBGFLE (Low-E)
 3/6

Fixed Grilles



Traditions
 TS108-FXG (Clear)
 2/6 2/10

Profiles
 108-FXG (Clear)
 3/6

GBG Flat White



Traditions
 TS198-GBGFLE
 (Low-E)
 2/8 2/10
 TS198-GBGFW
 (Clear)
 2/8 2/10

Profiles
 198-GBGFLE (Low-E)
 3/6
 198-GBGFW (Clear)
 3/6

Low-E / Clear



Traditions
 TS118-LE
 (Low-E)
 2/10 2/4 2/6
 2/8 2/10
 TS118
 (Clear)
 2/10 2/6 2/8 2/10

Profiles
 118-LE (Low-E)
 2/8 3/6
 118 (Clear)
 2/8 3/6

Blackstone



Traditions
 TS309
 (1D) 2/8 2/10
 (1C) 2/8

Blackstone




Profiles
 1001HD (1D, 1C)

Crystalline



Traditions
 TS926 (1D, 1C)
 2/8 2/10

Crystalline



Profiles
 991HD (1D, 1C)

Key

1D Black Nickel	1W Wrought Iron	XR Rainglass	SDL Simulated Divided Lites	2/10 Available in 2'0" Width	2/8 Available in 2'8" Width
1C Brushed Nickel	XE Satin Etch	XN Granite	GBG Grilles Between Glass	2/4 Available in 2'4" Width	2/10 Available in 2'10" Width
1A Brass	XC Chord	LE Low-E	FXG Fixed Grilles	2/6 Available in 2'6" Width	3/6 Available in 3'6" Width

Steel Options

Profiles® & Traditions


All doors available in 6'8" height and 3'0" width.

Crystalline




Profiles
1119HD (1D)
2/8

Sedona




Traditions
TS211(1D)
2/8

Sedona



Profiles
996HD (1D)

Salinas



Traditions
TS374 (1W)
2/8 2/10

Salinas




Profiles
1002HD (1W)

Maple Park




Traditions
TS963 (1D)
2/8 2/10

Maple Park




Profiles
1011HD (1D)

Avonlea




Traditions
TS1031 (1D)
2/8

Avonlea




Profiles
1034HD (1D)

Saratoga



Traditions
TS613 (1D, 1C)
2/6 2/8 2/10

Saratoga



Profiles
988HD (1D, 1C)

Saratoga



Profiles
1112HD (1C)
2/8

Note: Product images show exterior side of door.

Wellesley



Traditions
TS623 (1C)
218 2110

Wellesley



Profiles
989HD (1C)

Concorde



Traditions
TS426 (1D, 1C)
216 218 2110

Concorde



Profiles
999HD (1D, 1C)

Kensington



Traditions
TS627 (1D, 1C)
218 2110

Kensington




Profiles
631HD (1D, 1C)

Pembridge




Traditions
TS6560
(1D) 218 2110
(1A) 218

Pembridge




Profiles
6565HD (1D, 1A)

Axis




Traditions
TS1660 (1D)
218 2110

Axis



Profiles
1659HD (1D)
218

Axis



Profiles
1657HD (1D)

Privacy SDL



Traditions
TS262()-SDL
(XE, XC, XJ, XR, XN)
218 2110

Steel Options

Key

1D	Black Nickel	1W	Wrought Iron	XJ	Chinchilla	SDL	Simulated Divided Lites	2110	Available in 2'10" Width
1C	Brushed Nickel	XE	Satin Etch	XR	Rainglass	216	Available in 2'6" Width		
1A	Brass	XC	Chord	XN	Granite	218	Available in 2'8" Width		

Steel Options

Profiles & Traditions

All doors available in 6'8" height and 3'0" width.

Privacy SDL



Profiles
982HD()-SDL
(XE, XJ, XR, XN)

Privacy




Traditions
TS206()
(XE, XC, XJ, XR, XN)
2|8 2|10

Privacy



Profiles
980HD()
(XE, XJ, XR, XN)

Privacy



Profiles
104()
(XE, XJ, XR, XN)



Traditions
TS104()
(XE, XC, XJ,
XR, XN)
2|8 2|10

Internal Blinds



Traditions
TS132-RTLE (Low-E)
2|6 2|8 2|10
TS132-RT (Clear)
2|6 2|8 2|10

Internal Blinds



Profiles
984HD-RTLE (Low-E)
984HD-RT (Clear)

Internal Blinds



Profiles
1121HD-RTLE (Low-E)
2|8
1121HD-RT (Clear)
2|8

Internal Blinds




Profiles
131-RTLE (Low-E)
131-RT (Clear)



Traditions
TS131-RTLE
(Low-E)
2|6 2|8 2|10
TS131-RT
(Clear)
2|6 2|8 2|10

Screen Vented




Traditions
TS243
2|8 2|10

Screen Vented




Profiles
104HD

Screen Vented



Profiles
1102HD
2|8

Screen Vented



Profiles
137



Traditions
TS137
2|8 2|10


Low-E / Clear SDL



Traditions
 TS262-SDLLE (Low-E)
 2'6 2'10

TS262-SDL (Clear)
 2'6 2'10


GBG Flat White



Traditions
 TS262-GBGFWLE (Low-E)
 2'6 2'10

TS262-GBGFW (Clear)
 2'6 2'10


Fixed Grilles



Traditions
 TS262-FXGLE (Low-E)
 2'6 2'8 2'10

TS262-FXG (Clear)
 2'6 2'8 2'10

Low-E / Clear SDL



Profiles
 982HD-SDLLE (Low-E)
 982HD-SDL (Clear)

GBG Flat White



Profiles
 982HD-GBGFWLE (Low-E)
 982HD-GBGFW (Clear)

Fixed Grilles




Profiles
 982HD-FXGLE (Low-E)
 982HD-FXG (Clear)

GBG Flat White



Profiles
 1123HD-GBGFW (Clear)
 2'6

Fixed Grilles



Profiles
 1123HD-FXG (Clear)
 2'6

Low-E / Clear



Traditions
 TS206-LE (Low-E)
 2'6 2'8 2'10

TS206 (Clear)
 2'6 2'8 2'10

Low-E / Clear



Profiles
 1101HD-LE (Low-E)
 2'6

1101HD (Clear)
 2'6

Low-E / Clear



Profiles
 980HD-LE (Low-E)
 980HD (Clear)

Low-E / Clear



Profiles
 104-LE (Low-E)
 104 (Clear)



Traditions
 TS104-LE (Low-E)
 2'6 2'8 2'10

TS104 (Clear)
 2'6 2'8 2'10

Key

XE	Satin Etch	XR	Rainglass	SDL	Simulated Divided Lites	2'6	Available in 2'6" Width
XC	Chord	XN	Granite	GBG	Grilles Between Glass	2'8	Available in 2'8" Width
XJ	Chinchilla	LE	Low-E	FXG	Fixed Grilles	2'10	Available in 2'10" Width

Steel Options

Profiles & Traditions

All doors available in 6'8" height and 3'0" width.

Crystalline



Traditions
TS930 (1D, 1C)
2|6 2|8 2|10

Kensington



Traditions
TS629 (1D, 1C)
2|6 2|8 2|10

Pembridge



Traditions
TS6572
(1C, 1A) 2|8

Privacy SDL



Traditions
TS263()-SDL
(XE, XJ, XR) 2|6 2|8 2|10

Privacy



Traditions
TS289()
(XE, XJ, XR) 2|6 2|8 2|10

Low-E / Clear SDL




Traditions
TS263-SDLLE (Low-E)
2|6 2|8 2|10
TS263-SDL (Clear)
2|6 2|8 2|10

Low-E / Clear



Traditions
TS289-LE (Low-E)
2|6 2|8 2|10
TS289 (Clear)
2|6 2|8 2|10

Low-E / Clear



Traditions
TS105-LE
(Low-E)
2|6 2|8 2|10
TS105
(Clear)
2|6 2|8 2|10

Profiles
105-LE (Low-E)
105 (Clear)

Maple Park



Traditions
TS736 (1D, 1C)

Saratoga



Traditions
TS707 (1D, 1C)

Wellesley



Traditions
TS721 (1D, 1C)

Concorde



Traditions
TS735 (1D, 1C)

Pembridge



Traditions
TS745 (1D)

Fixed Grilles



Traditions
TS704-FXG (Clear)

Low-E



Traditions
TS708-LE (Low-E)

Concorde



Traditions
TS454 (1D, 1C)

GBG Flat White



Traditions
TS255-GBGFWLE (Low-E)

Fixed Grilles



Traditions
TS255-FXGLE (Low-E)
TS255-FXG (Clear)

Low-E / Clear



Traditions
TS256-LE (Low-E)
TS256 (Clear)

Fixed Grilles



Traditions
TS236-FXG (Clear)
2j8 2j10

Pembridge



Traditions
TS6570 (1D)
2j6 2j8 2j10

Axis



Traditions
TS1643 (1D)
2j6 2j8 2j10

Privacy



Traditions
TS296(____)
(XE, XC, XJ, XR, XN)
2j6 2j8 2j10

Low-E / Clear



Traditions
TS296-LE (Low-E)
2j6 2j8 2j10
TS296 (Clear)
2j6 2j8 2j10

Steel Options

Key

1D	Black Nickel	XE	Satin Etch	XR	Rainglass	SDL	Simulated Divided Lites	2j6	Available in 2'6" Width
1C	Brushed Nickel	XC	Chord	XN	Granite	GBG	Grilles Between Glass	2j8	Available in 2'8" Width
1A	Brass	XJ	Chinchilla	LE	Low-E	FXG	Fixed Grilles	2j10	Available in 2'10" Width

Steel Options

Profiles & Traditions

All doors available in 6'8" height and 3'0" width.

4-Panel



Traditions
TS214
218

2-Panel Square Top



Profiles
978HD

2-Panel Soft Arch



Profiles
1005HD

2-Panel Plank Soft Arch



Profiles
205HD
218

6-Panel



Traditions
TS210
218 219 210

Flush Panel



Profiles
100 316

SE100 218 ONLY




Traditions
TS100
210 214 216
218 210

Sedona



Steel
2SN (1D)
316 ONLY

Saratoga



Steel
2SG (1D, 1C)
316

Riserva




Steel
2RS (1W)
316

Pembridge




Steel
2PB (1D, 1C)
316

Axis



Steel
2AX-FF (1D)
316
2AX (1D)
316

Privacy




Steel
2(__)-FF (XG, XE, XC, XJ, XR, XN)
316
2(__) (XG, XE, XC, XJ, XR, XN)
316

Steel Options

Key

- 🔥 90-Minute Fire-Rated*
- 1D Black Nickel
- 1C Brushed Nickel
- 1W Wrought Iron
- XG Geometric
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- CL Clear
- FF Flat Frame
- 210 Available in 2'0" Width
- 214 Available in 2'4" Width
- 218 Available in 2'8" Width
- 210 Available in 2'10" Width
- 316 Available in 3'6" Width

Low-E



Steel
2CL-FFLE (Low-E)
3/6
2CL-LE (Low-E)
3/6

Blackstone



Steel
1(L, C, R)BS (1D, 1C)
3/6 ONLY

Crystalline




Steel
1(L, C, R)BL (1D, 1C)
3/6

Sedona



Steel
1(L, C, R)SN (1D)
3/6

Salinas




Steel
1(L, C, R)SA (1W)
3/6

Avonlea



Steel
1(L, C, R)AV (1D)
3/6 ONLY

Saratoga




Steel
1(L, C, R)SG (1D, 1C)
3/6

Riserva



Steel
1(L, C, R)RS (1W)
3/6

Pembridge



Steel
1(L, C, R)PB (1D, 1C)
3/6

Axis



Steel
1(L, C, R)AX-FF (1D)
3/6
1(L, C, R)AX (1D)
3/6

Privacy



Steel
1(L, C, R)()-FF
(XG, XE, XC, XR, XN) 3/6
(XJ) 3/6 ONLY
1(L, C, R)()
(XG, XE, XC, XR, XN) 3/6
(XJ) 3/6 ONLY

Low-E / Clear



Steel
1(L, C, R)CL-FFLE (Low-E)
1(L, C, R)CL-LE (Low-E)
3/6
1(L, C, R)CL (Clear)
3/6

Steel Options

Profiles & Traditions

All doors available in 6'8" height and 3'0" width.

Pembridge



Steel
4(L, C, R)PB-FF (1D)
3/6

4(L, C, R)PB (1D)
3/6


Pembridge



Steel
5(L, C, R)PB-FF (1D)
3/6

5(L, C, R)PB (1D)
3/6

Pembridge



Steel
8(L, C, R)PB-FF (1D)
3/6

8(L, C, R)PB (1D)
3/6


Pembridge



Steel
9(L, C, R)PB-FF (1D)
3/6

9(L, C, R)PB (1D)
3/6


Axis



Steel
4(L, C, R)AX-FF (1D)
3/6 ONLY

4(L, C, R)AX (1D)
3/6

Axis



Steel
5(L, C, R)AX-FF (1D)
3/6 ONLY

5(L, C, R)AX (1D)
3/6

Axis



Steel
8(L, C, R)AX-FF (1D)
3/6 ONLY

8(L, C, R)AX (1D)
3/6


Axis



Steel
9(L, C, R)AX-FF (1D)
3/6 ONLY

9(L, C, R)AX (1D)
3/6


Privacy



Steel
4(L, C, R)(__)-FF
(XG, XE, XC, XJ, XR, XN)
3/6

4(L, C, R)(__)
(XE, XC, XJ, XR, XN)
3/6

Privacy



Steel
5(L, C, R)(__)-FF
(XG, XE, XC, XJ, XR, XN)
3/6

5(L, C, R)(__)
(XE, XC, XJ, XR, XN)
3/6

Privacy



Steel
8(L, C, R)(__)-FF
(XG, XE, XC, XJ, XR, XN)
3/6

8(L, C, R)(__)
(XE, XC, XJ, XR, XN)
3/6

Privacy



Steel
9(L, C, R)(__)-FF
(XG, XE, XC, XJ, XR, XN)
3/6

9(L, C, R)(__)
(XE, XC, XJ, XR, XN)
3/6

Key

1D	Black Nickel	XC	Chord	XN	Granite	FF	Flat Frame
XG	Geometric	XJ	Chinchilla	LE	Low-E	3/6	Available in 3'6" Width
XE	Satin Etch	XR	Rainglass	CL	Clear		

Note: Product images show exterior side of door.

Low-E / Clear



- Steel**
4(L, C, R)CL-FFLE (Low-E)
4(L, C, R)CL-LE (Low-E) 3/6
4(L, C, R)CL-FF (Clear)
4(L, C, R)CL (Clear) 3/6

Low-E / Clear



- Steel**
8(L, C, R)CL-FFLE (Low-E)
8(L, C, R)CL-LE (Low-E) 3/6
8(L, C, R)CL-FF (Clear)
8(L, C, R)CL (Clear) 3/6

Low-E / Clear



- Steel**
5(L, C, R)CL-FFLE (Low-E)
5(L, C, R)CL-LE (Low-E) 3/6
5(L, C, R)CL-FF (Clear)
5(L, C, R)CL (Clear) 3/6

Low-E / Clear



- Steel**
9(L, C, R)CL-FFLE (Low-E)
9(L, C, R)CL-LE (Low-E) 3/6
9(L, C, R)CL-FF (Clear)
9(L, C, R)CL (Clear) 3/6



Steel Options

Steel Sidelite Options

Profiles & Traditions

All sidelites available in 6'8" height and 12" and 14" widths.

Blackstone



Profiles
310SL (1D, 1C)

Salinas



Profiles
369SL (1W)

Maple Park



Profiles
1006SL (1D, 1C)

Avonlea



Profiles
1027SL (1D)

Saratoga



Profiles
610SL (1D, 1C)

Wellesley



Profiles
620SL (1D)

Concorde



Profiles
416SL (1D)

Axis



Profiles
1651SL-FF (1D)
1651SL (1D)

Privacy SDL



Profiles
632(__)SL-SDL
(XE, XJ, XR, XN)

Privacy



Profiles
100(__)SL-FF
(XG, XE, XC, XJ, XR)

100(__)SL
(XE, XJ, XR, XN)

Internal Blinds



Profiles
130SL-RTLE (Low-E)
130SL-RT (Clear)

Low-E / Clear SDL



Profiles
632SL-SDLLE (Low-E)
632SL-SDL (Clear)

GBG Flat White



Profiles
632SL-GBGFWLE (Low-E)

Fixed Grilles



Profiles
632SL-FXGLE (Low-E)
632SL-FXG(Clear)

Low-E / Clear



Profiles
 100SL-FFLE (Low-E)
 100SL-LE (Low-E)
 100SL (Clear)

Axis



Steel
 TS4AXSL-FF (1D)
 TS4AXSL (1D)

Axis



Steel
 TS5AXSL-FF (1D)
 TS5AXSL (1D)

Axis



Steel
 TS10AXSL-FF (1D)
 TS10AXSL (1D)

Axis




Steel
 TS9AXSL-FF (1D)
 TS9AXSL (1D)

Privacy



Steel
 TS4()SL-FF
 (XG, XE, XC, XR, XJ, XN)
 TS4()SL
 (XE, XC, XJ, XR, XN)

Privacy



Steel
 TS5()SL-FF
 (XG, XE, XC, XR, XJ, XN)
 TS5()SL
 (XE, XC, XJ, XR, XN)

Privacy



Steel
 TS10()SL-FF
 (XG, XE, XC, XR, XJ, XN)
 TS10()SL
 (XE, XC, XJ, XR, XN)

Privacy



Steel
 TS9()SL-FF
 (XG, XE, XC, XR, XJ, XN)
 TS9()SL
 (XE, XC, XJ, XR, XN)

Low-E / Clear



Steel
 TS4CLSL-FFLE (Low-E)
 TS4CLSL-LE (Low-E)
 TS4CLSL-FF (Clear)
 TS4CLSL (Clear)

Low-E / Clear



Steel
 TS5CLSL-FFLE (Low-E)
 TS5CLSL-LE (Low-E)
 TS5CLSL-FF (Clear)
 TS5CLSL (Clear)

Low-E / Clear



Steel
 TS10CLSL-FFLE (Low-E)
 TS10CLSL-LE (Low-E)
 TS10CLSL-FF (Clear)
 TS10CLSL (Clear)

Low-E / Clear



Steel
 TS9CLSL-FFLE (Low-E)
 TS9CLSL-LE (Low-E)
 TS9CLSL-FF (Clear)
 TS9CLSL (Clear)

Key


1D	Black Nickel	XG	Geometric	XJ	Chinchilla	LE	Low-E	GBG	Grilles Between Glass
1C	Brushed Nickel	XE	Satin Etch	XR	Rainglass	CL	Clear	FXG	Fixed Grilles
1W	Wrought Iron	XC	Chord	XN	Granite	SDL	Simulated Divided Lites	FF	Flat Frame

8'0" Steel Options

Traditions

All doors available in 8'0" height and 3'0" width.

Blackstone



Traditions
816 (1D)

Crystalline



Traditions
814 (1C)

Salinas



Traditions
817 (1W)

Pembridge



Traditions
86500 (1D)
2j6

Axis



Traditions
81651 (1D)
2j6 2j8

Privacy



Traditions
818()
(XE, XC, XN) 2j8 2j10
(XJ)
(XR) 2j8

Internal Blinds



Traditions
829-RTLE (Low-E) 2j6 2j8 2j10
829-RT (Clear) 2j6 2j8 2j10

Low-E / Clear



Traditions
818-LE (Low-E) 2j6 2j8 2j10
818 (Clear) 2j6 2j8 2j10

Maple Park



Traditions
8963 (1D)

Internal Blinds



Traditions
8132-RTLE (Low-E)
8132-RT (Clear)

Low-E / Clear



Traditions
8206-LE (Low-E)
8206 (Clear)

Concorde



Traditions
8735 (1C)

8'0" Steel Options

Key

1D	Black Nickel	1W	Wrought Iron	XJ	Chinchilla	LE	Low-E	2j6	Available in 2'6" Width
1C	Brushed Nickel	XE	Satin Etch	XR	Rainglass	FF	Flat Frame	2j8	Available in 2'8" Width
1A	Brass	XC	Chord	XN	Granite	2j4	Available in 2'4" Width	2j10	Available in 2'10" Width

Low-E



Traditions
8708-LE (Low-E)

Axis



Traditions
81643 (1D)

Privacy



Traditions
896(□)
(XE, XC, XJ, XR, XN)

Low-E / Clear



Traditions
896-LE (Low-E)
896 (Clear)

Fixed Grilles




Traditions
8317-FXG (Clear)

6-Panel



Traditions
810

Flush Panel



Traditions
800
213 216 218 2110

Sedona




Steel
TS83SN (1D)

Riserva



Steel
TS83RS (1W) 218

Saratoga



Steel
TS83SG
(1D) 218
(1C) 218 2110

Pembridge



Steel
TS83PB-FF (1C, 1A) 218
TS83PB (1D, 1C, 1A) 218

Axis



Steel
TS83AX-FF (1D) 218 2110
TS83AX (1D) 218 2110

8'0" Steel Options

Traditions

All doors available in 8'0" height and 3'0" width.

Privacy



Steel
 TS83()-FF
 (XN) 2j6, (XG, XE, XC, XJ, XR) 2j8 2j10
 TS83 ()
 (XG) 2j8, (XE, XC, XJ, XR, XN) 2j8 2j10

Low-E



Steel
 TS83CL-FFLE (Low-E) 2j8 2j10
 TS83CL-LE (Low-E) 2j8 2j10

Pembridge



Steel
 TS81(L, C, R)PB-FF (1D, 1C) 2j8
 TS81(L, C, R)PB (1D) 2j8

Axis



Steel
 TS81(L, C, R)AX (1D)
 2j6 2j8 2j10

Privacy



Steel
 TS81(L, C, R)()-FF
 (XE, XC, XR, XN) 2j6 2j8
 TS81(L, C, R)()
 (XJ), (XN) 2j6 2j8,
 (XE, XC, XR) 2j6 2j8 2j10

Low-E / Clear



Steel
 TS81(L, C, R)CL-FFLE (Low-E) 2j6 2j8
 TS81(L, C, R)CL-LE (Low-E) 2j6 2j8 2j10
 TS81(L, C, R)CL (Clear) 2j6 2j8 2j10

Pembridge



Steel
 TS84(L, C, R)PB-FF
 (1D) 2j6 2j8, (1C) 2j8
 TS84(L, C, R)PB
 (1D) 2j6 2j8, (1C, 1A) 2j8

Pembridge



Steel
 TS85(L, C, R)PB-FF
 (1D) 2j6 2j8, (1C) 2j8
 TS85(L, C, R)PB
 (1D) 2j6 2j8, (1C, 1A) 2j8

Pembridge



Steel
 TS86(L, C, R)PB-FF
 (1D) 2j6 2j8, (1C) 2j8
 TS86(L, C, R)PB
 (1D) 2j6 2j8, (1C, 1A) 2j8

Pembridge



Steel
 TS811(L, C, R)PB-FF
 (1D) 2j6 2j8, (1C) 2j8
 TS811(L, C, R)PB
 (1D) 2j6 2j8, (1C, 1A) 2j8

8'0" Steel Options

Key	1D	Black Nickel	XG	Geometric	XJ	Chinchilla	LE	Low-E	2j6	Available in 2'6" Width
	1C	Brushed Nickel	XE	Satin Etch	XR	Rainglass	CL	Clear	2j8	Available in 2'8" Width
	1A	Brass	XC	Chord	XN	Granite	FF	Flat Frame	2j10	Available in 2'10" Width

Pembridge



Steel
 TS810(L, C, R)PB-FF (1D) 2/6 2/8 (1C) 2/8
 TS810(L, C, R)PB (1D) 2/6 2/8 (1C, 1A) 2/8

Axis



Steel
 TS810(L, C, R)AX-FF (1D) 2/6 2/8 2/10
 TS810(L, C, R)AX (1D) 2/6 2/8 2/10

Axis




Steel
 TS84(L, C, R)AX-FF (1D) 2/6 2/8 2/10
 TS84(L, C, R)AX (1D) 2/6 2/8 2/10

Privacy



Steel
 TS84(L, C, R)(_)FF (XG, XE, XC, XR) 2/6 2/8 2/10 (XJ, XN) 2/6 2/8
 TS84(L, C, R)(_) (XE, XC, XJ, XR, XN) 2/6 2/8 2/10

Axis




Steel
 TS85(L, C, R)AX-FF (1D) 2/6 2/8 2/10
 TS85(L, C, R)AX (1D) 2/6 2/8 2/10

Privacy




Steel
 TS85(L, C, R)(_)FF (XG, XE, XC, XR) 2/6 2/8 2/10 (XJ, XN) 2/6 2/8
 TS85(L, C, R)(_) (XE, XC, XJ, XR, XN) 2/6 2/8 2/10

Axis



Steel
 TS86(L, C, R)AX-FF (1D) 2/6 2/8 2/10
 TS86(L, C, R)AX (1D) 2/6 2/8 2/10

Privacy



Steel
 TS86(L, C, R)(_)FF (XG, XE, XC, XR) 2/6 2/8 2/10 (XJ, XN) 2/6 2/8
 TS86(L, C, R)(_) (XE, XC, XJ, XR, XN) 2/6 2/8 2/10

Axis



Steel
 TS811(L, C, R)AX-FF (1D) 2/6 2/8 2/10
 TS811(L, C, R)AX (1D) 2/6 2/8 2/10

Privacy



Steel
 TS811(L, C, R)(_)FF (XG, XE, XC, XR) 2/6 2/8 2/10 (XJ, XN) 2/6 2/8
 TS811(L, C, R)(_) (XE, XC, XJ, XR, XN) 2/6 2/8 2/10

8'0" Steel Options

8'0" Steel Options

Traditions

All doors available in 8'0" height and 3'0" width.

Privacy




Steel
 TS810(L, C, R)(_)FF
 (XG, XE, XC, XR) 2'6 2'8 2'10
 (XJ, XN) 2'6 2'8
 TS810(L, C, R)(_)
 (XE, XC, XJ, XR, XN) 2'6 2'8 2'10

Low-E / Clear




Steel
 TS86(L, C, R)CL-FFLE (Low-E) 2'6 2'8 2'10
 TS86(L, C, R)CL-LE (Low-E) 2'6 2'8 2'10
 TS86(L, C, R)CL-FF (Clear) 2'6 2'8
 TS86(L, C, R)CL (Clear) 2'6 2'8 2'10

Low-E / Clear



Steel
 TS84(L, C, R)CL-FFLE (Low-E) 2'6 2'8 2'10
 TS84(L, C, R)CL-LE (Low-E) 2'6 2'8 2'10
 TS84(L, C, R)CL-FF (Clear) 2'6 2'8
 TS84(L, C, R)CL (Clear) 2'6 2'8 2'10

Low-E / Clear



Steel
 TS811(L, C, R)CL-FFLE (Low-E) 2'6 2'8 2'10
 TS811(L, C, R)CL-LE (Low-E) 2'6 2'8 2'10
 TS811(L, C, R)CL-FF (Clear) 2'6 2'8
 TS811(L, C, R)CL (Clear) 2'6 2'8 2'10

Low-E / Clear



Steel
 TS85(L, C, R)CL-FFLE (Low-E) 2'6 2'8 2'10
 TS85(L, C, R)CL-LE (Low-E) 2'6 2'8 2'10
 TS85(L, C, R)CL-FF (Clear) 2'6 2'8
 TS85(L, C, R)CL (Clear) 2'6 2'8 2'10

Low-E / Clear



Steel
 TS810(L, C, R)CL-FFLE (Low-E) 2'6 2'8 2'10
 TS810(L, C, R)CL-LE (Low-E) 2'6 2'8 2'10
 TS810(L, C, R)CL-FF (Clear) 2'6 2'8
 TS810(L, C, R)CL (Clear) 2'6 2'8 2'10

8'0" Steel Options

Key

XG	Geometric	XJ	Chinchilla	LE	Low-E	2'6	Available in 2'6" Width
XE	Satin Etch	XR	Rainglass	CL	Clear	2'8	Available in 2'8" Width
XC	Chord	XN	Granite	FF	Flat Frame	2'10	Available in 2'10" Width



8'0" Steel Options

Hinged Patio Door Systems

A Therma-Tru® patio door with genuine Therma-Tru parts is a complete door system with doors, glass and parts engineered to work together for durability and reliability through the years.



- | | | |
|---|--|---------------------------------|
| 1 Multi-Point Locking System (Recommended) | 4 Hinges | 7 Sill Pan (Recommended) |
| 2 Bottom Sweep | 5 Corner Seal Pads (Inswing Only) | 8 Astragal |
| 3 Sill | 6 Rain Deflector (Inswing Only) | 9 Frame Components |

Vented Sidelites*



Enjoy the view – and a fresh breeze, too.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

*For inswing use only.

Top: Smooth-Star, Clear Glass, Doors – S2000, Sidelites – S2000SL
 Bottom: Smooth-Star Door – S8200; Granite Glass, Sidelites – S81086XNSL


EnLiten™ Flush-Glazed Internal Blinds



Available Door Collections

Smooth-Star.

Available Door Styles & Sizes




Widths

5'0"
 5'4"
 5'8" (Can be used as a 6'0" replacement size.)
 6'0"

Heights

6'6"
 6'8"
 8'0"

Available Configurations




EnLiten™ Flush-Glazed Low-E Grilles Between Glass



Available Door Collections

Fiber-Classic. Oak / Smooth-Star.

Available Door Styles & Sizes




Widths

5'0"
 5'4"
 5'8" (Can be used as a 6'0" replacement size.)
 6'0"

Heights

6'6"
 6'8"
 8'0"

Available Configurations




EnLiten™ Flush-Glazed Low-E Glass



Available Door Collections

Classic-Craft® / Fiber-Classic® Oak / Smooth-Star®

Available Door Styles & Sizes




Widths

5'0"
5'4"
5'8" (Can be used as a 6'0" replacement size.)
6'0"

Heights

6'6"
6'8"
8'0"

Available Configurations




Low-E Internal Blinds



Available Door Collections

Fiber-Classic® Mahogany / Fiber-Classic® Oak / Smooth-Star®

Available Door Styles & Sizes




Widths

5'0"
5'4"
5'8" (Can be used as a 6'0" replacement size.)
6'0"

Heights

6'6"
6'8"
8'0"

Available Configurations



Low-E Glass



Available Door Collections

Fiber-Classic. Mahogany / Fiber-Classic. Oak / Smooth-Star.

Available Door Styles & Sizes



Widths

4'8" (Can be used as a 5'0" replacement size.)

5'0"

5'4"

5'8" (Can be used as a 6'0" replacement size.)

6'0"


Heights

6'6"

6'8"

8'0"

Available Configurations




Multi-Point Locking Systems (MPLS)

Lever-Style MPLS


(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)

Exterior Handlesets



Heirloom Venture Millennium
Backplates: Wide / Narrow; Locking: Active / Inactive (Not Shown)


Standard Door Options



Tongue

Shootbolt

(For door systems with an astragal.)



Engages at three critical points.

Exterior view of door with lever-style MPLS.

- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.

Finish Options




Bright Brass Antique Brass Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze

Grip-Style MPLS

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors. Strike plate package available.)

Note: Grip-Style options are not available for double door/french door applications

Handlesets



Interior

Interior

Forte

Prospect


Standard Door Options



Tongue

Heights:
6'8"
7'0"
8'0"

Configurations:
Inswing
Outswing



- ①
- ②
- ③

Engages at three critical points.

Interior view of door.

- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.

Finish Options



Brushed Nickel Black Nickel Oil-Rubbed Bronze

Note: Grip-Style options are not available for double door/french door applications.

Hardware

Alta Handleset



Trim Options



Durango Knob



Snowbird Lever



Trim Options



Durango Knob



Snowbird Lever



Stockholm Handleset



Trim Options



Basel Lever



Trim Options



Basel Lever



Lever / Knob & Deadbolt Combinations



Durango Knob & Contemporary Deadbolt



Snowbird Lever & Contemporary Deadbolt



Basel Lever & Square Deadbolt

Finishing Options



Vintage Bronze



Satin Nickel

Peep Holes



Vintage Bronze




Satin Nickel

Note: All trademarks are property of their respective owners. Sure-Loc is not covered under Thermo-Tru's warranty, visit www.surelochardware.com for more information. Finish colors may vary from an actual application due to fluctuations in finishing or printing.

3'6" Width Door Style Options

Classic-Craft®


Door Styles



Glass Designs

Homeward™	◆		◆				◆	■	
Augustine.	◆	◆	◆	◆	◆	◆	◆		
Arborwatch.	◆		◆				◆	■	
Borrassa.	◆	◆	◆	◆	◆	◆	◆		
Lucerna.	◆		◆				◆		
Geometric								■	
Rainglass								■	
Low-E	◆		◆				◆	■	▲

Solid-Panel Door Styles



Smooth-Star®,
Profiles™,
Traditions &
Pulse®

Door Styles

All Pulse Styles




Glass Designs

Blackstone.	*▷	*			*▷	*					
Crystalline™	*▷	*			*▷	*					
Sedona	*▷		*▷	*	*▷	*					
Salinas.	*▷	*			*▷	*					
Maple Park.	*▷										
Avonlea.	*▷				*▷						
Saratoga™	*▷		*▷	*	*▷	*					
Wellesley™	*▷	*									
Riserva™	*▷	*	*▷	*	*▷	*					
Concorde™	*▷	*									
Kensington™	*▷										
Pembridge™	▷		*▷	*	*▷	*	*▷	*	*▷	*	
Axis™	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*	
Privacy & Textured Glass	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*	
Internal Blinds	*▷	*									
Divided Lites	*▷	*									
Clear	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*	
Solid Panel										*▷▷	*


Key

- Classic-Craft® American Style Collection™
- ◆ Classic-Craft® Rustic Collection™
- ▲ Classic-Craft® Oak Collection™
- ▼ Fiber-Classic® Mahogany Collection™
- ▲ Fiber-Classic® Oak Collection™
- * Smooth-Star®
- ▷ Profiles™ & Traditions
- Steel Edge



7'0" Height Door Style Options

Door Styles



Glass Designs

Blackstone.	▼▲**	▲**	*		▶							▼▲**	▶						
Crystalline™	▼▲**	▲**	*		▶			▶				▼▲**	▶						
Sedona	▼▲**	▲**	*		▶							▼▲**	▶						
Salinas.	▼▲**	▲**	*		▶							▼▲**	▶						
Maple Park.	▼▲**	▲**	*		▶		▲**					▼▲**	▶						
Avonlea.	▼▲**	▲**	*		▶							▼▲**	▶						
Saratoga™	▼▲**	▲**	*		▶		▲**					▼▲**	▶						
Texas Star		▲**	*		▶								▶						
Wellesley™	▼▲**	▲**	*		▶		▲**					▼▲**	▶						
Riserva™	▼▲**	▲**	*		▶							▼▲**	▶						
Concorde™	▼▲**	▲**	*		▶		▲**	▶				▼▲**	▶						
Kensington™	▼▲**	▲**	*		▶							▼▲**	▶						
Pembridge™	▼▲**	▲**	*		▶		▶		▲▶			▼▲**	▶	▶					
Axis™	▼▲**	▲**	*		▶				▲**			▼▲**	▶	▶					
Frosted Images.		▲**	*		▶							▼▲**	▶						
Privacy & Textured Glass	▼▲**	▲**	*	▼▲**	▶				▲**			▼▲**	▶	▶					
Internal Blinds	▼▲**	▲**	*	▼▲**								▼▲**	▶						
Screen Vented		*▶	*	*▶															
Divided Lites	▼▲**	▲**	*		▶	*▶	▲**	▶		▶	▶	▼▲**	▶						
Clear	▼▲**	▲**	*	▼▲**	▶	*▶	▲**	▶	▲**			▼▲**	▶	▶					
Solid Panel																*	▶	▲**▶	▼▲**▶

7'0" Height Door Style Options



Left: Smooth-Star, Maple Park Glass, Door - S6107

5'0" Solutions Matrix

Single Door, (2) 10" Sidelites Solutions

Glass Designs																
Longford™		■			■		■								■	
Lucerna™		■			■		■								■	
Blackstone™	▲		▲▲		▼▲*		▼▲*						▼▲			
Salinas™	▲	▼▲*	▼▲*										▼▲*			
Maple Park™		▼▲*	▼▲*			▼*	▼▲*	▼▲*					▼▲*			
Avonlea™			▼*		▼▲*		▼▲*						▼▲*		▼▲*	
Saratoga™	▲	▼▲*	▼▲*			▼*	▼▲*						▼▲*		▼▲*	
Concorde™	▲		▼*		▼▲*		▼▲*		▲*				▼▲*			
Axis™	▲*													▼▲*		▼▲*
Internal Blinds	▲*		▼▲*										▼▲*			
Clear Divided Lites								▼▲	▲*				▼▲*			
Low-E Clear		▼▲*						▼▲*								
Flush-Glazed Divided Lites Clear													*			
Flush-Glazed Clear		*				*							*			
Flush-Glazed Privacy & Textured Glass						*							*			
Flush-Glazed Privacy & Textured Divided Lites						*							*			
Privacy & Textured Glass	▲*	▼▲*	▼▲*			▼*		▼▲*	▲*	▼▲*			▼▲*		▼▲*	▼▲*
Privacy & Textured Divided Lites			▼▲*			▼*							▼▲*			
Solid Panel		▼▲	▼*		■▼▲*	▼*	▼▲*				■▼▲*	▼▲*				



Double Door Solutions

Glass Designs										
Blackstone™	▲*		▲*							
Salinas™	▲		▲*						*	
Maple Park™			▲							
Avonlea™						▼▲*				
Saratoga™	▲*		▲*							
Concorde™	▲*		▲*							
Axis™	▲*					▼▲*	▼▲*			
Internal Blinds	▲*								*	
Clear Divided Lites	*								*	
Low-E Clear									▲*	
Flush-Glazed Divided Lites Clear	▲*									
Flush-Glazed Clear	▲*	*						▲*	*	
Flush-Glazed Privacy & Textured Glass	▲*									
Flush-Glazed Privacy & Textured Divided Lites	▲*							▲*		
Privacy & Textured Glass	▲*					▼▲*	▼▲*	▼▲*		
Privacy & Textured Divided Lites	*									
Solid Panel			*	▲*	▼▲*					▼▲*



Key

- Classic-Craft® Mahogany Collection™
- ▼ Fiber-Classic® Mahogany Collection™
- ▲ Fiber-Classic® Oak Collection™
- * Smooth-Star®

Top: Smooth-Star, Low-E Glass with SDLs, Door – S4816, Sidelites – S2000SL

Bottom: Smooth-Star, Clear Glass with SDLs, Door – S5720XE, Sidelite – S5720XESL, ©TheHouseDesigners.com

Therma-Tru® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWDDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E 331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames and dividers must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames and dividers are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the Old World charm.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought

iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic-Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru, Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic-Craft, Fiber-Classic, Smooth-Star, and Pulse. Door Systems; Steel – Pulse, Profiles, Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems.
- Therma-Tru, Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic-Craft, Fiber-Classic, Smooth-Star, and Pulse. Fiberglass Door Systems.
- EnLiten, Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems.
- EnLiten, Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems.
- PrismaGuard. Limited Warranty Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft, and Fiber-Classic. Door Systems.
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru, Fiberglass Door Systems and Fypon. Stainable Polyurethane Products.

Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Therma-Tru. Owner's Manual & Warranties


www.thermatru.com/warranty



THERMA-TRU[®]
DOORS

fabricated by
OREPAC

- BOISE, ID
- BOZEMAN, MT
- DENVER, CO
- ONTARIO, CA
- PHOENIX, AZ
- SACRAMENTO, CA
- SALT LAKE CITY, UT*
- SPOKANE, WA
- TACOMA, WA
- WILSONVILLE, OR



- ★ CORPORATE
- MANUFACTURING
- BRANCH

**Therma-Tru is not available at SLC branch*

Southwest Region
2019 Featured Products Catalog
www.orepac.com

Above: Classic-Craft American Style Collection, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven, Door Surround – TDS-CRSFLT

©2019 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. All trademarks are property of their respective owners. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. MET19.2017 JUNE 2019